

**HEAD OFFICE & FACTORY**

Shiv Puri Road, Basti Danishmandan,  
Jalandhar-144002 (Pb.) India.  
Tel (O) : +91-181-2201666, 2255777, 5005666  
Fax : +91-181-2251999  
Mob : +91-98147-32488 (Snl), 98725-19215 (Vj)  
E-mail : inder@inderindia.com

**2015**



An ISO-9001:2008 Co.

|   |                                                                                     |           |                        |       |        |
|---|-------------------------------------------------------------------------------------|-----------|------------------------|-------|--------|
|   |                                                                                     |           |                        |       |        |
| 1 |    | ITEM      | Single Socket Tee      |       |        |
|   |                                                                                     | PROD. NO. | 601AA                  | 601A  | 601B   |
|   |                                                                                     | SIZE      | 3/4"                   | 1"    | 1.1/4" |
|   |                                                                                     | SIZE (MM) | 26.90                  | 33.70 | 42.40  |
|   |                                                                                     | WT (KGS.) | 0.255                  | 0.310 | 0.465  |
|   |                                                                                     |           |                        |       |        |
| 2 |    | ITEM      | Straight Coupling      |       |        |
|   |                                                                                     | PROD. NO. | 602AA                  | 602A  | 602B   |
|   |                                                                                     | SIZE      | 3/4"                   | 1"    | 1.1/4" |
|   |                                                                                     | SIZE (MM) | 26.90                  | 33.70 | 42.40  |
|   |                                                                                     |           |                        |       |        |
|   |                                                                                     |           |                        |       |        |
| 3 |   | ITEM      | Elbow                  |       |        |
|   |                                                                                     | PROD. NO. | 603AA                  | 603A  | 603B   |
|   |                                                                                     | SIZE      | 3/4"                   | 1"    | 1.1/4" |
|   |                                                                                     | SIZE (MM) | 26.90                  | 33.70 | 42.40  |
|   |                                                                                     | WT (KGS.) | 0.300                  | 0.340 | 0.560  |
|   |                                                                                     |           |                        |       |        |
| 4 |  | ITEM      | Adjustable Side Outlet |       |        |
|   |                                                                                     | PROD. NO. | 604AA                  | 604A  | 604B   |
|   |                                                                                     | SIZE      | 3/4"                   | 1"    | 1.1/4" |
|   |                                                                                     | SIZE (MM) | 26.90                  | 33.70 | 42.40  |
|   |                                                                                     | WT (KGS.) | 0.220                  | 0.360 | 0.400  |
|   |                                                                                     |           |                        |       |        |
| 5 |  | ITEM      | Side Outlet Elbow      |       |        |
|   |                                                                                     | PROD. NO. | 605AA                  | 605A  | 605B   |
|   |                                                                                     | SIZE      | 3/4"                   | 1"    | 1.1/4" |
|   |                                                                                     | SIZE (MM) | 26.90                  | 33.70 | 42.40  |
|   |                                                                                     | WT (KGS.) | 0.420                  | 0.500 | 0.880  |
|   |                                                                                     |           |                        |       |        |
| 6 |  | ITEM      | Side Outlet Tee        |       |        |
|   |                                                                                     | PROD. NO. | 606AA                  | 606A  | 606B   |
|   |                                                                                     | SIZE      | 3/4"                   | 1"    | 1.1/4" |
|   |                                                                                     | SIZE (MM) | 26.90                  | 33.70 | 42.40  |
|   |                                                                                     | WT (KGS.) | 0.310                  | 0.400 | 0.750  |
|   |                                                                                     |           |                        |       |        |
| 7 |  | ITEM      | Three Socket Tee       |       |        |
|   |                                                                                     | PROD. NO. | 607AA                  | 607A  | 607B   |
|   |                                                                                     | SIZE      | 3/4"                   | 1"    | 1.1/4" |
|   |                                                                                     | SIZE (MM) | 26.90                  | 33.70 | 42.40  |

|    |                                                                                     |           |                      |       |        |
|----|-------------------------------------------------------------------------------------|-----------|----------------------|-------|--------|
|    |      | WT (KGS.) | 0.410                | 0.430 | 0.775  |
| 8  |    | ITEM      | Corss                |       |        |
|    |                                                                                     | PROD. NO. | 608AA                | 608A  | 608B   |
|    |                                                                                     | SIZE      | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM) | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT (KGS.) | 0.300                | 0.410 | 0.630  |
|    |                                                                                     |           |                      |       |        |
| 9  |    | ITEM      | Swivel Flange        |       |        |
|    |                                                                                     | PROD. NO. | 609AA                | 609A  | 609B   |
|    |                                                                                     | SIZE      | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM) | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT (KGS.) | 0.770                | 0.820 | 0.985  |
|    |                                                                                     |           |                      |       |        |
| 10 |    | ITEM      | Clamp On Crossover   |       |        |
|    |                                                                                     | PROD. NO. | 610AA                | 610A  | 610B   |
|    |                                                                                     | SIZE      | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM) | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT (KGS.) | 0.266                | 0.350 | 0.470  |
|    |                                                                                     |           |                      |       |        |
| 11 |    | ITEM      | Base Flange          |       |        |
|    |                                                                                     | PROD. NO. | 611AA                | 611A  | 611B   |
|    |                                                                                     | SIZE      | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM) | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT (KGS.) | 0.445                | 0.560 | 0.585  |
|    |                                                                                     |           |                      |       |        |
| 12 |  | ITEM      | Railing Base Flange  |       |        |
|    |                                                                                     | PROD. NO. | 612AA                | 612A  | 612B   |
|    |                                                                                     | SIZE      | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM) | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT (KGS.) | 0.730                | 0.890 | 1.110  |
|    |                                                                                     |           |                      |       |        |
| 13 |  | ITEM      | Wall Flange          |       |        |
|    |                                                                                     | PROD. NO. | 613AA                | 613A  | 613B   |
|    |                                                                                     | SIZE      | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM) | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT (KGS.) | 0.650                | 0.690 | 0.950  |
|    |                                                                                     |           |                      |       |        |
| 14 |  | ITEM      | Plug                 |       |        |
|    |                                                                                     | PROD. NO. | 615AA                | 615A  | 615B   |
|    |                                                                                     | SIZE      | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM) | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT (KGS.) | 0.008                | 0.010 | 0.015  |
|    |                                                                                     |           |                      |       |        |
| 15 |  | ITEM      | Single Swivel Socket |       |        |
|    |                                                                                     | PROD. NO. | 614AA                | 614A  | 614B   |
|    |                                                                                     | SIZE      | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM) | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT (KGS.) | 0.615                | 0.625 | 0.830  |
|    |                                                                                     |           |                      |       |        |
|    |  | ITEM      | Grub Screws          |       |        |
|    |                                                                                     | PROD. NO. | 616AA                | 616A  | 616B   |

|    |                                                                                 |            |       |       |        |
|----|---------------------------------------------------------------------------------|------------|-------|-------|--------|
| 16 |  | SIZE       | 3/4"  | 1"    | 1.1/4" |
|    |                                                                                 | SIZE (MM)  | 26.90 | 33.70 | 42.40  |
|    |                                                                                 | WT. (KGS.) | 0.008 | 0.008 | 0.012  |
|    |                                                                                 |            |       |       |        |
|    |                                                                                 |            |       |       |        |

|           |  |  |  |  |  |
|-----------|--|--|--|--|--|
| NEW RANGE |  |  |  |  |  |
|-----------|--|--|--|--|--|

|    |                                                                                   |            |                    |       |        |
|----|-----------------------------------------------------------------------------------|------------|--------------------|-------|--------|
| 17 |  | ITEM       | Three Socket Cross |       |        |
|    |                                                                                   | PROD. NO.  | 618AA              | 618A  | 618B   |
|    |                                                                                   | SIZE       | 3/4"               | 1"    | 1.1/4" |
|    |                                                                                   | SIZE (MM)  | 26.90              | 33.70 | 42.40  |
|    |                                                                                   | WT. (KGS.) | 0.357              | 0.531 | 0.788  |
|    |                                                                                   |            |                    |       |        |
|    |                                                                                   |            |                    |       |        |

|    |                                                                                   |            |                   |       |        |
|----|-----------------------------------------------------------------------------------|------------|-------------------|-------|--------|
| 18 |  | ITEM       | Four Socket Cross |       |        |
|    |                                                                                   | PROD. NO.  | 619AA             | 619A  | 619B   |
|    |                                                                                   | SIZE       | 3/4"              | 1"    | 1.1/4" |
|    |                                                                                   | SIZE (MM)  | 26.90             | 33.70 | 42.40  |
|    |                                                                                   | WT. (KGS.) | 0.519             | 0.612 | 1.075  |
|    |                                                                                   |            |                   |       |        |
|    |                                                                                   |            |                   |       |        |

|    |                                                                                   |            |           |       |        |
|----|-----------------------------------------------------------------------------------|------------|-----------|-------|--------|
| 19 |  | ITEM       | Crossover |       |        |
|    |                                                                                   | PROD. NO.  | 620AA     | 620A  | 620B   |
|    |                                                                                   | SIZE       | 3/4"      | 1"    | 1.1/4" |
|    |                                                                                   | SIZE (MM)  | 26.90     | 33.70 | 42.40  |
|    |                                                                                   | WT. (KGS.) | 0.209     | 0.352 | 0.547  |
|    |                                                                                   |            |           |       |        |
|    |                                                                                   |            |           |       |        |

|    |                                                                                    |            |                                  |       |        |
|----|------------------------------------------------------------------------------------|------------|----------------------------------|-------|--------|
| 20 |  | ITEM       | Combination Socket Tee and Cross |       |        |
|    |                                                                                    | PROD. NO.  | 621AA                            | 621A  | 621B   |
|    |                                                                                    | SIZE       | 3/4"                             | 1"    | 1.1/4" |
|    |                                                                                    | SIZE (MM)  | 26.90                            | 33.70 | 42.40  |
|    |                                                                                    | WT. (KGS.) | 0.306                            | 0.527 | 0.705  |
|    |                                                                                    |            |                                  |       |        |
|    |                                                                                    |            |                                  |       |        |


|    |                                                                                     |            |                      |       |        |
|----|-------------------------------------------------------------------------------------|------------|----------------------|-------|--------|
| 21 |  | ITEM       | Double Swivel Socket |       |        |
|    |                                                                                     | PROD. NO.  | 622AA                | 622A  | 622B   |
|    |                                                                                     | SIZE       | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM)  | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT. (KGS.) | 1.010                | 1.136 | 1.391  |
|    |                                                                                     |            |                      |       |        |
|    |                                                                                     |            |                      |       |        |

|    |                                                                                     |            |                      |       |        |
|----|-------------------------------------------------------------------------------------|------------|----------------------|-------|--------|
| 22 |  | ITEM       | Corner Swivel Socket |       |        |
|    |                                                                                     | PROD. NO.  | 623AA                | 623A  | 623B   |
|    |                                                                                     | SIZE       | 3/4"                 | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM)  | 26.90                | 33.70 | 42.40  |
|    |                                                                                     | WT. (KGS.) | 0.992                | 1.145 | 1.416  |
|    |                                                                                     |            |                      |       |        |
|    |                                                                                     |            |                      |       |        |

|    |                                                                                     |            |              |       |        |
|----|-------------------------------------------------------------------------------------|------------|--------------|-------|--------|
| 23 |  | ITEM       | Rail Support |       |        |
|    |                                                                                     | PROD. NO.  | 624AA        | 624A  | 624B   |
|    |                                                                                     | SIZE       | 3/4"         | 1"    | 1.1/4" |
|    |                                                                                     | SIZE (MM)  | 26.90        | 33.70 | 42.40  |
|    |                                                                                     | WT. (KGS.) | 0.366        | 0.450 | 0.665  |
|    |                                                                                     |            |              |       |        |
|    |                                                                                     |            |              |       |        |

|    |                                                                                     |           |             |      |        |
|----|-------------------------------------------------------------------------------------|-----------|-------------|------|--------|
| 24 |  | ITEM      | Eye Fitting |      |        |
|    |                                                                                     | PROD. NO. | 625AA       | 625A | 625B   |
|    |                                                                                     | SIZE      | 3/4"        | 1"   | 1.1/4" |


|    |                                                                                   |            |             |       |        |
|----|-----------------------------------------------------------------------------------|------------|-------------|-------|--------|
| 24 |    | SIZE (MM)  | 26.90       | 33.70 | 42.40  |
|    |                                                                                   | WT. (KGS.) | 0.213       | 0.255 | 0.264  |
|    |                                                                                   |            |             |       |        |
|    |                                                                                   |            |             |       |        |
| 25 |  | ITEM       | PIN Fitting |       |        |
|    |                                                                                   | PROD. NO.  | 626AA       | 626A  | 626B   |
|    |                                                                                   | SIZE       | 3/4"        | 1"    | 1.1/4" |
|    |                                                                                   | SIZE (MM)  | 26.90       | 33.70 | 42.40  |
|    |                                                                                   | WT. (KGS.) | 0.213       | 0.255 | 0.264  |
|    |                                                                                   |            |             |       |        |
|    |                                                                                   |            |             |       |        |




| 601C   | 601D  |
|--------|-------|
| 1.1/2" | 2"    |
| 48.30  | 60.30 |
| 0.580  | 1.070 |
|        |       |



| 602C   | 602D  |
|--------|-------|
| 1.1/2" | 2"    |
| 48.30  | 60.30 |
|        |       |



| 603C   | 603D  |
|--------|-------|
| 1.1/2" | 2"    |
| 48.30  | 60.30 |
| 0.800  | 1.410 |
|        |       |



| 604C   | 604D  |
|--------|-------|
| 1.1/2" | 2"    |
| 48.30  | 60.30 |
| 0.720  | 1.090 |
|        |       |



| 605C   | 605D  |
|--------|-------|
| 1.1/2" | 2"    |
| 48.30  | 60.30 |
| 1.135  | 2.005 |
|        |       |



| 606C   | 606D  |
|--------|-------|
| 1.1/2" | 2"    |
| 48.30  | 60.30 |
| 0.900  | 1.500 |
|        |       |



| 607C   | 607D  |
|--------|-------|
| 1.1/2" | 2"    |
| 48.30  | 60.30 |

|             |             |
|-------------|-------------|
| 0.960       | 1.920       |
|             |             |
|             |             |
| <b>608C</b> | <b>608D</b> |
| 1.1/2"      | 2"          |
| 48.30       | 60.30       |
| 0.780       | 1.610       |
|             |             |
|             |             |
| <b>609C</b> | <b>609D</b> |
| 1.1/2"      | 2"          |
| 48.30       | 60.30       |
| 1.080       | 1.180       |
|             |             |
|             |             |
| er          |             |
| <b>610C</b> | <b>610D</b> |
| 1.1/2"      | 2"          |
| 48.30       | 60.30       |
| 0.710       | 0.990       |
|             |             |
|             |             |
| <b>611C</b> | <b>611D</b> |
| 1.1/2"      | 2"          |
| 48.30       | 60.30       |
| 0.870       | 1.190       |
|             |             |
|             |             |
| e           |             |
| <b>612C</b> | <b>612D</b> |
| 1.1/2"      | 2"          |
| 48.30       | 60.30       |
| 1.380       | 1.940       |
|             |             |
|             |             |
| <b>613C</b> | <b>613D</b> |
| 1.1/2"      | 2"          |
| 48.30       | 60.30       |
| 1.060       | 1.776       |
|             |             |
|             |             |
| <b>615C</b> | <b>615D</b> |
| 1.1/2"      | 2"          |
| 48.30       | 60.30       |
| 0.020       | 0.025       |
|             |             |
|             |             |
| et          |             |
| <b>614C</b> | <b>614D</b> |
| 1.1/2"      | 2"          |
| 48.30       | 60.30       |
| 1.020       | 1.345       |
|             |             |
|             |             |
| <b>616C</b> | <b>616D</b> |

|             |       |
|-------------|-------|
| 1.1/2"      | 2"    |
| 48.30       | 60.30 |
| 0.012       | 0.012 |
|             |       |
|             |       |
| s           |       |
| 618C        | 618D  |
| 1.1/2"      | 2"    |
| 48.30       | 60.30 |
| 1.214       | 1.873 |
|             |       |
| s           |       |
| 619C        | 619D  |
| 1.1/2"      | 2"    |
| 48.30       | 60.30 |
| 1.492       | 2.350 |
|             |       |
|             |       |
| 620C        | 620D  |
| 1.1/2"      | 2"    |
| 48.30       | 60.30 |
| 0.603       | 1.003 |
|             |       |
| d Crossover |       |
| 621C        | 621D  |
| 1.1/2"      | 2"    |
| 48.30       | 60.30 |
| 0.932       | 1.576 |
|             |       |
| et          |       |
| 622C        | 622D  |
| 1.1/2"      | 2"    |
| 48.30       | 60.30 |
| 1.604       | 2.104 |
|             |       |
| et          |       |
| 623C        | 623D  |
| 1.1/2"      | 2"    |
| 48.30       | 60.30 |
| 1.585       | 2.081 |
|             |       |
|             |       |
| 624C        | 624D  |
| 1.1/2"      | 2"    |
| 48.30       | 60.30 |
| 0.797       | 1.051 |
|             |       |
|             |       |
| 625C        | 625D  |
| 1.1/2"      | 2"    |

|               |              |
|---------------|--------------|
| 48.30         | 60.30        |
| <b>0.287</b>  | <b>0.464</b> |
|               |              |
|               |              |
| <b>626C</b>   | <b>626D</b>  |
| <b>1.1/2"</b> | <b>2"</b>    |
| 48.30         | 60.30        |
| <b>0.287</b>  | <b>0.474</b> |
|               |              |