

Bosch Limited, Power Tool Division,
PA-AT Complex, Hosur Road,
Adugodi, Bangalore – 560030.
Tel: 080-22992968.
Fax: 080-22223742.



Toll Free Number
1800 425 8665
Email: bpt@in.bosch.com
www.bosch-garden.co.in

Bosch Lawn & Garden Tools.

Ultimate freedom with
complete ease-of-use



BOSCH
Invented for life



New! The AQT 33-10:

Clean everything easy

Quick-connect SDS fittings
For quick and easy setup.

Auto-stop system
Delivers power only when you need it.

Water filter
For easy maintenance and additional pump protection.

Integrated accessory storage
Compartments for easy access and tidy storage.

Compact design
Ergonomic space-saving design with integral handle.

Detergent system
For easy soap application.



Toughest dirt, strongest cleaning.

New! Bosch Home & Car Washer range. Tackle a wide variety of tasks in your home, from cleaning cars and freshening up garden furniture to power washing patios and driveways. With click-and-go attachments and mobile compact designs, it's never been easier to pressure wash.



Technical Specifications	AQT 33-10
Max. pressure	100 bar
Max. flow rate	330 l/h
Motor power	1300 W
Max. flow temperature	40°C
Weight without accessories	4.15 Kgs.
Part No.	0.600.8A7.0F0-081
Accessories	
Hose length/material	3 m/PVC
Power cable length/material	5 m/PVC
Folding handle	-
Wheels	-
Gun	Standard
Lance	(✓)
Nozzle	Variable fan nozzle
Patio cleaner	-
90° nozzle	-
Wash brush	-

New! The AQT 35-12 and AQT 35-12+:

Powerful cleaning for your home & car

Fold down handle
For hassle-free storage and mobility.

Innovative hose storage
For quick and convenient hose management.

Auto-stop system
Delivers power only when you need it.

Quick-connect SDS fittings
For quick and easy setup.

Integrated accessory storage
Quick-access compartments and in-use lance and gun rest.

Versatile 3-in-1 nozzle
High pressure fan and rotary-jet head with low pressure soap option.

Water filter
For easy maintenance and additional pump protection.

Detergent system
For easy soap application.



New! The AQT 37-13 and AQT 37-13+:

Strong performance for every task

Fold down handle
For hassle-free storage and mobility.

Innovative hose storage
For quick and convenient hose management.

Auto-stop system
Delivers power only when you need it.

Quick-connect SDS fittings
For quick and easy setup.

Integrated accessory storage
Quick-access compartments and in-use lance and gun rest.

Versatile 3-in-1 nozzle
High pressure fan and rotary-jet head with low pressure soap option.

Water filter
For easy maintenance and additional pump protection.

Detergent system
For easy soap application.



Technical Specifications	AQT 35-12	AQT 35-12+
Max. pressure	120 bar	120 bar
Max. flow rate	350 l/h	350 l/h
Motor power	1500 W	1500 W
Max. flow temperature	40°C	40°C
Weight without accessories	5.53 Kgs.	5.53 Kgs.
Accessories		
Hose length/material	5 m/PVC	5 m/PVC
Power cable length/material	5 m/PVC	5 m/PVC
Folding handle	✓	✓
Wheels	✓	✓
Gun	Bosch	Bosch
Lance	✓	✓
Nozzle	3-in-1	3-in-1
Patio cleaner	-	✓
90° nozzle	-	-
Wash brush	-	-
Part No.	0 600 8A7 1F0-081	0 600 8A7 1F1-081

Technical Specifications	AQT 37-13	AQT 37-13+
Max. pressure	130 bar	130 bar
Max. flow rate	370 l/h	370 l/h
Motor power	1700 W	1700 W
Max. flow temperature	40°C	40°C
Weight without accessories	6.53 Kgs.	6.53 Kgs.
Accessories		
Hose length/material	6 m/PVC	6 m/PVC
Power cable length/material	5 m/PVC	5 m/PVC
Folding handle	✓	✓
Wheels	✓	✓
Gun	Bosch	Bosch
Lance	✓	✓
Nozzle	3-in-1	3-in-1
Patio cleaner	-	DELUXE
90° nozzle	-	✓
Wash brush	-	✓
Part No.	0 600 8A7 2F0-081	0 600 8A7 2F1-081



AQT Range:

Every Accessory fits on every model

	3-in-1 nozzle Part No.: F 016 800 352		Wash brush Part No.: F 016 800 359
	Rotary nozzle Part No.: F 016 800 353		High pressure hose Part No.: F 016 800 360
	90° nozzle Part No.: F 016 800 354		Extension hose Part No.: F 016 800 361
	High pressure detergent nozzle Part No.: F 016 800 355		Drain cleaner Part No.: F 016 800 362
	Suction nozzle Part No.: F 016 800 356		Water filter Part No.: F 016 800 363
	Patio cleaner DELUXE Part No.: F 016 800 357		Kärcher adapter Part No.: F 016 800 364
			Aquatak accessory adapter Part No.: F 016 800 365

Bosch Garden Tools

Creative people just don't relax and refresh their weary body and mind around the cool breeze in a garden, they do more in redesigning their garden in to an attractive place. If you have a keen interest of doing this to attract attention towards your garden then we have a great solution for you. Bosch Garden Tools are specially designed to fulfill your imagination. Powered by Lithium-ion technology, these versatile and multi-purpose tools give maximum performance. So, choose Bosch Garden Tools and let your creativity take shape.

ISIO 2 Shrub and Edging Shear:

Fostering your gardening creativity



- Comfortable soft grip.**
Ergonomic grip area on both sides
- Battery status indicator.**
Practical, four-stage LED with up-to-date charge level indicator
- "Anti-Blocking System"**
enables continuous cutting of dense lawn & virtually no stalling
- Integrated 3.6 V lithium-ion battery.**
Delivers an incredible runtime of up to 50 mins
- Short charge time,** no self-discharge, no memory effect and always ready to use
- Compact and lightweight:**
For effortless cutting of bushes and small leafed hedges
- Precision-ground quality blade**



Technical Specifications	
Battery Type	Lithium-ion
Battery Power	3.6 V
Runtime	50 mins
"Anti-Blocking" System	yes
Charge Time	3.5 h
Weight	550 gms.
Blade Length/Width	120 mm (Shrub) 80 mm (Edging)
Tooth Spacing	8 mm
Part No.	0 600 833 00E-081



Hedgecutters AHS 6000 Pro-T and AHS 45-16:

Powerful top performance




Technical Specifications	AHS 6000 Pro T	AHS 45-16
Motor Power	700 W	450 W
Blade Length	600 mm	450 mm
Tooth Spacing	34 mm	16 mm
Slipping Clutch Torque	80 Nm	22 Nm
No-load Stroke Rate	3000 spm	3400 spm
Blade Tip Protector	Yes	-
Weight	4.3 Kgs.	2.6 Kgs.
Part No.	0 600 848 A00-081	0 600 847 A00-081

New! Brush Cutter AMW 10:

Versatile, effortless and powerful



Technical Specifications	
Motor Power	1000W
No-load Speed	11400 rpm
Weight	4.2 Kgs.
Part No.	0 600 8A3 000-081
Attachments	
Hedge Trimmer	0 600 8A3 A00-081
Tree Pruner	0 600 8A3 B00-081
Grass Trimmer	0 600 8A3 C00-081



Cordless Hedgecutters AHS 48 Li and 54-20 Li:

Lighter than similar hedgecutters

Laser-cut, diamond ground blades for clean cut

Blade tip protector for cutting along walls and paths

Optimum balance and ergonomics due to new design and softgrip

'Anti-Blocking System': For extra cutting power and prevents stalling

36 V / 1.3 Ah Lithium-ion Technology: More power with no self-discharge and no memory effect

Tooth spacing of 20 mm: Enabling you to cut even medium-weight branches perfectly



Technical Specifications	AHS 48 Li	AHS 54-20 Li
Battery Type	Lithium-ion	Lithium-ion
Battery Power	18 V	36 V
Charge Time	3 h	45 min
Runtime	50 min	50 min
Blade Length	480 mm	540 mm
Tooth Spacing	15 mm	20 mm
Anti-blocking System	Yes	Yes
No-load Stroke Rate	2200 spm	2000 spm
Weight	2.2 Kgs.	3.5 Kgs.
Part No.	0 600 849 000-081	0 600 84A 100-081



Hand Mower AHM 38G:

For a clean, precise cut



Technical Specifications	AHM 38G
Power	Hand
Width-of-cut	38 cm
Height-of-cut	15-43 mm
Height-of-cut Settings	Variable
Cutting System	5 Blade Cylinder
Grass Box Capacity	25L
Weight	7 Kgs.
Part No.	0 600 886 103-081
Accessories: Part No.	1 609 200 399-081 Lubricant Spray

Light weight: Easy to push and easy to carry

High geared side wheels: For maximum manoeuverability

Large rear grass box: Easily removable

Hand wheel HOC & on-cut adjustments: Simple to adjust and maintain

5 bladed cylinder: For a clean cut



Lawnmowers Rotak 32, Rotak 40, and Rotak 43:

Mowing right up to the edge is easy



Technical Specifications	Rotak 32	Rotak 40	Rotak 43
Motor Power	1200 W	1600 W	1800 W
Torque	13 Nm	22 Nm	23 Nm
Width-of-cut	32 cm	40 cm	43 cm
Bosch Powerdrive™ Motor	Yes	Yes	Yes
Cutting System	Rotary Blade	Rotary Blade	Rotary Blade
Grass Combs	-	Yes	Yes
Weight	6.8 Kgs.	12.3 Kgs.	12.4 Kgs.
Grass Box Capacity	31 litres	50 litres	50 litres
Height-of-cut	20–60 mm	20–70 mm	20–70 mm
Height-of-cut Settings	3, Axle	10, Central	10, Central
Type of Switch	Standard	Full Width on/off Switch	Full Width on/off Switch
Integrated Carrying Handle	Yes	Yes	Yes
Motor Overload Cut-out	Yes	Yes	Yes
Part No.	0 600 885 B00-081	0 600 881 C00-081	0 600 881 300-081
Area of Cut	up to 150 m ²	up to 600 m ²	up to 800 m ²
Type of Handle	-	-	Ergoflex System



Grass Trimmer ART 23 Easytrim:

Perfect handling due to perfectly balanced design



Technical Specifications	
Motor Power	280 W
Cutting Diameter	23 cm
Cutting System	Pro-tap Spool
"Pro-Tap" Spool	1.6 mm x 4 m
Weight	1.7 Kgs.
Part No.	0 600 878 A00-081



Grass Trimmer ART 26 Li:

Durable and very powerful tool



Technical Specifications	
Battery Type	Lithium-ion
Battery Power	18V
Charge Time	3 h
Cutting Diameter	26 cm
Telescopic Handle	yes
Height Adjustment	80-114cm
Cutting System	Plastic Blade
Weight	2.4 Kgs.
90° Rotating Cutter Head	yes
Plant Protector	yes
Part No.	0 600 878 L00-081



ART 30 Combtrim:

Made for overgrown areas

Versatile: Two spools, one for normal grass and one with "extra-strong line" for more stubborn growth

Vertical trimming and edge-cutting, in order to achieve faster and better results while walking



Technical Specifications	
Motor Power	500W
Cutting Diameter	30 cm
Telescopic Handle	yes
Height Adjustment	80-115cm
Cutting System	Extra-strong line + "pro-tap" spool
"Pro-tap" Spool	1.6mmx4m
Extra-strong Line (6 pieces)	6xdiameter 2.4mm
Weight	3.4 Kgs.
90 Rotating Cutter Head	yes
Set of Wheels	yes
Plant Protector	yes
Part No.	0 600 878 D00-081



Chainsaw AKE 40-19 Pro:

Powerful top performance




Technical Specifications	
Motor Power	1900 W
Bar Length	40 cm
Chain Speed	13m/sec
Chain	3-layer Chrome Extra Long-life Chain
Drive Link Thickness	1.3 mm
Bosch SDS	Yes
Weight (Including Chain and Bar)	4.7 Kgs.
Carrying Case	Yes
Part No.	0 600 836 803-081



Chainsaw AKE 30 Li:

No petrol, no cable, full power



Ergonomic handle

Soft grip and ergonomic shape for increased maneuverability

Dual brake system. Electronic kick-back brake with audible signal and function brake for increased safety

Oil level indicator

and automatic oiling to avoid running the chainsaw dry

Independent: Over 100 cuts through thick wood with a single battery charge.

Powerful: The combination of high-torque electric motor and 36 V lithium-ion battery copes with all gardening tasks

Tool-less SDS system for a quick and easy start to work



Technical Specifications	
Battery Type	Lithium-ion
Battery Voltage	36 V / 2.6 Ah
Charge Time	95 min, 80% in 65 min
Oil Tank	135 ml
Chain Bar Length	30 cm
Chain Speed	8.0 m/s
Quick Chain Tensioning	✓
Automatic Oiling	✓
Weight	5.2 Kgs.
Part No.	0 600 837 100-081



Shredder AXT Rapid 2200 and AXT 25 TC:

Versatile multi-purpose shredder

Automatic feed and low noise levels for extremely convenient shredding

Innovative, removable hopper for easy filling and safe release of blockages

Top performance: Powerful shredders with maximum cutting capacity

Universal: The new "Turbine-Cut System" guarantees extremely fast material throughput of material avoiding any blockages

Innovative safety function of the collection box & works only when the collection box is in position

Shielded cutting mechanism for greater user safety



Technical Specifications	AXT 25 TC	AXT Rapid 2200
Cutting System	Turbine-cut	Cutting Blade
Motor Power	2500 W	2200 W
Cutting Capacity	45mm Diameter	40mm Diameter
Material Throughput Rate	approx. 230 Kgs./h	approx. 90 Kgs.
Cutting Speed	41<>rpm	3650 rpm
Torque	approx. 650 Nm	approx. 14 Nm
LWA Noise Emission Level	approx. 89 db (A)1	approx. 103 db (A)/ <107 db(A)2
Voltage	230V	230V
Weight	30.5 Kgs.	12 Kgs.
Automatic Feed	yes	-
Collection Box	53 litres	-
Noise Emission / Acoustic Power	<91dB (A)	<103dB (B)
Part No.	0 600 803 300-081	0 600 853 600-081



New! ALS 25 Garden Vacuum:

The only problem you'll have is running out of leaves

Lightweight
3.2 kg (blower) and 4.4 kg (vac)
for effortless way to collect
garden leaves

**Adjustable handle and
padded shoulder strap**
For comfortable use without
pain in shoulders or arms

Longer working time
Shredding ratio 10:1 -
more compact leaves for
better composting

Easy to use 45 l collection bag
Second handle and zipper
for easy emptying of the bag

Blowing speed
Variable blowing speed
up to 300 km/h for light
sweeping to removing
sticky, wet leaves

Powerful performance
2500 W motor power and
up to 800 m³/h volume flow rate



Technical Specifications	
Motor capacity	2500 W
Variable airflow speed	≤ 300 km/h
Volume flow rate	800 m ³ /h
Weight (leaf blower)	3.2 kg
Weight (garden vac)	4.4 kg
Collection bag	45 l
Reduction of leaf quantity	10:1
Part No.	0 600 8A1 000-081



Bosch Accessories.

Getting more from your Bosch garden tools

General accessories

Accessory	Product	Part No.	EAN Code
Lubricant spray	ISIO; All Hedgecutters	1 609 200 399	3165140.005029

Cordless shears

Accessory	Product	Part No.	EAN Code
Blade 8 cm	ISIO	2 609 002 039	3165140.441100
Telescopic handle with wheels	ISIO	2 609 002 041	3165140.441124

Brush cutter

Accessory	Product	Part No.	EAN Code
AMW TS Extension Pole	AMW 10	0 600 8A3 D00	3165140.711678

Corded Rotak lawnmowers

Accessory	Product	Part No.	EAN Code
Replacement 40 cm blade	Rotak 40	F 016 800 273	3165140.399074
Replacement 43 cm blade	Rotak 43	F 016 800 274	3165140.399081
Replacement 32 cm blade	Rotak 32	F 016 800 299	3165140.571142

Corded grass trimmers

Accessory	Product	Part No.	EAN Code
Set of wheels	ART 30 Combtrim	F 016 800 172	3165140.349338
Plant protector	ART 30 Combtrim	F 016 800 173	3165140.349345
Pro-Tap spool	ART 30 Combtrim		
	ART 23 Easytrim	F 016 800 175	3165140.349369
Pro-Tap line	ART 30 Combtrim		
	ART 23 Easytrim	F 016 800 176	3165140.349376
Extra-strong line 30 cm (10 lines)	ART 30 Combtrim	F 016 800 182	3165140.349963

Cordless grass trimmers

Accessory	Product	Part No.	EAN Code
Safety plastic blades (24 blades)	ART 26 Li	F 016 800 183	3165140.349970
Set of wheels	ART 26 Li	F 016 800 172	3165140.349338
Plant protector	ART 26 Li	F 016 800 173	3165140.349345

Chainsaws

Accessory	Product	Part No.	EAN Code
Bar and chain 1.3 mm / 40 cm	AKE 40-19.PRO	F 016 800 240	3165140.357654
Bar and chain 1.1 mm / 30 cm	AKE 30 Li	F 016 800 256	3165140.396455

Shredder

Accessory	Product	Part No.	EAN Code
Replacement blade	AXT Rapid 2000	F 016 800 276	3165140.427135