
**SinoCourts** is a comprehensive sports facilities enterprise setting R&D, production, sale, installation and service as one. Since our company established, our company had made continuous progress, our products is more and more popular and widely used all over the world, especially Southeast Asia, The Middle East, South America, South Africa, Etc. Our main products include **indoor/outdoor pvc sports flooring**, **PP interlocking tiles, Rubber Mats, Commercial flooring**, and **flooring accessories**. Moreover, besides standard products, we also provide an extensive range of customization services in order to cater for your special order.

Owing to the Top-quality in China, most competitive price, prompt delivery and excellent after-sales service, with the philosophy of "Professional", "Healthy", "Away from sports injury", we have developed an extensive network of agents and distributors all over the world. We hope to cooperate with more customers for mutual development and benefits. We welcome potential buyers to contact us freely.







### 1. INDOOR PVC SPORTS FLOOR

- 1)\*Universal Sports(  $\square$  )----Used in universities, schools, fitness clubs and recreational facilities etc.
- 2)\*Competition Sports  $\hfill\square$   $\hfill\square$  )---Used in universities, schools, fitness clubs, recreational facilities and international competitions.
- 3)\*Honour Sports [ [ [ ] ----Used in universities, schools, fitness clubs and recreational facilities etc.

# **Specifications**

PVC sports flooring
Lichee,dene, jean, cloth, wood, gemstone.etc
Green, blue, red, grey, orange, black as request
2.0mm, 3.5mm, 4.5mm, 6.0mm, 8.0mm
15m, 18m,20m
1.42m,1.5m,1.8m.
ISO9001-2008.
badminton court,table-tennis court,volleyball court,tennis
floor, basketball court and for multifunction venues, training
rooms,dance studio,gym and other professional venues.
with paper tube inside and waterproof craft paper covered in roll
Within 15~20 days as soon as making the order
50% TT in advanced, the balance within 10 days after receiving the B/L copy

## Lightspot

### ► Shock absorption

Absorbs impacts from jumps and protects the joints and muscles involved, making exercise a more comfortable and enjoyable experience.

► Vertical deformation

 $\label{power return enables} \textbf{Excellent power return enables athletes to increase their on-court performance}.$ 

Superior vertical stability eliminates "area" indentation.

► Superior ball bounce

A good sports floor has identical ball bounce in all areas and all across the floor.

► Sliding properties

Optimal slip coefficient offers natural grip avoiding falls and accidents, provides a safe playing surface.

Sports Characteristics				
Hardness(Shao Er A)₽	55~90₽	degree₽	82₽	
Rebound Values₽	≥5₽	<b>%</b> ₽	8₽	
Tensile Strength₽	≥1.0₽	MPa₽	1.2₽	
Elongation₽	≥120₽	%∻	125₽	
Flame Retardant	1∉	Grade₽	1₽	
Friction Coefficient	0.40~0.60₽	0	0.55₽	
Anti Slip ₽	≥47₽	BPN20°C₽	75₽	
Chemical Characteristics				
Vinyl Chloride Monomer∂	<b>≶</b> 5₽	mg/kg₽	0₽	
Soluble Pb₽	<b>≤20</b> ₽	mg/m²₄	0.4₽	
Soluble Cd₽	≤20₽	mg/m²₽	0.2₽	
Volatile Content₽	≲35₽	g/m²₄ਾ	16₽	

# Selected design and Colors:



2. OUTDOOR PVC SPORTS FLOOR
1) OUTDOOR SPORT COURTS
Quick Details

Place of Origin: Hebei, China(Mainland) Brand Name: SinoCourts

Type: outdoor pvc sports flooring Sport: Multi-use

Application: outdoor sport courts--badminton/tennis/basketball/volleyball courts, or outdoor playground, etc.

Color: red, green, blue, yellow, grey, etc. Or can be customized per detailed request

Roll Size: 1.8m\*15m

Thickness: 4.5mm, 5mm, 6mm, 8mm

Surface Pattern: crystal stone, sand, marble, wood etc.

Port: Tianjin or Shanghai Package: with paper tube inside and waterproof craft paper covered in roll

Delivery Time: 3-10 days after received the deposit payment

#### Lightspot:

1. Waterproof 2. Anti-slip 3. No formaldehyde 4. Easy to install 5. Long service time 6. Flame retardant 7. Multiple design 8. Thickness and colors can be customized

### **Structure and Colors:**

### PRODUCT STRUCTURE:

surface colors show:

red-01

dark blue -04

coral -07




orange-08



# 2) OUTDOOR RUNNING TRACK

Min. Order:	200 Square Meters
Port:	Tianjin/Shanghai, China
Production Capacity:	10000sqm/Month
Payment Terms:	L/C, T/T, Western Union, Paypal
Application field:	Running Track, Gym, multi-functional sport areas
Thickness:	6mm to 13mm
Shock Absorption Rate:	>53%
Friction Factor:	0.7
Skid Resistance Value:	58
Test Standard:	GB/T14833-2011
Surface Pattern:	Walnut Pattern
Color:	Red/Blue/Green



# 3. PP INTERLOCKING MATS Quick Details

Place of Origin: Hebei, China(Mainland) Brand Name: SinoCourts

Modle Number: PP Tile Sport: Multi-use

Application: kindergarton playground, all kinds of sport courts

Color: red, green, blue, yellow, grey, etc.
Size: 250\*250\*13mm or 30.48\*30.48\*13mm

Surface Pattern: square pattern, double cross,double layer, plain

Port: Tianjin or Shanghai Package: in carton

Delivery Time: 3-10 days after received the deposit payment

# **Specifications**

Name	PP Interlocking Mats/Outdoor Basketball Sports Floor/Outdoor pp interlock
	sports floor

Pattern	Crossing grid, double crossing grid, flat, etc.
Service Life	At least 10 years
Color	Green, blue, red, grey, yellow, or as customized
Thickness	12mm-16mm
Length	250mm, 304mm
Width	250mm, 304mm
Certification	National Sport Goods Quality Supervision Center
Used For	Indoor or Outdoor badminton court, volleyball court, tennis court, basketball
	court and multi-function sport area, Kindergarton playground, Etc.
Package	In paper carton
Delivery time	Within 3-10 days after received the deposit payment
Payment terms	50% TT in advanced, the balance should be paid within 3-5 days against the
	copy of BL(CIF term); and 100% TT in advance when choose the FOB term.






# 4. RUBBER MAT

Specifications	
Material	Rubber and EPDM granule
Color	Black, yellow, green, gray, blue, purple, etc.
Thickness	15/20/ 25/ 30/40/45/50mm
Specification	500mm*500mm, 600mm*600mm, 1000mm*1000mm
Package	On pallet
Surface treatment	compact
Service life	More than 15 years
Flame retardant	Bf1-S1
Acoustic performance	12dB
Anti resistive	>10
Chemical resistance	qualified
Dimensional stability	0.05%
Residual depression degree	0.08mm
Skid resistance	R9 group
Degree of fading	>= 3 rating
Abrasion resistance	T group
Resistance performance	-0.05mm
The national material testing	qualified





# 5. COMMERCIAL FLOOR

## \*Structure of pvc flooring

- 1. 100% pure vinyl wear layer
- 2. Glass fiber reinforced woven fiberglass inner layer
- 3. Reinforcement layer
- 4. Closed cell foaming buffer layer

### \*Products features:

1. Abrasive resistant, self-clean, environmental.

- 2. Fire resistant and mut noise.
- 3. Resist impact, anti-skidding, shock absorption, can ensure the security of athlete
- 4. Soft and comfortable, high resilience

### \*Application Area:

Hospital/kindergarten/dance room/Lab/office/shopping mall/subway or train/bus/ship floor









# 6. FLOOR ACCESSORIES

1. Welding Wire



2. Adhesive Tape





Skirting



