



WAVES TECHNOLOGY



Proudly Believe in Quality –Since 2014

COMPANY PROFILE

As a profound *manufacturer* and *supplier* of Car Accessories & Mobile Accessories, we, **Waves Technology** have acquired a commendable position in the industry. Our large product line consists of items such as **RCA Cable, Car Charger 3.4Amp, Fast Charging Cable, Amplifier Wiring Kit for Car Audio, Speaker Wire, Speaker Cable Pure Copper, Auxiliary Audio Cable, Micro Fiber Cloth**, etc. These items are a perfect combination of high-in-class raw material and modern technology. Our exceptional creations are the outcome of the knowledge and hard work of our team. The efficient R&D department that we have is one of our greatest supports. This is the source from where our production team gets the information about latest market trends and demands. Moreover, we have modern machines installed at our manufacturing department. These machines are responsible for creating a matchless gamut of flawless accessories. Across the country, we are famous for making available a brand which is incomparable in terms of quality and affordable rates.

Why Do Business With Us?

Our range of accessories such as **Charging Cable, Fast Charging Data Cable, Wall Charger, Amplifier Wiring Kit** etc., is at par with the Automotive grade & international standards. We guarantee customers that every item they avail from our company is quality tested as well as approved by experts. Apart for delivering high quality products, we are famous for some other services such as prompt delivery of consignments as well as accurate packaging of items. Additionally, listed below are some of the other factors responsible for our fame:

1. Perfection-focused approached team
2. Large variety of Car Accessories & Mobile Accessories
3. Affordable brand

Quality Testing Procedure.....

Quality of our all products speak for the perfection with which they are made. Post complete production of the order, the assortment of items is forwarded to our quality control panel from production unit. Here, a team of experts test products to check their energy supply and performance. Only those items are considered approved which receive green signal from the quality controllers. If they find any flaw in the accessory during the testing procedure, it is rejected and sent back to the production department. The quality control system exercised in our company enable us to supply completely flawless gamut having great features.

MANUFACTURING PROCESS & AUTOMATED MACHINERIES



AUTOMATIC SOLDERING MACHINE



CABLE CUTTING & STRIPING MACHINE



SOLDERING LINE



VERTICAL MOLDING



CABLE TESTING



FINISHING & PACKAGING



CABLE FOLDING



GIVE POWER TO YOUR MOBILE

CAR CHARGER 3.1 Amp – 2 port

IP6503_CAR CHARGER 3A1 specification –



Input characteristics :

- Input Voltage : 10V DC – 28 V DC
- Rated Voltage : 12VDC-24VDC
- Input Current : 2A MAX@12VDC-24VDC

Output characteristics :

- Output Voltage : DC 5V
- Output Voltage Tolerance: DC 4.75V – 5.25V
- Rated Load : 3.1A
- Output Power : 15.5W
- Efficiency : Greater than 88%

CAR CHARGER 3.1 Amp

Protection Function:

- Output Over Current Protection (OCP) : 3.4A
- Output Over Voltage Protection (OVP) : 30V
- Over Temperature Protection(OTP) : 135°C (IP6503)

Environmental:

- Operating Temperature Protection : 0° – 40° C
- Humidity : 5% RH – 95% RH
- Atmospheric Pressure : 70-106K Pa

Burn-in Test:

- Input DC 12V, loading: 5V-3.1A, Temperature 25°C, again 100% 2 hours without abnormal

Casing Temperature:

- 12VDC – 24VDC Full load: 100% temperature raising less than 65K

Few More Designs in Car Charger 3.1 Amp



WALL MOBILE CHARGER 2.4 AMP



- Wall Mobile Charger
- Single Port USB Output
- Cable Type: Micro USB/V8
- Output : 2.4 Amp

CHARGING CABLE

CHARGING CABLE 2.0Amp



- Cable Characteristic : Round
- Copper Gaze : 38
- No. of Strands : 10*2
- Outer Diameter : 3.5 MM
- Connector Type : Micro USB & USB-A
- Insert Life of the Connector: 3000 times
- PVC Flexible Jacket Material
- Length : 1.2 Meter
- Tensile Strength : 6 KG
- LD Plastic Material Cladding
- Compatible for 2.0Amp charger

CHARGING WITH DATA CABLE – Micro USB



CHARGING WITH DATA CABLE – MICRO USB

- 3A Charging Output
- 5 Gbps Data Transfer Rate
- Cable Characteristic : Round
- Copper Gaze : 40
- No. of Strands : 20/20/10/10
- Outer Diameter : 4.0 MM
- Connector Type : Micro USB & USB - A
- Insert Life of the Connector: 3000 times
- Virgin PVC Flexible Covering with **Braided Specification**
- Length : 1.2 Meter
- Tensile Strength : 12 KG
- LD Plastic Material Cladding with **Metallic Cap Covering**

CHARGING WITH DATA CABLE – C TYPE

CHARGING WITH DATA CABLE – C TYPE



- 3A Charging Output
- 5 MBPS Data Transfer Rate
- Cable Characteristic : Round
- Reversible USB-C connector
- Copper Gaze : 40
- No. of Strands : 20/20/10/10
- Outer Diameter : 4.0 MM
- Connector Type : C TYPE & USB - A
- Insert Life of the Connector: 10000 times
- Virgin PVC Flexible Covering with **Braided Specification**
- Length : 1.2 Meter
- Tensile Strength : 12 KG
- LD Plastic Material Cladding with **Metallic Cap Covering**

CHARGING WITH DATA CABLE – SYNC CABLE

CHARGING WITH DATA CABLE – SYNC CABLE



- 3A Charging Output
- 5 Gbps Data Transfer Rate
- Cable Characteristic : Round
- Copper Gaze : 40
- No. of Strands : 20/20/10/10
- Outer Diameter : 4.0 MM
- Connector Type : SYNC & USB - A
- Insert Life of the Connector: 3000 times
- Virgin PVC Flexible Covering with **Braided Specification**
- Length : 1.2 Meter
- Tensile Strength : 12 KG
- LD Plastic Material Cladding with **Metallic Cap Covering**

AUXILIARY **AUDIO CABLE**

AUXILIARY AUDIO CABLE – Metal Cap



- Cable Characteristic : Round
- Copper Gaze : 38
- No. of Strands: 7/7/14
- Outer Diameter : 3.5 MM
- Connector Type : AUX 3.5 mm Male Plug on Each End
- Conductor Construction: 8/0.08EC+Nylon 250D
- Conductor Resistance : 0.41Ω/3FT 0.62Ω/4FT 0.84Ω/6FT
- PVC Flexible Jacket with **Braided covering**
- Length : 1.5 Meter
- Tensile Strength : 12 KG
- LD Plastic Material Cladding **with Metallic Cap Covering**

AUXILIARY AUDIO CABLE

AUXILIARY AUDIO CABLE



- Cable Characteristic : Round
- Copper Gaze : 40
- No. of Strands : 7/7/14
- Outer Diameter : 3.8 MM
- Connector Type : AUX 3.5 mm Male Plug on Each End
- PVC Flexible Jacket Material
- Length : 1.5 Meter
- Tensile Strength : 10 KG
- LD Plastic Material Cladding

CAR CHARGER MICRO USB 2.0AMP



- Dual Port Car Charger
- Metal Body
- Connector Type: Micro USB
- Output: 2.4 AMP
- MRP: 300
- Warranty: 6 Month

4X FAST CAR CHARGER 5IN1 2.1 AMP



- 5 in 1 Car Charger
- Connector Type: Micro USB x 2, Macro, Nokia Thin Pin & Nokia Socket
- Output: 2.1 Amp
- MRP: 430/-
- Warranty : 6 Month

IPHONE CAR CHARGER 2.1 AMP



- Car Charger
- Connector Type: iPhone 5/6/7/8
- Output: 2.1 Amp
- MRP: 850/-
- Warranty: 6 Months

4x MICRO USB CAR CHARGER 2.1 AMP



- Car Charger
- Connector Type: Micro USB/V8
- Output: 2.1 Amp
- MRP: 599/-
- Warranty: 1 Year

3 IN1 CAR CHARGER 3.4 AMP



- Dual Port Car Charger
- Connector Type: iPhone/C-Type/ Micro USB
- Output: 3.4 AMP
- MRP: 699
- Warranty: 6 Month

SYNC & CHARGE CABLE



C – Type USB Ultra Fast & Sync Charge Cable



- C-Type Sync with Charging Cable
- Specially design for 3.0Amp Charger
- 99.9% Pure Copper
- Copper Strands 56x40
- Cable OD : 4 mm
- Max Speed 480 mbps
- Length : 1 Meter
- MRP : 499/-
- Warranty : 6 Month

iPhone Ultra Fast & Sync Charge Cable



- iPhone 5/6/7/8 Sync with Charging Cable
- Specially design for 3.0Amp Charger
- 99.9% Pure Copper
- Copper Strands 56x40
- Cable OD: 4 mm
- Max Speed 480 mbps
- Length : 1 Meter
- MRP : 499/-
- Warranty : 6 Month

3 in 1 charging cable



- 3 in 1 USB charging Cable
- Virgin PVC
- Fast charging cable
- 99.9% Pure Copper
- Connector Type: Micro USB, Type-C & Lightning
- Length : 1.2 Meter
- MRP : 400/-
- Warranty : 6 Month

Trump Micro USB Data Cable



- Trump Micro USB Data Cable
- Fast charging cable
- High Speed Data Transmission
- 99.9% Pure Copper
- Length : 1 Meter
- MRP : 140/-
- Warranty : 6 Month

iPhone Trump USB Data Cable



- Trump iPhone 5/6/7/8 Sync Cable
- Fast charging cable
- High Speed Data Transmission
- 99.9% Pure Copper
- Length : 1 Meter
- MRP : 300/-
- Warranty : No

Auxiliary Audio Cable



- Auxiliary Audio Cable
- Braiding with metal grip
- 3.5 mm Male Jack on both end
- Design for high quality audio output
- 99% Pure Copper
- 15 kg Tensile Strength
- Length : 1 Meter
- MRP : 280/-
- Warranty : 1 Year

Auxiliary Audio Cable



- Auxiliary Audio Cable
- 3.5 mm Male Jack on both end
- Design for high quality audio output
- 99% Pure Copper
- 3.8mm Virgin PVC
- Two Way Communication
- 12 kg Tensile Strength
- Length : 1 Meter
- MRP : 280/-
- Warranty : 1 Year

Auxiliary Audio Cable



- Auxiliary Audio Cable
- 3.5 mm Male Jack on both end
- Design for high quality audio output
- 99% Pure Copper
- 3.8mm Virgin PVC
- Two Way Communication
- 12 kg Tensile Strength
- Length : 2 Meter
- MRP : 399/-
- Warranty : 1 Year

Copper Auxiliary Stereo Cable



- Auxiliary Audio Cable
- 3.5 mm Male Jack on both end
- 99% Pure Copper
- 3.8mm Virgin PVC
- Two Way Communication
- Length : 1 Meter
- MRP : 150/-

Amplifier Wiring Kit



- **Amplifier Wiring Kit (8AWG)**
- Cable: (CCA Conductor Core)
- Power Cable – 5.0 Mtr
- Earth Cable – 0.8 Mtr
- Speaker Wire – 5.0 Mtr.
- Remote Cable – 5 Mtr.
- RCA Cable (2 Channel) – 5.0 Mtr.
- Fuse (Blade Type) - 30 Amp
- Thimbles & others
- Twisted Core RCA Cable for Zero Effect Humming
- High Quality PVC Jacket with Molded Plugs

RCA Car Audio Interconnect Cable



- RCA Cable
- Oxygen Free Copper cable
- Cable Type: RCA Pin to RCA Pin
- Twisted Copper for Zero Effect Humming
- Multi-Layered Insulation to reduce electrical interference
- High Quality PVC Jacket with Molded Plugs
- Length :5 Meter
- MRP : 799/-
- Warranty : 1 Year

Speaker Cable



- Speaker Cable
- 99.9% Pure Copper
- Outer Dimension:
2.2mm
- Copper strands: 40
- Virgin PVC
- Length : 50 Meter
- MRP : 900/-

Y - Interconnect Cable



- Y- Interconnect Cable
- Oxygen Free Copper cable
- Cable Type: 2RCA Pin to 1 RCA Jack
- Twisted Copper for Zero Effect Humming
- Multi-Layered Insulation to reduce electrical interference
- High Quality PVC Jacket with Molded Plugs
- Length :25 cm
- MRP :250/-
- Warranty :No

Micro Fiber Polishing Cloth



- Micro Fiber Polishing Cloth
- It absorbs 500 ml water that is enough to wipe a hatch back car
- Size: 40 x 40 cm
- MRP : 230/-
- Made in Vietnam

Multi Surface Cream



- Multi Surface Cream
- Cleans, Protects & Shines
- Gives Dry feel
- Life 20 days once applied on surface
- Weight: 100 ml.
- MRP :90/-

THANK YOU

Abhishek Kumar

Managing Director

M.No. 9650963120

Email ID: wavtechindia@gmail.com