



#### **OMSONS: THE VISON OF MEASUREMENT**

**OMSONS** has been manufacturing innovative and high quality measurement equipment for scientific and industrial purposes for the last 27 years.

Our Products and services include laboratory equipment for all oil industries School, Universities and Research purpose. Our inspiring principles are to develop and market innovative high quality products so that we can offer the best available tools for a modern measurement and training system to all our clients and all oil companies.

With a large and established customer database throughout India, **OMSONS** ishighly recommended as a premier manufacturer of reliable, high quality and competitively price products.

Started as a family business, **OMSONS** has today become a premier company of Petroleum Density Measuring instruments in India. Nevertheless, family tradition and its value are still at the basis of our work.

The principles underline the company mission have been the foundation of decades of success and we hold these principles as being as imported now as they were in 1983. Thus, We are ready to meet new market demands with the passion and the dedication of the past, together with the tools of tomorrow, convinced that out gratification and our customer satisfaction will be the one and the same.

On overwhelming response of our products, we got ISI mark on our leading products i.e. density hydrometer in 2001 from bureau of Indian standard and the other products are online.

#### **CALIBRATION SERVICES**

On overwhelming response from our **OMSONS** products, We registered our product i.e. Density hydrometer under Bureau of Indian Standards (ISI) in 2001. For quality programs like ISI and ISO our products based on that standards and traceability to NPL master pieces.

The instruments calibrated in our laboratory on ISI standard along with NPL traceability certificates. We calibrate the instruments and the correction to be applied at \*3 or \*4 points on the recommended scales at our works certificates. Copy of NPL traceability certificate also provided for reference.

We calibrate the Hydrometer and Thermometer with one step higher instruments for providing more accuracy relating to their least counts .



CONTENTS	PAGE
■ Calibration Service	2
■ Density Petroleum Hydrometers with ISI mark	2
■ Density Petroleum Kit	3
Specific Gravity Hydrometer	3
■ Specific Gravity Hydrometers	4
■ Baume Hydrometer	5
■ Twaddle Hydrometer	5
■ Brix without & with Thermohydrometers	6
■ Soil Glass Hydrometer	6
■ Sikes Hydrometer	7
Alcoholometer	7
Sikes Hydrometer (ZEAL Made in England)	8
Alcoholometer (ZEAL Made in England)	8
■ Lactometer	9
Urinometer	9
■ Wine Testing Kit	10
■ Brass Hydrometers (Baume / Brix)	10
<ul> <li>Glass Thermometers</li> <li>Petroleum / Industrial / Scientific / Educational</li> </ul>	11
■ Precision Thermometers	12
■ Hygrometers (Dry & Wet)	12
■ Minimum Maximum Thermometers	13
■ Wall Thermometers	13
<ul><li>Thermometers</li><li>Soil / Ground Joint / Inclosing Type</li></ul>	14
High Power Supply for Spectrum Tube	15
■ Crook's Radio Meter	15
Sample Bottle Container	15
■ Spectrum Discharge Tube	16
Oil & Water Paste	16
Whirling Hygrometer	16

Cat. No.: 1009

No. 128456

v. S



#### DENSITY PETROLEUM HYDROMETER L-50 SP / M-50 SP ISI MARKED

#### **CERTIFICATION TARIFF**

Serial No.	ltem	Rs. (Each)
1.	Hydrometer	
2.	Thermometer	
3.	Thermohydrometer	





#### **DENSITY HYDROMETERS**

For Analytical Laboratories
Shot & Wax Poised, Adjusted for use at 15°C M-50 SP.
Calibration 0.001, Max Length 270 mm, Accuracy ± 0.0002

Cat. No.	Range	Price Each Rate
1001	0.650 - 0.700 g/ml	
1002	0.700 - 0.750 g/ml	
1003	0.750 - 0.800 g/ml	
1004	0.800 - 0.850 g/ml	
1005	0.850 - 0.900 g/ml	
1006	0.900 - 0.950 g/ml	
1007	0.950 - 1.000 g/ml	





#### **DENSITY HYDROMETERS**

For Analytical Laboratories
Shot & Wax Poised, Adjusted for use at 15°C L-50 SP.
Calibration 0.0005, Max Length 335 mm, Accuracy ± 0.0002

Cat. No.	Range	Price Each Rate
1008	0.650 - 0.700 g/ml	
1009	0.700 - 0.750 g/ml	
1010	0.750 - 0.800 g/ml	
1011	0.800 - 0.850 g/ml	
1012	0.850 - 0.900 g/ml	
1013	0.900 - 0.950 g/ml	
1014	0.950 - 1.000 g/ml	



	Designation of the last of the	News Commission
May 05, 2010	082223	May 04, 201
Customer : M/s	Indian Oil Corporation	Limited
Article : "OM	SONS" make Density	Hydrometer with ISI Mark
Range : 0.80	0 - 0.850 g/ml (Interv	al: 0.001)
Temperature : 15°C		
	ration of the Scale	
		iquids of appropriate densit
	4747/1.01/C-474	
Test Specification : As P		
-	TEST RESIL	Germanian in to
0.800 g/ml		- 0.000 1 g/ml
0.820 g/ml		+ 0.000 1 g/m
0.840 g/ml		0.000 0 g/m
0.850 g/ml		0.000 0 g/m
SALEROSS P		Descript
-		
DANGE STREET		
- 1 Record one 3 formum is follows	Contract of the last	





# OMSONS

#### **DENSITY PETROLEUM KIT**

Cat. No.	Price
1015	
Density Petroleum Kit ISI mark (with Calibration Certificate)  Containing:	
Hydrometer ISI Marked M-50 SP 0.700-0.750 g/ml	1 pcs.
Hydrometer ISI Marked M-50 SP 0.750-0.800 g/ml	1 pcs.
Hydrometer ISI Marked M-50 SP 0.800-0.850 g/ml	1 pcs.
Thermometer Range -10 to 50°C (Least count. 0.25)	1 pcs.
Whatman Filterpaper No. 2 (90 mm)	1 pkt.
Water Paste	1 pcs.
Oil Paste (Dip Paste)	1 pcs.
Glass Jar Borosilicate 500ml.	1 pcs.

Calibration Certificate for Density Hydrometers & Thermometers.
(Traceable from N.P.L. Certificate)
All goods packed in a convenient beautiful bag.



# SPECIFIC GRAVITY / BEAUME GLASS HYDROMETERS. FOR GENERAL PURPOSE SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C


Catalogue No.	SP. GR. RANGE <sup>o</sup> Be RANGE	PRICE Rs. (Each)
1016 HEAVY LIQUID	<u>1.000 - 2.000</u> 0 - 70°Be	
1017 LIGHT LIQUID	0.700 - 1.000 10 - 70°Be	
1018	<u>1.000 - 1.500</u> 0 - 50°Be	
1019	<u>1.500 - 2.000</u> 50 - 70°Be	
1020 UNIVERSAL HYDROMETER	<u>0.700 - 2.000</u> 70 - 70°Be	



# SPECIFIC GRAVITY GLASS HYDROMETERS FOR GENERAL PURPOSE SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C

Catalogue No.	SP. GR. RANGE	PRICE Rs. (Each)
1021	0.600-0.800 Sp.Gr.	
1022	0.800-1.000 Sp.Gr.	
1023	1.000-1.200 Sp.Gr.	
1024	1.200-1.400 Sp.Gr.	
1025	1.400-1.600 Sp.Gr.	
1026	1.600-1.800 Sp.Gr.	
1027	1.800-2.000 Sp.Gr.	





#### **GENERAL PURPOSE HYDROMETERS** (SPECIFIC **GRAVITY**)

#### OMSONS **SPECIFIC GRAVITY GLASS HYDROMETERS** FOR HEAVY CHEMICAL INDUSTRIAL PLANT LABORATORIES SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C

Catalogue No.	SP. GR. RANGE	PRICE Rs. (Each)
1028	0.600 - 0.700 Sp.Gr.	
1029	0.700 - 0.800 Sp.Gr.	
1030	0.800 - 0.900 Sp.Gr.	
1031	0.900 - 1.000 Sp.Gr.	
1032	1.000 - 1.100 Sp.Gr.	
1033	1.100 - 1.200 Sp.Gr.	
1034	1.200 - 1.300 Sp.Gr.	
1035	1.300 - 1.400 Sp.Gr.	
1036	1.400 - 1.500 Sp.Gr.	
1037	1.500 - 1.600 Sp.Gr.	
1038	1.600 - 1.700 Sp.Gr.	
1039	1.700 - 1.800 Sp.Gr.	
1040	1.800 - 1.900 Sp.Gr.	
1041	1.900 - 2.000 Sp.Gr.	

#### OMSONS

#### **SPECIFIC GRAVITY GLASS HYDROMETERS** FOR ANALYTICAL PURPOSE

SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C SP GR

Catalogue No.	SP. GR. RANGE	PRICE Rs. (Each)
1042	0.600 - 0.650 Sp.Gr.	
1043	0.650 - 0.700 Sp.Gr.	
1044	0.700 - 0.750 Sp.Gr.	
1045	0.750 - 0.800 Sp.Gr.	
1046	0.800 - 0.850 Sp.Gr.	
1047	0.850 - 0.900 Sp.Gr.	
1048	0.900 - 0.950 Sp.Gr.	
1049	0.950 - 1.000 Sp.Gr.	
1050	1.000 - 1.050 Sp.Gr.	
1051	1.050 - 1.100 Sp.Gr.	
1052	1.100 - 1.150 Sp.Gr.	
1053	1.150 - 1.200 Sp.Gr.	
1054	1.200 - 1.250 Sp.Gr.	
1055	1.250 - 1.300 Sp.Gr.	
1056	1.300 - 1.350 Sp.Gr.	
1057	1.350 - 1.400 Sp.Gr.	
1058	1.400 - 1.450 Sp.Gr.	
1059	1.450 - 1.500 Sp.Gr.	
1060	1.500 - 1.550 Sp.Gr.	
1061	1.550 - 1.600 Sp.Gr.	
1062	1.600 - 1.650 Sp.Gr.	
1063	1.650 - 1.700 Sp.Gr.	
1064	1.700 - 1.750 Sp.Gr.	
1065	1.750 - 1.800 Sp.Gr.	
1066	1.800 - 1.850 Sp.Gr.	
1067	1.850 - 1.900 Sp.Gr.	
1068	1.900 - 1.950 Sp.Gr.	
1069	1.950 - 2.000 Sp.Gr.	





Cat. No.: 1031









#### BAUME ( <sup>°</sup>Be) GLASS HYDROMETERS SHOT & WAX POISED, ADJUSTED FOR USE AT 20C

Catalogue No.	RANGE °Be	PRICE Rs. (Each)
1070	00.0 - 10.0 °Be	
1071	10.0 - 20.0 Be	
1072	20.0 - 30.0 Be	
1073	30.0 - 40.0 Be	
1074	40.0 - 50.0 Be	
1075	50.0 - 60.0 Be	
1076	60.0 - 70.0 Be	
1077	00.0 - 20.0 Be	
1078	20.0 - 40.0 Be	
1079	40.0 - 60.0 Be	

Catalogue No.	SP. GR. RANGE	PRICE Rs. (Each)
1080	00.0 - 30.0 Be	
1081	30.0 - 60.0 Be	
1082	00.0 - 40.0 Be	
1083	00.0 - 50.0 Be	
1084	00.0 - 70.0 Be	



#### **TWADDLE GLASS HYDROMETERS**

SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C


Catalogue No.	RANGE TWADDLE	PRICE Rs. (Each)
1085	$\frac{0 - 26 ^{\circ} \text{Tw}}{\text{Tw No. 1}}$	
1086	24 - 50°Tw Tw No. 2	
1087	<u>48 - 74 °Tw</u> Tw No. 3	
1088	72 - 104 °Tw Tw No. 4	
1089	102 - 138°Tw Tw No. 5	
1090	136 - 174°Tw Tw No. 6	







# BRIX HYDROMETER/ SOIL GLASS HYDROMETER





# BRIX (Bx) GLASS HYDROMETERS WITH BUILT-IN THERMOMETERS

(THERMOHYDROMETERS) SHOT & WAX POISED, ADJUSTED FOR USE AT 20 $^{\circ}$  /\*27.5 $^{\circ}$ 

Catalogue No.	RANGE BRIX	PRICE Rs. (Each)
1091	00.0 - 10.0 °Bx	
1092	10.0 - 20.0 °Bx	
1093	20.0 - 30.0 °Bx	
1094	30.0 - 40.0 <sup>o</sup> Bx	
1095	40.0 - 50.0 <sup>o</sup> Bx	
1096	50.0 - 60.0 <sup>o</sup> Bx	
1097	60.0 - 70.0 <sup>o</sup> Bx	
1098	70.0 - 80.0 <sup>o</sup> Bx	
1099	80.0 - 90.0 <sup>o</sup> Bx	
1100	00.0 - 30.0 °Bx	
1101	30.0 - 60.0 <sup>o</sup> Bx	
1102	60.0 - 90.0 °Bx	

#### OMSONS

# BRIX (Bx) GLASS HYDROMETERS Bx = % SUCROSE (SUGAR) IN WATER SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C /\*27.5°C

Catalogue No.	RANGE	PRICE Rs. (Each)
1103	00.0 - 10.0 °Bx	
1104	10.0 - 20.0 °Bx	
1105	20.0 - 30.0 °Bx	
1106	30.0 - 40.0 °Bx	
1107	40.0 - 50.0 °Bx	
1108	50.0 - 60.0 °Bx	
1109	60.0 - 70.0 °Bx	
1110	70.0 - 80.0 °Bx	
1111	80.0 - 90.0 °Bx	
1112	00.0 - 30.0 °Bx	
1113	30.0 - 60.0 °Bx	
1114	60.0 - 90.0 °Bx	

#### OMSONS

#### **SOIL GLASS HYDROMETERS**

SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C

Catalogue No.	RANGE (°SOIL)	PRICE Rs. (Each)
1115	0.995 - 1.030 Sp.Gr	
1116	-5 to 60 Sp.Gr	



#### SIKES (SK) GLASS HYDROMETERS

FOR DISTILLERY & ALCOHOL INDUSTRIES SHOT & WAX POISED, ADJUSTED FOR USE AT 51F

Catalogue No.	RANGE °SIKES	PRICE Rs. (Each)
1117	00.0 - 20.0 °ASK	
1118	00.0 - 20.0 °SK	
1119	20.0 - 40.0 °SK	
1120	40.0 - 60.0 °SK	
1121	60.0 - 80.0 °SK	
1122	80.0 - 100.0 °SK	
1123	60.0 - 90.0 °SK	



#### **GLASS ALCOHOLOMETER**

GAY LUSSAC % v/v ETHYL ALCOHOL IN WATER SHOT & WAX POISED, ADJUSTED FOR USE @ 15.6℃/20℃

Catalogue No.	RANGE v/v% ALCOHOL	PRICE Rs. (Each)
1124	00.0 - 20.0%	
1125	20.0 - 40.0%	
1126	40.0 - 60.0%	
1127	60.0 - 80.0%	
1128	80.0 - 100.0%	



#### **GLASS ALCOHOLOMETER**

GAY LUSSAC % v/v ETHYL ALCOHOL IN WATER SHOT & WAX POISED, ADJUSTED FOR USE @ 15.6 $^{\circ}/20$  $^{\circ}$ 

Catalogue No.	RANGE v/v% ALCOHOL	PRICE Rs. (Each)
1129	0 - 100%	
1130	0 - 10%	
1131	10 - 20%	
1132	20 - 30%	
1133	30 - 40%	
1134	40 - 50%	
1135	50 - 60%	
1136	60 - 70%	
1137	70 - 80%	
1138	80 - 90%	
1139	90 - 100%	
1140	94 - 104%	



Cat. No.: 1118







#### SIKES HYDROMETERS/ **ALCOHOL HYDROMETER** MADE **ENGLAND** IN





Cat. No.: 1141





#### SIKES HYDROMETER AT 51F

**ZEAL Made in England** 

Catalogue No.	RANGE °SIKES	PRICE Rs. (Each)
1141	00.0 - 20.0 °ASK	
1142	00.0 - 20.0 °SK	
1143	20.0 - 40.0 °SK	
1144	40.0 - 60.0 °SK	
1145	60.0 - 80.0 °SK	
1146	80.0 - 100.0 °SK	



# ZEA ALCOHOL % v/v HYDROMETER @ 15.6℃/20℃

**ZEAL Made in England** 

Catalogue No.	RANGE v/v% ALCOHOL	PRICE Rs. (Each)
1147	00.0 - 20.0%	
1148	20.0 - 40.0%	
1149	40.0 - 60.0%	
1150	60.0 - 80.0%	
1151	80.0 - 100.0%	



#### GLASS ALCOHOLOMETER @ 15.6°C/20°C GAY LUSSAC % v/v ETHYL ALCOHOL IN WATER **ZEAL Made in England**

Catalogue No.	RANGE v/v% ALCOHOL	PRICE Rs. (Each)
1152	0 - 100%	
1153	0 - 10%	
1154	10 - 20%	
1155	20 - 30%	
1156	30 - 40%	
1157	40 - 50%	
1158	50 - 60%	
1159	60 - 70%	
1160	70 - 80%	
1161	80 - 90%	
1162	90 - 100%	







### LACTOMETERS (BLACK) SHOT & WAX POISED, ADJUSTED FOR USE AT 84F

Catalogue	SP. GR.	PRICE Rs.
No.	RANGE	(Each)
1163	1.000 - 1.040	

OMSONS

# LACTOMETERS (SILVER COATED) SHOT & WAX POISED, ADJUSTED FOR USE AT 84F

 Catalogue
 SP. GR.
 PRICE Rs.

 No.
 RANGE
 (Each)

 1164
 1.000 - 1.040



#### URINOMETERS (BLACK) SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C

Catalogue	SP. GR.	PRICE Rs.
No.	RANGE	(Each)
1165	1.000 - 1.060	

OMSONS

# URINOMETERS (SILVER COATED) SHOT & WAX POISED, ADJUSTED FOR USE AT 20°C

Catalogue	SP. GR.	PRICE Rs.	
No.	RANGE	(Each)	
1166	1.000 - 1.060		









Cat. No.: 1167



WINE TASTING KIT COMPLETE				
Cat. No.		Price Rs.		
1167				
Containing :				
Hydrometer SIKES	55 - 90\$K	1 pcs.		
Thermometer	-20 to 120F	1 pcs.		
Sikes table book		1 pcs.		
Glass jar (Borosilicate)	100 ml.	1 pcs.		

# OMSONS BRASS BEAUME HYDROMETERS ADJUSTED FOR USE @ 20Ĉ

Catalogue No.	RANGE °Be	PRICE Rs. (Each)
1168	00.0 - 10.0 °Be	
1169	10.0 - 20.0 Be	
1170	20.0 - 30.0 Be	
1171	30.0 - 40.0 Be	
1172	40.0 - 50.0 Be	
1173	50.0 - 60.0 Be	
1174	60.0 - 70.0 Be	
1175	00.0 - 20.0 Be	
1176	20.0 - 40.0 Be	
1177	40.0 - 60.0 Be	

OMSONS	S BRIX HYDROMET	ERS
Catalogue	RANGE	PRICE Rs.

No.		(Each)
1178	00.0 - 10.0 °Bx	
1179	10.0 - 20.0 °Bx	
1180	20.0 - 30.0 °Bx	
1181	30.0 - 40.0 °Bx	
1182	40.0 - 50.0 °Bx	
1183	50.0 - 60.0 °Bx	
1184	60.0 - 70.0 °Bx	
1185	70.0 - 80.0 °Bx	
1186	80.0 - 90.0 °Bx	
1187	00.0 - 30.0 °Bx	
1188	30.0 - 60.0 °Bx	
1189	60.0 - 90.0 °Bx	
		7



**SERVICE AND QUALITY SINCE 1983** 

OMSONS	
CIVISCINS	и.

#### **PETROLEUM USE THERMOMETERS**

**Yellow Glass With Screen Printing Mercury Field Packed in Plastic Case** 

Cat. No.	Product	RANGE	Total length	PRICE Rs. (Each)
1190	Thermometer Least Count. (0.25)	-10 to 50 ℃	300mm	
1191	Thermometer Least Count. (0.5)	-10 to 50 ℃	300mm	
1192	Thermometer Least Count. (0.2)	IP-64 (-20 to 102 °C)	420mm	



#### **GENERAL PURPOSE GLASS THERMOMETERS**

**Yellow Glass With Screen Printing Mercury Filled Packed in Plastic Case** 


Cat. No.	Product	RANGE	PRICE Rs. (Each)
1193	Thermometer Least Count. (0.5)	-10 to 50℃	
1194	Thermometer Least Count. (1.0)	-10 to 110℃	
1195	Thermometer Least Count. (0.5)	-10 to 110℃	
1196	Thermometer Least Count. (1.0)	-10 to 150℃	
1197	Thermometer Least Count. (1.0)	-10 to 250℃	
1198	Thermometer Least Count. (2.0)	-10 to 360℃	



#### OMSONS GENERAL PURPOSE GLASS THERMOMETERS

**Yellow Glass With Screen Printing Red Alcohol Filled Packed in Plastic Case** 


Cat. No.	Product	RANGE	PRICE Rs. (Each)
1199	Thermometer Least Count. (0.5)	-10 to 50°C	
1200	Thermometer Least Count. (1.0)	-10 to 110°C	
1201	Thermometer Least Count. (0.5)	-10 to 110°C	
1202	Thermometer Least Count. (1.0)	-10 to 150°C	
1203	Thermometer Least Count. (1.0)	- 50 + 50°C	
1204	Thermometer Least Count. (1.0)	-50 + 100°C	
1205	Thermometer Least Count. (1.0)	- 100 + 50°C	
1206	Thermometer Least Count. (1.0)	- 100 + 100°C	
1207	Thermometer	0 to 220F	
1208	Thermometer	0 to 400°F	





# PRECISION THERMOMETERS

#### **SERVICE AND QUALITY SINCE 1983**



OMSONS	PRECISION THERMOMETER YELLOW GLASS
	WITH RED ALCOHOL FILLED, SIZE 18" LONG

Cat. No.	ТҮРЕ	RANGE	Division	PRICE Rs. (Each)
1209	Alcohol	-10 To 50℃	1/5	
1210	Alcohol	-10 To 50℃	1/10	
1211	Alcohol	-10 To 110℃	1/5	
1212	Alcohol	-10 To 110℃	1/10	
1213	Alcohol	- 50 + 50°C	1/1	
1214	Alcohol	-50 + 100°C	1/1	
1215	Alcohol	- 100 + 50°C	1/1	
1216	Alcohol	- 100 + 100°C	1/1	

#### OMSONS PRECISION THERMOMETER YELLOW GLASS WITH MERCURY FILLED, SIZE 18" LONG

Cat. No.	ТҮРЕ	RANGE	Division	PRICE Rs. (Each)
1217	Mercury	-10 To 50℃	1/5	
1218	Mercury	-10 To 50℃	1/10	
1219	Mercury	-10 To 110℃	1/5	
1220	Mercury	-10 To 110℃	1/10	

# Cat. No.: 1222

#### OMSONS **WET & DRY BULB HYGROMETER** ORDINARY QUALITY WITH PLASITC BODY INCLUDE HUMIDITY CHART C&F

Cat. No.	Product	RANGE	PRICE Rs. (Each)
1221	Wet & Dry Bulb Hygrometer	-10 to 50℃	

OMSONS	WET & DRY BULB	<b>IODEL</b>	
	WITH PLASTIC BODY INCLUI	DE HUMIDITY CH	ART C&F
Cat	Dradust	DANCE	DDICE

Cat. No.	Product	RANGE	PRICE Rs. (Each)
1222	Wet & Dry Bulb Hygrometer	-10 to 50℃	


#### MAXIMUM & MINIMUM THERMOMETERS/ W A L L T H E R M O M E T E R S





OMSONS	MAXIMUM & MINIMUM THERMOMETER ORDINARY QUALITY WITH MAGNATE PLASTIC BODY		
Cat. No.	Product	RANGE	PRICE Rs. (Each)
1223	Max. & Min. Thermometer	-30 to 60℃	

OMSONS	MAXIMUM & MINIMUM THERMOMETER  DELUXE MODEL  WITH MAGNATE PLASTIC BODY		
Cat. No.	Product	RANGE	PRICE Rs. (Each)
1224	Max. & Min. Thermometer	-40 to 50°C	


OMSON	WALL THERMOME	ETER PLASTIC	BODY
Cat. No.	Product	RANGE	PRICE Rs. (Each)
1225	Wall Thermometer Small Size	-10 to 50℃	
1226	Wall Thermometer Big Size (Half Meter)	-10 to 50℃	







# T H E R M O M E T E R S SOIL / GROUND JOINT / INCLOSING TYPE




OMSONS Therm	SOIL THERMOME		
Cat. No.	Product	RANGE	PRICE Rs. (Each)
1227	Thermometer Least Count. (1.0)	-10 to 60℃	

OMSONS	GROUND JOINT THERMOMETERS (CONE TYPE) Total Length = 300mm			5
Cat. No.	TYPE	RANGE	Division	PRICE Rs. (Each)
1228	B10	-10 to 50℃	1/1	
1229	B10	-10 to110¢	1/1	
1230	B14	-10 to 110 ℃	1/2	
1231	B14	-10 to 250 ℃	1/1	
1232	B14	-10 to 360 ℃	2/1	
1233	B19	-10 to 110 ℃	1/1	
1234	B19	-10 to 250℃	1/1	
1235	B19	-10 to 360 ℃	2/1	

OMSONS		INCLOSING TYPE THERMOMETER  TOTAL LENGTH = 300MM		
Cat. No.	ТҮРЕ	RANGE	PRICE Rs. (Each)	
1236	Alcohol	-10 To 50℃ (1/2)		
1237	Mercury	-10 To 50℃ (1/2)		
1238	Alcohol	-10 To 110°C (1/1)		
1239	Mercury	-10 To 110℃ (1/2)		
1240	Alcohol	-10 To 150℃ (1/1)		
1241	Mercury	-10 To 150℃ (1/1)		
1242	Mercury	-10 To 250℃ (1/1)		
1243	Mercury	-10 To 360℃ (2/1)		

# HIGH POWER SUPPLY / CROOK'S RADIO METER / SAMPLE BOTTLE CONTAINER





Cat. No.: 1244

OMSONS	CROOK'S RADIOMETER SINGLE	
Cat. No.		PRICE Rs. (Each)
1245		



OMSONS	SAMPLE CONTAINER BOTTLE (ALUMINIUM) Capacity: 1 Ltr.		
Cat. No.	Туре	PRICE Rs. (Each)	
1246	With Box		
1247	Without Box		



Cat. No.: 1246

# SPECTRUM DISCHARGE TUBE/ O I L & W AT E R PA S T E

# Cat. No.: 1248 Cat. No.: 1248 OLEODIS Cat. No. : 1248

WATER & OIL (DI	ITASILIONIL	TROLEUM USE
Cat. No.	RANGE	PRICE Rs. (Each)
1248	WATER PASTE PACKING 100 GMS.	
Cat.	24442	DDICE D
No.	RANGE	PRICE Rs. (Each)
	OIL PASTE PACKING 100 GMS.	



Cat. No.: 1249

# SPECTRUM DISCHARGE TUBE USA TYPE (VACUM TUBE)

Cat. No.	ТҮРЕ	PRICE Rs. (Each)
1250	Neon	
1251	Mercury	
1252	Hydrogen	
1253	Helium	
1254	Nitrogen	
1255	Argon	
1256	Oxygen	
1257	Water Vapor	
1258	Carbon	
1259	Sulphur	
1260	Kripton	

# WHIRLING HYGROMETER Available in Mercury or Red Spirit with Conversion Table and Wick

Cat. No.	ТҮРЕ	Range	PRICE Rs. (Each)
1261	Alcohol	-5 to 50℃/F	
1262	Mercury	-5 to 50℃/F	





#### PRICE ON REQUEST

- ASTM/BS Standard Hydrometers or Thermometers
- API Hydrometers or Thermometers
- Custom Made (As per Customers Specification & Drawing)

#### **TERMS & CONDITIONS:**

PRICES : All the prices are ex-works are subject

to change without notice.

DELIVERY : Dispatching same day or next day after

receiving the orders.

PACKING : Packing and Forwarding Will be extra at

cost.

TAXES : Sales Tax will be charged extra as per

government Rules.

PAYMENTS : Documents will be sent through Speed Post

or Courier. New customers are requested to

send 100% advance with order.

DEDUCTION : No deductions are allowed under any

circumstances. No Breakage is allowed in

glass items.

GUARANTEE : All our products are guaranteed for one

year against bad workmanship or

defective material.

JURISDICTION : All transactions are subject to Ambala

Jurisdiction only.

MODIFICATION: Any special service rendered including

Certification & Modification shall be

charged extra.

NOTE : This cancels our all previous price lists.

#### **WE MANUFACTURE:**

- •A.S.T.M. Hydrometers, Thermometers, I.P. Hydrometers, Thermometers (Prices on Request).
- Hydrometers can be manufactured as per customer's specifications.
- •We also issue Works Certificates for Hydrometer for individual Accuracy. (at extra cost )
- •Density Hydrometers with Mark for Petroleum Industries.
- •We manufacture all type of Laboratory Glassware. Price on request.

