

RTM INDUSTRIES



(AN ISO 9001 :2008 Certified Co.)

Manufacturers of:




Hydraulic Machines for Inter Locking Pavers, Hollow Block, Brick Machines, Chequered Tiles, Steel & Rubber, PVC Moulds, Vibrating Tables & Pan Mixtures, Color, Hardner, Shiner Chemical, Gloves & Finger etc.

MOB. : 09968622717, 09266692292


(Md. MUDASSIR)

G-I-97, Shop No.16, Mayapuri, Phase-II, Near Gurudwara, Khazan Basti,
New Delhi-110064

E-mail : info@tilemachines.in, fine7860@yahoo.com,
Web. : www.tilemachines.in, www.royaltilemachine.com,




Grass Paver



Paver Tile Machine

Specifications:


Production :- 3500-4000 Per Shift
Power :- 5 H.P./750HP/10HP
Oil Capacity :- 210 ltr.
Hydraulic Pressure :- 50-150 Ton



Tile Machine

Specifications:

Size : 20x30 Ft
Oil Tank : 210 Ltrs
Product : 3500-4000 Per shift
Power : 5 HP



Pan Mixer

Specifications:


Power Req : 7.5 H.P., 10H.P, 15 H.P
Capacity : 150kg, 300kg, 500kg,
For Uses : 600kg, 1000kg
: Fly Ash Brick Mixer, Paver
Block Component Pan Mixer



Paver Tile Machine

Specifications:


Manufacturing capacity of paver : 25 mm to 100 mm
Production capacity : 3500 to 4000 of Pavers/shift
Power required : 7.5 H.P
Maximum pressure Tonnage : 40/70
Manufacturing capacity mosaic tiles : up to 375 mm X 375 mm
Oil tank capacity : 150 Liters / 200 Liters



Crusher Small

Specifications:

Capacity : 8 Tone Product
Power required : 5 H.P.



Poilet Track

2 Tone For Brick
Hydraulic Type



Colour Mixer


Specifications:

Material : Mild steel cones
Capacity : 150 Kg. per batch
Power required : 2 H.P
Machine size : 145 cm x 90 cm X155 cm



Specifications:

Rated pressure : 40Mpa
Power : AC220V±5% 50Hz
Piston stroke : 100-140mm
Operating Temperature : 0°C~40°C



Tile Machine D Mould

Specifications:


Size : 20x30 Ft
Oil Tank : 220 Ltrs
Product : 3500-4000 Per shift
Power : 5 HP



HOLLOW BLOCKS SOLID BLOCK MACHINE

Specifications:

Block Size : 200x200x400
200x150x400 / 200x100x400
Power : 8.5HP
Products : 1200 to 1500 (Platform)
Shade Size : 40x60x Ft.



Hollow Block Machine Manual VIBRATOR SYSTEM


Power : 1HP
Production : 300 to 400




Specifications:

Shift power : 7.5 H.P
Weight : 1000kg
Block Size : 200X150X400/200X
Platform Size 100X400/200X200X400mm
: 40X60 F


MOULD



Hollow Block Machine



Hollow Block




Paver Block & Hollo Block Machine (Mini Brick Machine)

Specifications:

Power : 5 Hp
Piston Stroke : 300 C
Hydraulic & Vivosystem

CONVEYER BELT






Fly Ask Brick Machine

Specifications:

Production Capacity : 15000-16000 Pices/shift
 Power Required : 22H.P/27HP/30HP
 Man Power : 8 person
 Shied Req : 40x60 ft
 Oil capacity : 400ltrs



Specifications:

Man Power : 6person
 Shied Req : 40x60 ft
 Oil capacity : 400ltrs
 Production Capacity : 5000-6000 Pices/shift
 Power Required : 30 H.P

**Semi Auto
Brick Machine**

ROTRI TILES MACHINE

Specifications:


Man Power : 4
 Production : 6000 Pices/shift
 Capacity : 10 H.P




BRICK MACHINE

Specifications:

Man Power : 4
 Production : 5000 Pices/shift
 Capacity : 7.5 H.P



Brick



Concrete Mixture

Specifications:


Material : Mild Steel
Power Req : 3 H.P., 5H.P., 7.5 H.P
Capacity : 150kg, 300kg, 500k



Color Pan Mixture

Power : 3HP
Capacity : 100 Kg
Od. : 30"

Gear Box System



Base Vibration Table

Specifications:


Virtual size : 10' x 2.5'
Plate size : 10" x 8" Heavy channel
Power required : 2 H.P. special rubber moulds
Production capacity : 2500 moulds per shift



Vibration Table Top Model

Specifications:


Virtual size : 10' x 2.5'
Plate size : 10" x 8" Heavy channel
Power required : 2 H.P. special rubber moulds
Production capacity : 2500 moulds per shift



Main Hole Cover Square



Main Hole Cover Round




1

100sqft=295pcs




2

100sqft=225pcs




3


100sqft=256pcs



4




5



6



7




8




9

100sqft=230pcs



17

100sqft=220pcs



30




32




33


100sqft=450pcs



34



35



37



43
















44




45




46







40




41




47



48




49



50



51



52




W-1




W-2




W-3



W-4



53



54



55

COVER BLOCK

