# **GIO-CARRIER - Application film**

**GIO-CARRIER** is an adhesive PET film for print protection masking and heat transferring. The most suitable adhesive strength enables to take off the printed image easily and peel it off after heat-press on the textile. The application film is used for Print & Cut films – CAMM series (GIO-CAMM VC, GIO-CAMM UR, and CAMM UR HMT).

Feature: Best strength of adhesion
Paper backing or 25 micron thick PET film backing
High degree of transparency

## COMPOSITION

Adhesive Glue PET Film




### **APPLICATION INSTRUCTIONS**



1) Weed away unwanted background



3) Attach the adhesive film to the printed image





5) Heat transfer the image and **Peel hot.** 



2) Take off paper backing



4) Trasnfer the image to the adhesive film



#### SPECIFICATION

Standard Width	Roll Length	Q'ty / Carton	Weight / Carton	Volume / Carton
500 mm	100 MTS	100 MTS	12 KGS	0.042CBM
** Thickness :	75 Micron			

#### STORAGE

- > Keep away from the direct sunlight, hot and humid place.
- > Use it within 1 year from the date of the lot number (production date).

#### **GIOLITE LUMIAN Co., LTD**

RM408, Woolim E Biz Center #1, 170-5, Guro-Dong, Guro-Gu, Seoul, KOREA Tel: +82-2-869-1988(Rep.) Fax: +82-2-869-7711 email: <u>giolite@giolite.com</u> Website: www.giolite.com