

ISO 9001 The German production facilities in Norderstedt and ISO 14001 Moosburg are certified.



Jungheinrich Lift Truck India Pvt Ltd.

Head Office

502 A & B; Alpha Building,
Hiranandani Gardens,
Powai, Mumbai 400076
Tel.: +91 22 25727900
Fax: +91 22 25727945

info@jungheinrich.in
www.jungheinrich.in

Ahmedabad

11-103, GCP Business Centre,
Vijay Char Rasta,
Memnagar, Ahmedabad
Tel.: +91 79 6134 4970
Fax: +91 79 6134 4949

Chennai

2nd floor, ALTIUS,
Olympia Technology Park,
Chennai, 600 032
Tel.: +91 44 4299 4372
Fax: +91 44 4299 4300

Indore

6th Floor, Brilliant Solitaire,
Scheme 78, Part II,
Vijay Nagar, Indore, 452010
Tel.: +91 731 672 5518
Fax: +91 731 672 5599

New Delhi

2F, Elegance, Jasola District Centre
Old Mathura Road,
New Delhi, 110025
Tel.: +91 11 4060 1501
Fax: +91 11 4060 1235

Warehouse

A-1, GEBI Industrial Park
Survey No- 87/1 (P) & 87/1 (P)
Opp to Reliance Petrol Pump,
Village Sonale, Talathi Saja,
Temghar, Mumbai Nashik Highway,
Taluka Bhiwandi, District Thane
Pin code 421302
Tel.: +91 25 22282954/55

Bangalore

2nd Floor, Prestige Omega, No. 104
EPIP Zone, Whitefield,
Bangalore, 560066
Tel.: +91 80 4060 0807
Fax: +91 80 4060 0700

Hyderabad

1st Floor Mid Town Plaza,
Road No 1, Banjara Hills,
Andhra Pradesh,
Hyderabad, 500033
Tel.: +91 40 4433 4400
Fax: +91 40 4433 4444

Kolkata

Level 6, Constantia, 11,
U. N. Brahmachari Marg,
Kolkata, 700017
Tel.: +91 33 4400 0532
Fax: +91 33 4400 0555

4730/IND/06/2014 - 1 r.ind Technical modifications reserved.

Industrial trucks, racking and logistic systems.

Total solutions for your intralogistic needs.

JUNGHEINRICH
Machines. Ideas. Solutions.



JUNGHEINRICH
Machines. Ideas. Solutions.

We help to make your logistics a success, with industrial trucks, racking and services from one supplier.



Industrial trucks for stacking, transporting, storing, order picking and automation.

Cost effective and reliable.

We provide you with the right pallet truck, stacker, order picker or tow tractor for every application. No matter what lift height, floor condition or transport distance – with more than 600 truck variations there is bound to be a solution for your application among them. Our range of products offers manual, semi-automatic and fully automatic machines for your requirements. And if this is not the case, then we will build a truck to your exact requirements. However, first you should check our standard range (overview on the right) with regards to your requirements. For instance, if you have to transport goods over short distances – without having to deposit them on racking – you will find under the headings "transporting" and "short distance" the "hand pallet truck AM" and the "electric pedestrian pallet truck EJE C".

You have now taken an important first step. Jungheinrich specialists are available to advise and answer any questions you may have.



| | | | | | | | |
|------------------|---|---|--|--|---|---|--|
| Throughput | from the floor | EFG electric 3-wheel counterbalance truck with front or rear wheel drive | EFG electric 4-wheel counterbalance truck | DFG/TFG Diesel and LPG counterbalance truck | ETV C reach truck for inside and outside use | | |
| | over ramps | AM hand pallet truck | EJE electric pedestrian fork lift truck | ERE electric pedestrian lift truck with operator stand-on platform | ESE electric stand-on/seat fork lift truck | EJD electric pedestrian pallet truck/stacker | ERD electric pedestrian pallet truck/stacker with stand-on platform |
| Transporting | short distance | AM hand pallet truck | EME electric pedestrian fork lift truck | EJE C electric pedestrian lift truck with mast lift | | | |
| | medium distance | EJE electric pedestrian pallet truck | EJD electric pedestrian pallet truck/stacker | ETV Q multi-way reach truck for long loads | | | |
| | long distance | ERE electric pedestrian pallet truck with stand-on platform | ESE electric stand-on/seat and electric sideways seat fork lift truck | ERD electric pedestrian pallet truck/stacker with stand-on platform | | | |
| Storage/stacking | lift height to 5,350 mm | HC electric hand stacker | EMC electric pedestrian stacker | EJC electric pedestrian stacker | ERC electric pedestrian stacker with stand-on platform | ESC electric sideways seat stacker | |
| | lift height to 7,000 mm | EFG electr. 3-wheel C/B truck with front/rear wheel drive | EFG electric 4-wheel counterbalance truck | DFG/TFG Diesel and LPG counterbalance truck | ETV Q multi-way reach truck for long loads | EFX tri-lateral stacker | |
| | lift height to 17,000 mm | ETM/ETV reach truck | ETR extended reach fork lift truck | EKX order picker/tri-lateral stacker with rising operator cab | ETX tri-lateral stacker | | |
| Order picking | picking height to 2 nd level | EJE C electric pedestrian fork lift truck with mast lift | ECE horizontal order picker | ECR horizontal order picker | | | |
| | picking height to 11,345 mm | EKS vertical order picker with rising operator cab | | | | | |
| | picking height to 17,000 mm | EKX order picker/tri-lateral stacker with rising operator cab | | | | | |
| Automation | picking height to 4,000 mm | EKS 210a Auto Pallet Mover | ERC 215a Auto Pallet Mover | ERE 225a Auto Pallet Mover | | | |
| | picking height to 14,000 mm | ETXa Automatic very narrow aisle truck | EKXa Automatic very narrow aisle truck | | | | |
| | | | | | Towing | towing capacity to 1,000 kg | EZS 010 tow tractor |
| | | | | | | towing capacity to 3,000 kg | EZS 130 tow tractor |
| | | | | | | towing capacity to 4,000 kg | EZS C40 tow tractor |
| | | | | | | towing capacity to 5,000 kg | EZS 350 tow tractor |
| | | | | | | towing capacity to 7,000 kg | EZS 570 tow tractor |
| | | | | | | towing capacity to 25,000 kg | EZS 6250 tow tractor |

Any height, any load: we have the right selection.

Over 600 truck variants.
Available for both Rental or as
Jungheinrich JungSTARs, The 4 Star used truck.

Service with competence.
For maximum availability of your trucks.

Pallet trucks



Hand pallet truck
AM 22/30
travel distance: short
max. capacity: 3,000 kg

Electric pedestrian pallet truck
EME 114
travel distance: short
max. capacity: 1,400 kg

Electric pedestrian pallet truck with lithium-ion battery
EJE 112i
travel distance: short
max. capacity: 1,200 kg

Electric pedestrian pallet truck
EJE 116-120
travel distance: short
max. capacity: 2,000 kg

Electric pedestrian pallet truck
EJE C20
travel distance: short
max. capacity: 2,000 kg

Electric pedestrian pallet truck
EJE 220-235
travel distance: short
max. capacity: 3,500 kg

Electric pedestrian pallet truck with operator stand-on platform
ERE 120
travel distance: medium
max. capacity: 2,000 kg

Electric pedestrian pallet truck with operator stand-on platform
ERE 225
travel distance: medium
max. capacity: 2,500 kg

Electric stand-in/sit-on pallet truck
ESE 120
travel distance: medium/long
max. capacity: 2,000 kg

Electric sit-on pallet truck
ESE 220-533
travel distance: long
max. capacity: 3,300 kg

Pallet stackers



Electric hand stacker
HC 110
max. lift height: 3,000 mm
max. capacity: 1,000 kg

Electric pedestrian stacker
EMC 110
max. lift height: 2,000 mm
max. capacity: 1,000 kg

Electric pedestrian stacker
EJC 110-112
max. lift height: 3,600 mm
max. capacity: 1,200 kg

Electric pedestrian stacker
EJC 212-220
max. lift height: 5,350 mm
max. capacity: 2,000 kg

Electric pedestrian straddle stacker
EJC B12-B20
max. lift height: 5,350 mm
max. capacity: 2,000 kg

Electric pedestrian stacker with operator stand-on platform
ERC 212-220
max. lift height: 5,350 mm
max. capacity: 2,000 kg

Electric sideways seat stacker
ESC 214-316
max. lift height: 5,350 mm
max. capacity: 1,600 kg

Electric pedestrian lift truck/stacker for double deck loading
EJD 220
max. lift height: 2,560 mm
max. capacity: 2,000 kg

Electric pedestrian lift truck/stacker with operator platform for double deck loading
ERD 220
max. lift height: 2,560 mm
max. capacity: 2,000 kg

Order pickers



Low level order picker
ECE 118
max. picking height: 1st level
max. capacity: 1,800 kg

Low level order picker
ECE 220/225
max. picking height: 2nd level
max. capacity: 2,500 kg

Low level order picker
ECE 310/320
max. picking height: 2nd level
max. capacity: 2,000 kg

Low level order picker
ECR 327/336
max. picking height: 1st level
max. capacity: 3,600 kg

Vertical order picker
EKS 110
max. picking height: 4,600 mm
max. capacity: 1,000 kg

Vertical order picker
EKS 210/312
max. picking height: 11,345 mm
max. capacity: 1,200 kg
Optional with warehouse navigation

Reach trucks



Reach truck
ETV 110/112
max. lift height: 7,100 mm
max. capacity: 1,200 kg

Reach truck
ETM/ETV 214/216
max. lift height: 10,700 mm
max. capacity: 1,600 kg

Reach truck
ETM/ETV 318/320/325
max. lift height: 13,000 mm
max. capacity: 2,500 kg

Reach truck
ETV C16/C20
max. lift height: 7,400 mm
max. capacity: 2,000 kg

Multi-way reach truck
ETV O20/O25
max. lift height: 10,700 mm
max. capacity: 2,500 kg

Extended reach fork lift truck
ETR 316d/318/320
max. lift height: 11,430 mm
max. capacity: 2,000 kg

Batteries and chargers



The correct battery for every fork truck application

The correct charger for every battery application

Shuttle/Pallet Carrier



In Pallet Carrier
IPC
max. capacity: 1,200 kg

Under Pallet Carrier
UPC
max. capacity: 1,500 kg

Electric counterbalanced fork lift truck



Electric 3-wheel counterbalance truck with rear wheel drive
EFG 110-115
max. lift height: 6,500 mm
max. capacity: 1,500 kg



Electric 3-wheel counterbalance truck with front wheel drive
EFG 213-220
max. lift height: 6,500 mm
max. capacity: 2,000 kg



Electric 4-wheel counterbalance truck
EFG 316-320
max. lift height: 6,500 mm
max. capacity: 2,000 kg



Electric 4-wheel counterbalance truck
EFG 425-530s
max. lift height: 7,000 mm
max. capacity: 3,000 kg



Electric 4-wheel counterbalance truck
EFG 535k-550s
max. lift height: 7,180 mm
max. capacity: 5,000 kg

Diesel/LPG fork lift trucks



Diesel/LPG fork lift truck hydrostatic
DFG/TFG 316s-320s
max. lift height: 6,500 mm
max. capacity: 2,000 kg



Diesel/LPG fork lift truck hydrostatic
DFG/TFG 425s-435s
max. lift height: 7,000 mm
max. capacity: 3,500 kg



Diesel/LPG fork lift truck hydrostatic
DFG/TFG 540s-550s
max. lift height: 7,180 mm
max. capacity: 5,000 kg



Diesel/LPG fork lift truck hydrodynamic
DFG/TFG 316-320
max. lift height: 7,500 mm
max. capacity: 2,000 kg



Diesel/LPG fork lift truck hydrodynamic
DFG/TFG 425-435
max. lift height: 7,500 mm
max. capacity: 3,500 kg



Diesel/LPG fork lift truck hydrodynamic
DFG/TFG 660-590
max. lift height: 8,000 mm
max. capacity: 9,000 kg

Tow tractors and trailers



Tow tractor
EZS 010
max. tractive power: 1,000 kg



Tow tractor
EZS 130
max. tractive power: 3,000 kg



Tow tractor
EZS C40
max. tractive power: 4,000 kg



Tow tractor
EZS 350
max. tractive power: 5,000 kg



Tow tractor
EZS 570
max. tractive power: 7,000 kg



Tow tractor
EZS 6250
max. tractive power: 25,000 kg




E-frame trailer
GTE 106/212/312
max. capacity: 1,200 kg



Portal-trailer with double-sided loading options
GTP 110/210
max. capacity: 1,000 kg

We will be happy to advise you on the use of a tow tractor train.

Racking and warehouse equipment



For the perfect combination: Procuring fork lift trucks and racking from a single source.

High-rack stackers



Tri-lateral stacker
EFX 410-413
max. lift height: 7,000 mm
max. capacity: 1,250 kg
Optional with warehouse navigation



Tri-lateral stacker
ETX 513-515
max. lift height: 13,000 mm
max. capacity: 1,500 kg
Optional with warehouse navigation



Order picker/tri-lateral stacker
EKX 410
max. lift height: 10,500 mm
max. capacity: 1,000 kg
Optional with warehouse navigation



Order picker/tri-lateral stacker
EKX 513-515
max. lift height: 17,000 mm
max. capacity: 1,500 kg
Optional with warehouse navigation

Automatic trucks



Auto Pallet Mover
EKS 210a
max. lift height: 3,000 mm
max. capacity: 1,500 kg



Auto Pallet Mover
ERC 215a
max. lift height: 4,000 mm
max. capacity: 1,500 kg



Auto Pallet Mover
ERE 225a
max. lift height: 122 mm
max. capacity: 2,500 kg



Automatic very narrow aisle truck
EKXa
max. lift height: 14,000 mm
max. capacity: 1,500 kg



Automatic very narrow aisle truck
ETXa
max. lift height: 13,000 mm
max. capacity: 1,500 kg

In addition, we offer trucks manufactured from stainless steel, in a cold store versions and explosion-proof fork lift trucks with a service to 100% customise a truck to your exact specification.

Not every truck and service is available in every market.

Software and IT-solutions



Warehouse Management System
Jungheinrich WMS

- Transport Management System
- Material Flow Computer
- PLC



Radio Data Solutions

- Truck- and Handheld Terminals
- WLAN infrastructure
- Barcode scanner, RFID
- WLAN Site Survey, -Simulation, -Analysis



Fleet management
ISM Online

- Web based system with many reporting options
- Various combinable and truck data
- Combinable modules
- Multi-sited locations

JUNGHEINRICH
Machines. Ideas. Solutions.



Complete logistics systems from one supplier.

Logistics solutions for your warehouse from one supplier

- Warehouse projects on a "green field" site and expansion of existing warehouses
- Manual, semi or fully automated
- Equipped with warehouse management system/radio data communication
- Optimised processes due to synchronised material and information flow

We do the planning and project management


- Based on an analysis of your material and information flow
- With the clear objective of discovering and utilising untapped potential
- Customised to meet your needs
- Taking into account the future expansion of your company
- Flexible and standardised production supply via tow tractor train

We guarantee system integration

- Complete implementation and commissioning
- One contact person for all logistics functions
- Continual communication and information flow
- High quality project management

We offer you a complete AfterSales programme

- Long term utilisation and investment security for your warehouse
- More than 3,800 own service engineers around the world
- Hotline support or remote maintenance/on-site



Racking and warehouse equipment.

For perfect teamwork: trucks and racking from one supplier.



Single bay racking



Shelving



Cantilever racking



Mezzanine platform multi-tier shelving



Mobile racking



High bay racking



Automatic small parts storage



Shuttle/pallet carrier

Racking is far more than just metal, it is the key to maximising productivity – as the specific warehouse design will ultimately maximise material flow. We offer you this key: racking systems, mezzanines and clad racked buildings. For the storage of pallets, containers and racks. For cantons or long loads. We provide you with the complete solution here, complete warehouse planning that sees racking, industrial trucks/rack servicing cranes as one system working hand in hand. From inception through project planning to handover. From consultation via tailor-made financing to one of the most extensive customer service networks in the world.

Experience makes perfect

As one of the leading industrial truck manufacturers, we are aware of the demands made on racking. When developing our racking systems, our depth of experience with planning, project managing and commissioning is drawn from many thousands of warehouses worldwide.

Excellent consultation

Our specialists know the demands that have to be met so that trucks and racking are perfectly integrated. Whether working cycles are carried out with pedestrian pallet stackers, counterbalance trucks, reach trucks, high rack stackers, stacker cranes or order pickers, we provide you with a complete truck and racking solution package.

Safety in the warehouse

Our trained rack inspectors check your warehouse equipment professionally. That makes serious safety and performance damage a thing of the past and warehouse safety is ensured at all times.