



GETGROWN

Your Growth is our Business. Your Success is our Mission.

GETGROWN is involved in following material:-

SUPPLY OF ROOFING / DECKING SHEET

- PPGI
- PPGL
- BARE GALVALUMN
- AC (CEMENT) SHEET
- DECKING SHEET

SUPPLY OF COLD ROLLED FORM SECTIONS

- C PURLIN
- Z PURLIN
- C CHANNEL
- STRUT CHANNEL
- SIGMA SECTION
- CRASH GUARD BARRIER

SUPPLY OF ACCESSORIES

- SELF TAPPING SCREWS
- POLYCARBONATE/FRP SHEET
- TURBO VENTILATORS
- RIDGE VENTILATORS
- FLASHINGS / ACCESSORIES
- LOUVERS
- CLEATS
- SAGRODS
- J BOLTS,HEX LONG NUTS,etc



Admin

Plot No: PAP/R-86,TTC Industrial Area,
MIDC Rabale, Near MTNL Rabale , Navi

Mumbai – 400701

Email: getgrown20@gmail.com


Cell: 9702429776




ROOFING / CLADDING SHEET

Getgrown supply Hi- rib Profile in Trapezoidal shaped, with Light weight and wide Span. It is most economical and suitable solution for Roofing and Wall Cladding.

SUPPLY WIDTH:-1060MM



SUPPLY WIDTH:-1080MM




Material	PPGI / PPGL/BARE GALVALUMN/AC CEMENT SHEETS
Thickness	0.4 ,0.45,0.47,0.5 to 1.2mm
Standard width(mm)	1220mm
Cover width (mm)	1000mm
Supply width (mm)	1060mm
Length (mtr)	As per client requirement
Colour	As per RAL chart
Make	Jindal/Tata Blue scope/Essar/Uttam/Bhushan



C PURLIN / Z PURLIN C PURLIN / Z PURLIN

Getgrown is equipped with technologically advanced, superior and automatic Cold Roll Forming Line with Line Speed of up to 25 MPM, to manufacture wide range of profiles like C, C+ , Z , Z+ , Sigma , Strut & Crash Guard Barriers, with thickness up to 4mm and YS up to 550 Mpa. The Line has inline punching operation which enables us to ensure our clients of no on site fabrication



Section	Web Height	Flange Width	Lip Size	Thickness
C Purlin	60 to 300 mm	40 to 100 mm	10 to 25 mm	1.6 to 4.0 mm
Z Purlin	100 to 300 mm	50 to 100 mm	10 to 25 mm	1.6 to 4.0 mm
Sigma	100 to 300 mm	50 to 100 mm	10 to 25 mm	1.6 to 4.0 mm
Strut	41 mm	21 & 41 mm		1.6 to 2.0 mm



ACCESSORIES

- **Natural SKY Light Roof System:-**

We provide natural roof lighting system which is must for good working conditions with no electricity cost giving huge added benefits.

- a. **Polycarbonate Sheets:-**


Polycarbonate transparent roof glazing sheets made of best quality Lexan polycarbonate sheets from GE Plastics matching to all our profile having excellent light transmission B/w 50%-92% depending on thickness.

- b. **FRP (Fibre glass Reinforced Plastic) Sheets:-** FRP sheets are transparent sheets available in various thickness in required lengths and matching all our Profiles.



- **TURBO VENTILATOR & RIDGE VENTILATOR :-**

We provide most economical long lasting natural ventilation system which is easy to handle & install with no operating costs, reduced power costs & no maintenance cost as added benefits. These are wind driven roof ventilators. They are economically priced-easy to install, maintenance free, with no running costs, high performance aluminum as well as steel construction ultimately providing much needed movement of air.





LOUVERS



CURVE SHEETS



FASTNERS

We Provide Best Quality Zinc Coated Self Drilling Imported Screws, Fasteners with EPDM Washers for Roofing as well as Cladding Systems for Leak Proof Solutions.

