




Clinical Trial with Helene

- Active Acne
- Active Acne Scar
- Enlarged Pore
- Fine line
- Skin Texture



Active Acne Scar



Before Treatment



After 4Rx (12 Weeks)

F = 55 J/cm² X 5 times (3weeks interval)

Active Acne Scar



Before Treatment



After 4Rx (12 Weeks)

F = 45 J/cm² X 4 times (4weeks interval)

Active Acne Scar



Before Treatment



After 4Rx (20 Weeks)

F = 55 J/cm² X 5 times (4weeks interval)

Acne Scar & Large Pore



Before Treatment



After 4Rx (16 Weeks)

F = 55 J/cm² X 5 times (4weeks interval)

Inflammatory Acne



Before Treatment



After 4Rx (20 Weeks)

F = 45 J/cm² X 4 times (4weeks interval)

Inflammatory Acne



Before Treatment



After 4Rx (20 Weeks)

F = 45 J/cm² X 4 times (4weeks interval)

Large Pore & Skin Texture



Before Treatment




After 4Rx (20 Weeks)

F = 55 J/cm² X 4 times (4weeks interval)

Crow's Feet & Nevi



Before Treatment



After 4Rx (20 Weeks)

F = 45 J/cm² X 4 times (4weeks interval)