KLUD Fittings for the bathroom





KLUDI fittings – quality of life every day

Fittings accompany us throughout our daily routines. We come into contact with them all the time in the bathroom and kitchen. This gives rise to certain wishes and expectations for form and function. KLUDI understands these requirements – and implements them in products that are perfectly finished and that combine timeless design, innovative technology and superior-quality materials. This is how we create mixers and showers that are more than just regulated water conductors – they represent a certain quality of life.

We also set store by this closeness to people in our company. In numerous countries throughout the world, KLUDI's employees take personal care of requests from our customers and partners. They know: they can rely on KLUDI – and can expect a lot more in future.

As a manufacturer of fittings, we are conscious of our responsibility to be more economical in our use of water. Environmentally friendly production methods and smart use of resources are therefore a long-term obligation for us. With KLUDI Eco, we implement this promise with products that save water – for the future of our planet.

Using water when you actually need it

The use of water in the bathroom – for washing, showering or bathing – is an emotional experience in every respect. Mixers and showers in many forms and designs ensure that people can devote themselves fully to the bathroom experience with the precious resource of water.

Developments in modern living are mirrored in the key role played by bathrooms today. One of the factors driving the bathroom revolution was increasing affluence, though a more important one has been a change in outlook. Back in the 1960s, bathrooms and kitchens were still functional rooms. Over the years they have evolved into living spaces that reflect a new understanding of quality of life. At social level, the bathroom has been transformed from a place for personal hygiene to a place for personal care.

If you ask people what their priorities are in temporary accommodation – at a hotel for example – they'll always say a good bed.


But the bathroom is where points are scored because however much or little time you spend in there, these moments are some of the most precious of the day when we get to be alone.

Modern mixers are sophisticated bathroom fittings that offer genuine convenience. Over the years, different types of mixers have been developed in different functional designs. Individual preferences mainly determine which types of mixers are installed in which bathrooms. But there are also good reasons why some types of mixers have become accepted as the norm for certain applications.



Professionally designed bathroom fittings

KLUDI's bathroom mixers can do more and offer more – because that's KLUDI's area of expertise. It's the details that put these mixers in a class of their own – details such as choice of material, finish, function, design and innovative features.



Sensor mixers

Sensor-operated mixers are typically used for washbasins. They incorporate infrared technology for contactless activation and are specially designed for hygiene-sensitive applications. They were originally intended for use in public areas, but they're also an excellent choice for guest bathrooms or frequently used private bathrooms. The contactless design also makes them very easy to clean because there is no need to turn them off with wet hands. Typical application: washbasins.



Single-lever mixers

Single-lever mixers permit the fast selection of temperature and flow with one single operating element and one hand. The other hand is free to check whether the water temperature is right. Typical applications for single-lever mixers: washbasins, showers and baths.



Two-handle mixers

Two-handle mixers have separate valves for cold and hot water. These mixers are popular on account of their characteristic retro look and because they offer definite advantages in certain situations. For instance, you can run a bath with hot water only and minimum heat loss – and then top it up with cold water. Typical applications: retro bathrooms, baths, washbasins.



Thermostat mixers

Thermostat mixers deliver maximum convenience because the temperature is preselected according to a scale. This means that the water coming out of the mixers is at exactly the right temperature. There is no need for electricity to operate the thermostat thanks to a special thermostatic element, so the mixer always operates reliably. The mechanism then automatically compensates for any variations in supply temperature to maintain the pre-selected temperature without the user even noticing. Thermostats have a thermal shock preventer that has to be deliberately overridden to avoid discharge of dangerously hot water. This is an important safety feature for households with children. Typical applications: showers.

6 7



Concealed mixers with the KLUDI FLEXX.BOXX

Concealed mixers have their basic mixer body – i.e. the functional elements of the mixer – installed inside the wall with the operating elements mounted outside. They are an aesthetic and exclusive architectural feature. The KLUDI FLEXX.BOXX ensures that this type of mixer is very reliable to use, even though the technology is inside the wall. Once you've installed a FLEXX.BOXX, you can subsequently modify the function and design of your mixer. For instance, you can switch from a single-lever mixer to a thermostat mixer or choose a different design series. Typical applications: showers and baths.



s-pointer

There are very many washbasins on the market, and just as many mixers that don't automatically fit the washbasins. So how can you make sure that the mixer directs the water flow to the part of the washbasin where it splashes least? KLUDI makes it easy because the s-pointer directs the water flow to wherever you want it to go. Once the mixer has been installed, simply adjust the flow direction by pushing the s-pointer with your finger!



VersatilityPlus

Many people don't just use the washbasin for washing their hands, which is why many of KLUDI's mixers allow them to do more. The large-radius spouts and wide range of heights and spout designs in the VersatilityPlus range make it easy to fill watering cans, buckets or vases and convenient to wash your hair in the washbasin.



ECO functions

There are two very good reasons for using water more sparingly. It's our most vital resource and a significant amount of energy is consumed in heating it. KLUDI's ECO flow directors reduce the amount of water used by its mixers without compromising on convenience. Aeration ensures a full flow pattern even though the water flow is actually reduced by up to 40 per cent.

Some KLUDI single-lever mixers have the EcoPlus function. They deliver cold water in the centre position, which is generally all you need for washing hands, so it saves the energy you'd otherwise use to produce hot water.





white/chrome black/chrome





Material, finishes and colours

KLUDI mixers are made exclusively of brass, so they satisfy even the most stringent requirements of the German Drinking Water Ordinance. As a result, drinking water from KLUDI mixer is absolutely harmless to health. Every KLUDI mixer is permanently surface treated for a long life in the bathroom.





FITTINGS AND ACCESSORIES	
KLUDI ADLON	12
J00P!	18
KLUDI NEW WAVES	24
KLUDI AMBA	30
KLUDI E2	46
KLUDI BALANCE	60
KLUDI BALANCE WHITE	70
KLUDI Q-BEO	82
KLUDI MX	88
KLUDI O-CEAN	94
KLUDI BINGO STAR	98
KLUDI BOZZ	102
KLUDI ZENTA	106
KLUDI ZENTA BLACK & WHITE	118
KLUDI OBJEKTA	122
KLUDI LOGO NEO	130
KLUDI TERCIO	134
KLUDI STANDARD	140
KLUDI ROTEXA	142
KLUDI PUSH	144
JOOP! Accessoires	148
KLUDI AMBA Accessoires	150
KLUDI PLUS	152
KLUDI A-XES	160
SHOWERS	
KLUDI DUAL-SHOWER-SYSTEME	164
KLUDI FIZZ	170
KLUDI FRESHLINE	180
KLUDI A-QA	186
KLUDI LOGO	196
BRAUSEN	200
CARE HOME RANGES	
KLUDI MEDI CARE	204

KLUDI PROVITA

208







Craftsmanship skills

Classic, cross-head handles, porcelain inlays and spouts with elaborate, hexagonal faceting reflect supreme craftsmanship. KLUDI ADLON is well entitled to its prestigious name. Elegance that satisfies exacting standards, which can be shown to advantage as much in stylish art deco villas as in a skilful mix of styles in smart new buildings.

17



Three-hole basin mixer DN 15 Rigid spout 510430520 ☑ 510434520 ☑



Three-hole basin mixer DN 15 510460520 ☑ 510464520 ☑



basin mixer DN 8
Rigid spout
510100520

510104520

■



basin mixer DN 8 510120520 ☑ 510124520 ☑





pillar valve DN 15 marking: COLD 510140520 **□**



bidet mixer DN 8 512110520 ☑ 512114520 ☑



angle valve DN 15 518430520 ☑ 518434520 ☑





bath-and shower mixer DN 15 514410520 ☑ 514414520 ☑



bath-and shower mixer DN 15 four-hole, for tile rim installation projection 220 mm 515240520 ☑ 515244520 ☑



bath-and shower mixer DN 15 four-hole, for tile rim installation projection 220 mm 515250520 ☐ 515254520 ☐



shower set DN 15 stand assembly 2705105 ☑



bath shower set DN 15 2710505 ☑ 2710545 ☑

SHOWER



bath filler for wall fastening DN 20 projection 170 mm 5140705 ■



shower mixer DN 15 516100520 ☑ 516104520 ☑



concealed thermostatic mixer 517190520 **□** 517194520 **□**



concealed thermostatic mixer with shut-off valve 517200520 ☑ 517204520 ☑

SHOWER



Concealed valve, marked COLD 518150520 ☑ 518154520 ☑

installation set DN 12* soldered connection 15 mm 29909

installation kit DN 15* soldered connection 18 mm 29927

installation set DN 20* soldered connection 22 mm 29911



Concealed valve, marked HOT 518160520 ☑ 518164520 ☑

installation set DN 12* soldered connection 15 mm 29909

installation kit DN 15* soldered connection 18 mm 29927

installation set DN 20* soldered connection 22 mm 29911



Concealed valve, neutral 518030520 ☑ 518034520 ☑

installation set DN 12* soldered connection 15 mm 29909

installation kit DN 15* soldered connection 18 mm 29927

installation set DN 20* soldered connection 22 mm 29911



two way diverter 518450520 ☑ 518454520 ☑

installation kit DN 15* 2975100



KLUDI ADLON shower set L = 600 mm 2710305 **□** 2710345 **□**







A touch of luxury – and for me alone

JOOP! in bathrooms equates to personal luxury. And it is plain to see with this mixer. You have the choice of using a chrome-plated lever or a cylindrical handle made of fine crystal glass to operate KLUDI's classic. JOOP! is defined first and foremost by the wide spout, which via, a special aerator, produces a soft stream of water that pleases the senses. There is now a matching mixer for washbasins with a narrower spout and concealed flow director.

23

BASIN



Three-hole basin mixer DN 15 551430575



single lever basin mixer DN 10 550240575 ₺ 55024H775



single lever basin mixer DN 10 without pop-up waste 550300575 55030H775



Three-hole basin mixer DN 15 551430505 55143H705



single lever basin mixer DN 15 130230560



single lever basin mixer DN 10 550230505 55023H705



single lever basin mixer DN 10 without pop-up waste 550290505 55029H705



Wash-basin column unit for guest 55115D1 **□** 55115D2 🔳



Wall-mounted basin mixer DN 15 for concealed installation projection 160 mm 551460505 ₺ 55146H705





single lever bidet mixer DN 10 552170575 55217H775



single lever bidet mixer DN 10 552160505 ₺ 55216H705

BATH



single lever bath and shower mixer DN 15 554430575 55443H775



bath-and shower mixer DN 15 four-hole, for tile rim installation projection 220 mm 554250575 ₺



four-hole bath and shower mixer DN 15 for rim installation projection 110 mm 554240505 ₺ 55424H705

four-hole, for tile rim installation* projection 220 mm 554250505 55425H705



bath-and shower mixer DN 15 without bath filler with bath filler diverter 554260505 55426H705



bath filler DN 20 wall fastening projection 160 mm 5550205 ₺

projection 220 mm* 5550305 ₺



concealed single lever bath and shower mixer concealed valve with functional unit 556500575 ₺ 55650H775

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed thermostatic bath and shower mixer concealed valve with functional unit 558300505 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



SHOWER

single lever shower mixer DN 15 554230575 ₺ 55423H775



concealed single lever shower mixer

concealed valve with functional unit 556550575 ☑ 55655H775 🔳

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed thermostatic mixer 557190505

installation set DN 20* 35093 ±

installation kit DN 15* 35158 ±



concealed thermostatic shower mixer concealed valve with functional unit

558350505 KLUDI FLEXX.BOXX*

concealed unit DN 20 88011 ±



head shower DN 15 5577905-00



shower column DN 15 L = 1410 mm 557690505 55769H705



J00P! shower set L = 900 mm5513005-00




KLUDI NEW WAVES

Crisp purist lines

KLUDI NEW WAVES focusses on the essential: the geometric form. Two cylinders, at a dynamic angle to each other, characterise the purist design of the range.





Reduction as a design principle

KLUDI NEW WAVES demonstrates purism with a dynamic feature. The handles are incorporated into the basic form – and are identical in shape in all mixers. The shower continues this use of crisp lines. KLUDI NEW WAVES sets a striking example of fine design.



BASIN



Three-hole basin mixer DN 15 571430530



basin mixer DN 10 571140530

for handbasins* 571180530



washbowl mixer DN 10 571240530



wall mounted basin mixer DN 10 for basins with integrated wall for 571440530



wall mounted basin mixer DN 15 for concealed installation projection 130 mm 571450530 **Z**

projection 210 mm* 571460530 ₺



single lever basin mixer DN 10 570230575

without pop-up waste set* 570290575



single lever basin mixer DN 10 for handbasins 571290575



pillar valve DN 15 571160530 🗈



single lever washbowl mixer DN 10 570240575





bidet mixer DN 10 573130530



single lever bidet mixer DN 10 572160575

BATH



bath-and shower mixer DN 15 575400530 ₺



bath-and shower mixer DN 15 for four-hole rim installation projection 140 mm 574240530

four-hole, for tile rim installation projection 220 mm 574250530 ₺



shower set stand assembly 5705105



telescopic bath filler DN 20 projection 143-183 mm 5750405 🗈

BATH



concealed single lever bath and shower mixer concealed valve with functional unit 576500575

KLUDI FLEXX.BOXX* concealed unit DN 20

88011 ⊞



concealed thermostatic bath and shower mixer concealed valve with functional unit 578300530 ■

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±

SHOWER



shower mixer DN 15 577100530



thermostatic shower mixer DN 15 574200530



concealed single lever shower mixer concealed valve with functional unit 576550575

29

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



bath and shower mixer for

with champagne cooler*

575900530

575910530 ₺

standard installation on free-

standing baths with glass shelf

concealed thermostatic shower

concealed valve with functional unit 578350530 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011



concealed thermostatic mixer 577190530

installation set DN 20* 35093

installation kit DN 15* 35158



shower column DN 15 577600530



KLUDI NEW WAVES shower set L = 900 mm5714005-00 🗈





KLUDI's unique IntegralDesign

KLUDI AMBA looks like it is cast in one piece, as the operating mechanism is an integral part of the homogeneous whole. The discreet red and blue marking is a sure sign: at times this part of the mixer body acts as a handle to regulate the flow of water and temperature. It only becomes obvious when this function is used, then it blends back into the overall form.

KLUDI's novel IntegralDesign is what makes KLUDI AMBA unique. It gives rise to a sculptural appearance that gratifies the senses, such as has never been achieved before so consistently. KLUDI AMBA takes fitting design to a new level.



Intuitive, natural operation

KLUDI AMBA is intuitive to operate, by following the natural line of movement towards the mixer and gently opening up the top of the mixer towards the back. A light touch is enough to start the water flowing. Temperature is regulated with a simple, practised turn. As usual, it can be finely adjusted with pinpoint accuracy.









2013



Graceful drainage fittings

Instead of the entire connecting rod, only the elegant pull knob is visible for the drainage fitting of the KLUDI AMBA mono basin mixer. It butts against the mixer body. As an alternative to a drainage fitting, KLUDI AMBA also provides a push-open valve in the washbasin.



Finely adjusted with pinpoint accuracy

As usual, the flow of water and temperature are easy to adjust with pinpoint accuracy. Proven cartridge technology is used for the fine adjustment, which is also integrated into KLUDI AMBA.



Discreet marking

The red and blue marking blends discreetly into KLUDI AMBA's overall design.

single lever basin mixer DN 15 530260575








Sculptural design for modern lifestyle bathrooms

The bathroom is increasingly becoming a living environment. KLUDI showcases this trend. The free-standing bath and shower single lever mixer fit perfectly into modern lifestyle bathrooms with a free-standing bathtub. Its sculptural design showcases the bathtub as a design object.

There are six different bath filling solutions to choose from: whether wall-mounted or concealed, whether single lever mixer or thermostat - modern wellness oases can be fully equipped with KLUDI AMBA.





Even surfaces in hand-crafted quality

The extensive skills of an experienced taps specialist are needed to produce something as exceptional as the well-proportioned surfaces of the KLUDI AMBA single lever mixers with shower or combined bath and shower function. They are installed flush with the wall. The effect: the clear aesthetic is not disturbed by the usually visible escutcheons. This allows the fitting to become a design object.

The diverter for the shower mode is perfectly integrated into the mixer. It is only noticeable on second glance. The stylish, polished chrome finish is manufactured in a complex process – understated, high-end design in hand-crafted quality.





single lever basin mixer DN 15 530230575

without pop-up waste set* 530260575



single lever basin mixer DN 15 530290575

without pop-up waste set* 530280575 ₺



single lever washbowl mixer DN 15 spout height lower edge = 273 mm 532980575 ₺



single lever washbowl mixer DN 15 spout height lower edge = 213 mm 532960575 ₺



BATH

SHOWER

537100575

thermostatic bath- and shower mixer DN 15 534010538



concealed thermostatic bath and shower mixer concealed valve with functional unit 538300575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



bath filler DN 20 projection 170 mm 5350505

Thermostatic shower mixer DN 15 534000538



concealed single lever shower mixer concealed valve with functional unit 536550575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed thermostatic shower mixer concealed valve with functional unit 538350575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed two hole wall mounted basin mixer projection wall spout 186 mm 532440575 ₺

installation kit DN 15* 38243 ±



concealed two hole wall mounted basin mixer

projection wall spout 226 mm 532450575 ₪

installation kit DN 15* 38243 ±



BIDET

single lever bidet mixer DN 15 532160575 ₺





single lever bath and shower mixer DN 15 534450575



single lever bath and shower mixer DN 15 for three hole tile rim installation projection 220 mm 534470575 ₺



DN 15

534480575

New single lever bath and shower mixer



single lever bath and shower mixer DN 15 535900575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88088 ±



concealed single lever bath and shower mixer concealed valve with functional unit

536500575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed single lever bath and shower mixer concealed valve with functional unit

protected against back flow 536570575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞





single lever shower mixer DN 15

concealed thermostatic mixer concealed valve with functional unit 537290575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed valve, trim set 538150575

concealed valve DN 20* 53811 ±



three-way diverter 538460575 ₺

pre installation set* 29757 ±



two way diverter 538470575 ₺

pre installation set* 29747 ±

44 *Not illustrated 45 chrome



KLUDI E2

The art of clean lines

A handle that is pleasant to touch each time you turn the water on. An operating element with a uniquely fine appearance. And clean lines that promise hygiene.

Soft edge is the name of the game for this contemporary design: it gives softer forms to mixer bodies and surfaces, rounds corners and edges and thus results in balanced silhouettes.

KLUDI E2 is there to give you a friendly, uncomplicated welcome with a fresh atmosphere – in your new bathroom.







The right version always at your fingertips

Lightness lies in the lever of this mixer the operating element is just a few millimetres thick and is an elegant example of how to obtain a precise flow of water

In terms of practicality there is a variety of spouts too: VersatilityPlus is KLUDI's concept to make planning and using the washbasin area easier. Thanks to different length spouts and four different heights, the series will satisfy the demands of any washbasin area.






Mixers for your home retreat

The mixer shows off its sensory qualities on the bath. The bath represents your retreat within your own four walls – and KLUDI E2 bath mixers set the backdrop for this oasis of relaxation. There are two ways to use the mixer – toggle by pushing/pulling the knob. On the one hand, the high-flow bath filler to run the bath quickly. And on the other, the handset for showering in the bath or rinsing off after washing your hair.

Whether for a free-standing bath or mounted on the wall: The KLUDI E2 bath mixers are also in keeping with the design series, which is classed between pure minimalism and organic form.





Emerge from your shower invigorated

The shower stands for vim and vigour – the KLUDI E2 line for this area of the bathroom is diverse and ranges from the convenient concealed model to the pragmatic surface-mounted version. Every design wish, every functional requirement and even special requests can be satisfied.

Would you rather a lavish overhead shower for an impressive cascade or a handset for flexible showering? All necessary fittings are available in the characteristic soft-edge design; even details like the wall union for the shower hose attest to the design features. Then there are matching shower rails and hoses – in short, everything needed to design a custom bathroom.

57

BASIN



single lever basin mixer DN 15 490230575 ₺



single lever basin mixer DN 15 spout height lower edge = 120 mm 492970575 **□**



BIDET

single lever washbowl mixer DN 15 spout height lower edge = 155 mm 492960575 ₺



single lever washbowl mixer DN 15 spout height lower edge = 272 mm



three-way diverter

498460575 🗖

SHOWER

single lever shower mixer DN 15 497140575 🗈



concealed thermostatic mixer concealed valve with functional unit 497290575 ₺



concealed single lever shower concealed valve with functional unit 496550575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



mixer concealed valve with functional unit 498350575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed two hole wall mounted basin mixer projection wall spout 220 mm 492450575 ☑



basin mixer





single lever bidet mixer DN 15 492160575 🗷





BATH

single lever bath and shower mixer DN 15 494450575





single lever bath and shower mixer DN 15 without bath filler with bath filler diverter 494260575 ₺



single lever bath and shower mixer DN 15 for three hole tile rim installation projection 220 mm 494470575 ₺



bath filler DN 20 projection 175 mm 4950305



single lever bath and shower mixer DN 15 495900575 ₺

56



concealed single lever bath and shower mixer concealed valve with functional unit 496500575 ₺





concealed thermostatic bath and shower mixer concealed valve with functional unit 498300575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞





concealed valve, trim set

498150575



KLUDI E2 Accessories

There is a place for everything – and mixing styles is avoidable – as there is a high-quality line of accessories in the soft-edge design to match KLUDI E2. Chrome-plated metal and hand-blown opal glass show off the lines of KLUDI E2's design to advantage: Towel holders, soap dispensers, toilet paper holders, tooth mugs – for a uniformly customised bathroom.





ACCESSORIES



liquid soap dispenser mouth-blown opal glass, white, matte 4997605 □



universal glass holder mouth-blown opal glass, white, matte 4998205 ☑



glass holder mouth-blown opal glass, white, matte 4997505 □



opal glass, white, matte 4998705 ☑



soap dish opal glass, white, matte 4998505 ☑



tealight holder opal glass, white, matte 4998305 ■



hook 4998405 ✓



double towel holder XS 4999005 ☑

towel holder 455 mm* 4997705 **□**



bath towel holder L = 650 mm 4998005 □

bath handle

L = 350 mm*

4998105



paper-holder 4997105 **■**



spare toilet paper holder 4997205 **■**



toilet brush holder 4997405 **□**





Superior quality design and an appearance with sophisticated details

The plane, highly polished surfaces of the mixer body are produced in a complex process. The diverter for the shower function has been integrated. It is easy to grasp by the crosspiece even with wet hands. The mixer body cleverly conceals the escutcheons – superior quality design and an appearance with sophisticated details.



Integrated diverter for the shower function. It is easy to grasp by the crosspiece even with wet hands.

Fine design and modern technology transform bathrooms into personal oases for relaxation. Just turn off the stress, KLUDI fittings make it possible.



Award-winning design and functions

The single lever basin mixer from the KLUDI BALANCE range was awarded the renowned iF product design award in 2012 for the harmonious interplay of naturalness and functionality. It impressed with its timeless design.

The electronic basin mixer with sensor technology was given the Plus X Award for high quality, design and ease of operation. Just hold your hand in the sensor zone, which is clearly marked, and the water will start running immediately – hygienic and clean, as there is need to actually touch the mixer. When you move your hands away, the water will stop running immediately. This saves water and energy.





2012

64





KLUDI BALANCE makes convenience tangible

The single-lever bath filler and shower mixer for deck mounting has been designed for free-standing baths. Its beautiful form and the modern technology make it a real eye-catcher in high-standard bathroom interiors. One special feature of the three-hole, rim-mounted bath mixer is the retractable handset.

Use the KLUDI s-pointer so that bathwater runs almost silently into the bath. Simply tapping it with your finger allows you to adjust the angle of the stream of water as you like. The water flows elegantly over the rim instead of gushing loudly into the bath. So you can have a relaxing bath even late at night.

BASIN



single lever basin mixer DN 10 520230575

without pop-up waste* 520260575



single lever washbowl mixer DN 10 spout height lower edge = 272 mm 522980575 **I**



single lever washbowl mixer DN 10 spout height lower edge = 212 mm 522960575 ₺



electronic controlled basin mixer DN 10 with sensor technology with mixing shaft battery-powered 5210005

with mains plug* 5220005 ₺



electronic controlled basin mixer DN 10

with sensor technology with mixing shaft battery-powered for use with displacement heaters 5210205

with mains plug* 5220205



PUSH-OPEN waste lockable plug 1042405-00 ₺

single lever bath and

shower mixer DN 15

projection 220 mm

524470575

for three hole tile rim installation



electronic controlled pillar tap DN 10 with sensor technology without mixing shaft battery-powered

with mains plug*



5210505 ₺

5220505 **E**



concealed two hole wall mounted basin mixer projection 180 mm 522440575 ₺

installation kit DN 15* 38243 ±



concealed two hole wall mounted basin mixer projection 220 mm 522450575 ₺

installation kit DN 15* 38243 ±

BIDET



single lever bidet mixer DN 10 522160575

single lever bath and

shower mixer DN 15

524480575

for three hole tile rim installation



BATH



single lever bath and shower mixer DN 15 524450575



concealed single lever bath and

concealed valve with functional unit 526500575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



shower mixer



single lever bath and shower mixer DN 15 525900575

KLUDI FLEXX.BOXX* concealed unit DN 20 88088 ±

BATH



concealed single lever bath and shower mixer

concealed valve with functional unit protected against back flow 526570575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed thermostatic bath and shower mixer concealed valve with functional unit 528300575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



bath filler DN 20 projection 160 mm 5250505 **E**



SHOWER



single lever shower mixer DN 15 527100575 ₺



Thermostatic shower mixer DN 15 352500575 ₺



concealed single lever shower mixer concealed valve with functional unit 526550575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed thermostatic shower mixer concealed valve with functional unit

528350575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



two way diverter 528470575



wall supply DN 15 protected against back flow 5206105-00 ₺



shower hook 5205005-00 🛮









Harmony and extravagance in bathroom design

KLUDI BALANCE WHITE makes it possible to design exceptional bathrooms. The white mixers form one harmonious unit together with white ceramics. This is accentuated discreetly by the chrome-plated elements. Dark wood mosaics provide a striking contrast with the white mixers. KLUDI BALANCE WHITE appears wonderfully light in combination with natural materials like travertine and wood. When you combine the purist mixers with waxed steel, the result is extravagant bathroom design for loft apartments and boutique hotels.









single lever basin mixer DN 10 520239175



single lever basin mixer DN 10 without pop-up waste 520269175



single lever washbowl mixer DN 10 spout height lower edge = 272 mm 522989175



single lever washbowl mixer DN 10 spout height lower edge = 212 mm 522969175



electronic controlled basin mixer DN 10 with sensor technology with mixing shaft battery-powered 5210091 🗆

with mains plug* 5220091





single lever bidet mixer DN 10 522169175





single lever bath and shower mixer DN 15 524459175



concealed thermostatic bath and shower mixer

concealed valve with functional unit 528309175 □



single lever bath and shower mixer DN 15 525909175

KLUDI FLEXX.BOXX*



single lever bath and shower mixer DN 15 for three hole tile rim installation projection 220 mm

single lever shower mixer DN 15 527109175 \square

524479175 🗆

SHOWER



shower mixer concealed valve with functional unit 526509175

concealed single lever bath and





88011 ±

KLUDI FLEXX.BOXX*

concealed unit DN 20

concealed single lever shower mixer concealed valve with functional unit

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±

526559175



concealed thermostatic shower mixer concealed valve with functional unit 528359175

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±





KLUDI Q-BEO

Striking cubism

KLUDI Q-BEO acknowledges its debt to the cubic form – masculine and intense. Rounded edges and inlaid levers lend the range its striking visual identity.



A strong design statement

Large, angular, solid – if you're looking for the exceptional, you've found it in KLUDI Q-BEO. The cube-shaped mixers for washbasins, baths and showers are simultaneously eye-catching design objects. It's a good thing that they aren't only available as individual pieces. Whole bathroom interiors can be fitted with KLUDI Q-BEO.

When it comes to large washstands, for instance, the KLUDI Q-BEO single lever mixer with side control increases the KLUDI freedom of movement. The flow of water and temperature can be adjusted with pinpoint accuracy. As the control is on the side, the spout, which can also be swivelled, gains in height. The robust, single-piece mixer body is of especially high quality and, together with the side-operating mechanism, lends a very homogeneous appearance. The purist L-shaped spout is designed in the cubic style of the KLUDI Q-BEO line.

One sophisticated design feature is the installation of the surface-mounted mixer flush with the wall, as it covers the escutcheons, which would otherwise be visible.







single lever basin mixer DN 10 with waste outlet 500230575 ☑





single lever basin mixer DN 10 for handbasins 501290575 ☑



single lever basin mixer DN 10 spout can be swivelled through 360° 420250542

✓

without pop-up waste set* 420260542 ☑



Three-hole basin mixer DN 15 501430542 ■





single lever bidet mixer DN 10 502160575 ☑





single lever bath and shower mixer DN 15 504430575 □



bath-and shower mixer DN 15 four-hole, for tile rim installation projection 220 mm 504240542 ■



shower set DN 15 stand assembly 5005105 ►





concealed single lever bath and shower mixer concealed valve with functional uni

concealed valve with functional unit 506500575 ■



concealed thermostatic bath and shower mixer concealed valve with functional unit

concealed valve with functional u 508300542 ☑









Thermostatic shower mixer DN 15 504000542 ☑



concealed single lever shower mixer concealed valve with functional unit 506550575 ☑

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊕



concealed thermostatic shower mixer concealed valve with functional unit 508350542 ■

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 €



SHOWER

wall rail

L = 900 mm:

hose 1,600 mm 5012005-00 ■

with floating slider and Sirenaflex



lime deposit cleaning system: shower spray 5010005-00 □



wall supply DN 15 6554005-00 **□**



shower hook 6555105-00 **■**



KLUDI MX

Sophisticated functions

The basin mixer is the highlight in this range of fittings: it has integrated height adjustment, which creates up to 10 cm space for greater KLUDI freedom of movement. The lifting effect is not visible when the mixer is in the base position. This is how much versatility a single lever mixer can offer.



With added function and safety

The KLUDI MX thermostatic shower mixer is convenient and safe. It allows the desired temperature to be set quickly and kept constant while you shower. The KLUDI SafeTouch function reliably stops the thermostat surface from getting hot. In addition, the KLUDI HotStop anti-scald limiter, which has been set at 38 °C, protects you from scalding.



Base position

The single-lever sink mixer with the easy-clean, loop lever has integrated height adjustment, which is concealed when it is the base position.



Adjusting height

Adjusting the height provides 10 cm space for KLUDI freedom of movement between the washbasin and mixer. This makes it easy to fill tall containers with water



Lowering

To lower, release the lock and push the mixer down gently until it locks back into place. It is easy to do this in a controlled movement thanks to the buffer.



BASIN



single-lever basin mixer XXL DN 10 with pull-out tap body 331840562 ☑



without pop-up waste set* 331260562 ■



single lever basin mixer DN 10 for use with displacement heaters 331350562 ☑



single lever basin mixer DN 10 for handbasins 331280562

□

BIDET



single lever bidet mixer DN 10 332150562 ☑



BATH



single lever bath and shower mixer DN 15 334450562 ☑



single lever bath and shower mixer DN 15 for three hole rim installation projection 160 mm 334460562 ☑

for three hole tile rim installation* projection 220 mm 334470562 ☑



bath filler DN 20 with adjustment wall fastening 1350105 ■

bath filler DN 20* wall fastening 1350005 ■



thermostatic bath and shower mixer DN 15 354310538 ☑



concealed single lever bath and shower mixer concealed valve with functional unit 336500562 ■



concealed single lever bath and shower mixer concealed valve with functional unit

protected against back flow 336570562 □



concealed thermostatic bath and shower mixer

concealed valve with functional unit 358300538 ■

SHOWER



single lever shower mixer DN 15 337100562 ☑





concealed single lever shower mixer concealed valve with functional unit 336550562 ■



concealed thermostatic shower mixer concealed valve with functional unit 358350538 ■



KLUDI O-CEAN


Refreshingly natural

The water is clear and flows onto your hands in a gushing cascade. A wonderfully refreshing experience, as in untouched nature itself. KLUDI has also taken the environment into consideration in its technology: the pre-set 50% flow limiter acts to save water in the long term. It is very simple to adjust the flow of water and temperature using the joystick.



BASIN







single lever basin mixer DN 10 with cascade spout 383400575 ₺





single lever basin mixer DN 10 383500575 ₺





single lever basin mixer DN 10 spout can be swivelled through 360°





pillar valve DN 15 381160530





single lever bidet mixer DN 10 384300575 ₺

BATH



single lever bath and shower mixer DN 15 387700575

SHOWER



concealed single lever bath and shower mixer concealed valve with functional unit 387500575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed single lever bath and shower mixer concealed valve with functional unit protected against back flow

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±

387570575 ₺



concealed thermostatic bath and shower mixer concealed valve with functional unit 388300545 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



single lever shower mixer DN 15 389700575 ₺



concealed single lever shower mixer concealed valve with functional unit 387550575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed thermostatic shower mixer concealed valve with functional unit 388350545 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±

> *Not illustrated





Tall spout can be rotated 360°

In addition to KLUDI freedom of movement, KLUDI BINGO STAR offers a choice of two different models of fittings: the single-lever basin mixer with a 360° swivelling spout or with a 30°/30° stop limiter.

BASIN







single lever basin mixer DN 10 with end stop limiter 30°/30° 420300578 □

□ chrome

A matter of pure form KLUDI BOZZ celebrates the cylinder in its archetypal form. The whole range of mixers has been designed from cylindrical bodies, which are in perfect proportion to one another. Reduced to the pure form! concealed two hole wall mounted basin mixer 382450576

The cylinder in all its diversity

KLUDI BOZZ shows how well cylindrical forms match one another. The combination looks as harmonious in a mixer as in an entire bathroom line. Whether as a pillar valve with discreet head controls, as a single lever mixer for modern wash bowls or as a three-hole mixer with tall spout - KLUDI BOZZ offers the widest variety of solutions for public areas, the catering industry and private bathrooms.

pillar tap with head part control unit DN 15







single lever basin mixer DN 10 382910576 ₺

flow rate 5 I/min* 382920576

for unpressurised storage tanks* 382970576 ₺



single lever washbowl mixer DN 10 382960576 ₺



single lever basin mixer DN 10 with high, curved spout spout can be swivelled through 360° 382940576 🗈



Three-hole basin mixer DN 10 383910576 ₺



concealed two hole wall mounted basin mixer projection 180 mm 382440576 ₺

382450576 ₺

installation kit DN 15* 38243 ±

BIDET



single lever bidet mixer DN 10 385330576



pillar tap with head part control unit DN 15 actuation by stick 380160530 ₺



wall mounted pillar valve DN 15 projection 185 mm 380180530

projection 110 mm* 380170530 ₺



pillar valve DN 15 381160530





single lever bath and shower mixer DN 15 386910576



concealed single lever bath and shower mixer concealed valve with functional unit 386500576 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed single lever bath and shower mixer concealed valve with functional unit

protected against back flow 386570576 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±





bath filler DN 20 wall fastening 3850505 ₺



single lever shower mixer DN 15 388310576 ₺



Thermostatic shower mixer DN 15 352030538



concealed single lever shower mixer concealed valve with functional unit 386550576 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±









On the one hand, the spout is higher and is convenient to swivel; on the other hand, the side mixer lever is positioned favourably for maximum ergonomics for all possible uses. These mixers also show off their merits at any large washbasin: the mixer can be swivelled farther and the water has a longer reach than with a conventional single-lever mixer. And (last but not least): the side control is easy to clean, as it can be turned off with wet hands after use, without the mixer getting spattered with splashes of water and soap.

And into the bargain, the whole unit even looks good: the single-piece mixer body forms a solid unit together with the side-operating element. The flow of water and temperature can be adjusted with customary pinpoint accuracy. And thanks to the consistent red/blue markings, it is still clear whether cold or hot water is running, even when in the 45 degree position. The ZENTA line offers the right solution for every possible use with three different single-lever basin mixers with side controls.



Hygienic thanks to sensor operation

The KLUDI ZENTA electronic mixers control the flow of water without you touching them. This ensures a maximum of hygiene in public buildings, offices and catering industry. As sanitary areas are used intensively in these areas, efficient use of resources is an important argument in favour of the sensor-operated mixers in the KLUDI ZENTA design.

As a result of optical object detection, the flow of water will start as soon as the infrared sensor has recorded movement. However, not until all three installed sensors have responded. This effectively prevents unintentional triggering, by drops of water on the sensor field for example. Intelligent technology thus contributes to limit consumption of energy and water in a practical way.

Washrooms with high footfall and private bathrooms can be fitted to a high standard with the KLUDI ZENTA electronic mixers, resulting in great practicality and an attractive appearance. Three models are available: with temperature dial and mixer lever, with pre-adjustable mixer shaft or as pillar valve, fitted either with a mains adapter or battery as needed.





Sensor control is non-contact. The flow of water starts as soon as the intelligent infrared technology registers movement.



Water temperature can be set to suit using the mixer screw.



Showering with the right temperature and three different jets of water

In just seconds, the thermostat mixes the right temperature and keeps it constant. The KLUDI HotStop prevents scalding with a built-in anti-scald limiter. You can choose from three different settings for the jet of water for the handset – for personalised showering pleasure.



Volume jetThe volume jet remains constant in width and intensity.



Rainshower

The rainshower has a circular arrangement that ensures a gentle, caressing shower.



BoosterThe booster centres the jet in the middle of the shower head, creating an invigorating and massaging stream of water.

BASIN



single-lever basin mixer XL DN 10 382600575 ₺

without pop-up waste set* 382620575



single lever basin mixer DN 10 382500575 ₺

without pop-up waste set* 382510575 ₺



single lever basin mixer DN 10 spout height lower edge = 120 mm 382650575 ₺



single lever washbowl mixer DN 10 spout height lower edge = 225 mm 382560575 ₺



pillar valve DN 15 381160530

BASIN



BIDET

single lever bidet mixer DN 10 385300575 ₺





single lever bath and shower mixer DN 15 386700575 ₺



single lever bath and shower mixer DN 15 for three hole rim installation projection 140 mm 384460575 ₺

for three hole tile rim installation* projection 220 mm 384470575 ₺



382570575 ▶

single lever washbowl mixer DN 10

spout height lower edge = 258 mm



single lever basin mixer DN 10 spout can be swivelled through 360° 420250575

without pop-up waste set* 420260575



single lever basin mixer DN 10 spout can be swivelled through 360° 382940575



single lever basin mixer DN 10 with high, curved spout spout can be swivelled through 360° 382550575 ₺



2S bathtub set 6075005-00 ▮

1S bathtub set* 6065005-00 ▮



bath filler DN 20 with adjustment wall fastening 1350105

bath filler DN 20* wall fastening 1350005 ₺



thermostatic bath and shower mixer DN 15 351010538



concealed single lever bath and shower mixer concealed valve with functional unit 386500575

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



electronic controlled basin mixer DN 15 with sensor technology with mixing shaft Temperature control handle battery-powered 3810005

with mains plug* 3820005 ₺



electronic controlled basin mixer DN 15 with sensor technology with mixing shaft battery-powered 3810205

3820205 ₺



with mains plug*



electronic controlled pillar tap DN 15 with sensor technology without mixing shaft battery-powered 3810505

with mains plug* 3820505 ₺



electronic concealed controlled

basin mixer with sensor technology with temperature selection handle projection 190 mm

3850005 projection 240 mm* 3840005 ₺ 38001 ± 38002 ±



concealed single lever bath and shower mixer concealed valve with functional unit

protected against back flow 386570575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed thermostatic bath and shower mixer concealed valve with functional unit

388300545 ₺ KLUDI FLEXX.BOXX* concealed unit DN 20

88011 ±



SHOWER

single lever shower mixer DN 15 388700575



Thermostatic shower mixer DN 15 351000538



electronic concealed controlled basin mixer with sensor technology

projection 190 mm 3850205 ₺

projection 240 mm* 3840205 ₺ 38003 ⊞ 38004 ±



38002 ±

electronic concealed controlled basin mixer basin mixer

with sensor technology with temperature selection handle projection 190 mm 3850105 projection 240 mm* 3840105 ₺ 38001 ⊞



electronic concealed controlled with sensor technology projection 190 mm

projection 240 mm* 3840305 ₺ 38003 ± 38004 ±

3850305



concealed two hole wall mounted basin mixer projection 230 mm 382450575 ₺

projection 180 mm 382440575 ₺

installation kit DN 15* 38243 ±



concealed single lever shower mixer

concealed valve with functional unit 386550575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed thermostatic shower mixer

concealed valve with functional unit 388350545 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



3S hand-held shower with quick lime deposit cleaning system: booster, smooth, volume 6080005-00 ▮

2S Hand-held shower with quick lime deposit cleaning system: smooth, volume* 6070005-00 ▮



1S hand-held shower with quick lime deposit cleaning system: 6060005-00 ☑

SHOWER



Dual-Shower-System DN 15 with head shower 200 mm KLUDI ZENTA 2S hand-held shower and Suparaflex hose 1,600 mm 6609005-00

■



KLUDI Dual-Shower-System DN 15 with head shower 200 mm KLUDI ZENTA 1S hand-held shower and SUPARAFLEX shower hose 1,600 mm 6167705-00 ☑



ZENTA SHOWER DUO:
thermostatic shower mixer
2S shower set
2S hand-held shower with rain
shower, soft spray
L = 600 mm
6057605-00 ☑

L = 900 mm* 6057705-00 **□**



3S shower set L = 600 mm 6083005-00 ■

L = 900 mm* 6084005-00 ☑



2S shower set L = 600 mm 6073005-00 **☑**

L = 900 mm* 6074005-00 **□**



1S shower set L = 600 mm 6063005-00 ■

L = 900 mm* 6064005-00 □



Wall bar: with floating slider and Logoflex hose L = 600 mm 6061005-00 ■

*Not illustrated

L = 900 mm* 6062005-00 **☑**





Elegant black and pure white the interesting interplay of contrasts starts with the striking KLUDI ZENTA BLACK & WHITE range.



single-lever basin mixer XL DN 10 382609175 □ 382608675 ■



single lever basin mixer DN 10 382509175 □ 382508675 ■



single lever basin mixer DN 10 without pop-up waste set* 382518675 ■



Bidet-Einhandmischer DN 10* 385309175 □ 385308675 ■





single lever bath and shower mixer DN 15 386709175 □ 386708675 ■



thermostatic bath and shower mixer DN 15 351019138 □ 351018638 ■



concealed single lever bath and shower mixer concealed valve with functional unit 386509175 □ 386508675

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 €

SHOWER



single lever shower mixer DN 15 388709175 □ 388708675 ■



Thermostatic shower mixer DN 15 351009138 □ 351008638 ■



1S bathtub set 6065091-00 □ 6065086-00 ■



mixer concealed valve with functional unit 386559175 □ 386558675 ■

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



L = 900 mm6084091-00 6084086-00 ■



3S shower set 6084086-00

KLUDI ZENTA BLACK & WHITE




Perfect harmony at large washstands

More and more bathrooms nowadays are fitted with large washstands. The KLUDI OBJEKTA single lever basin mixers with side control are perfectly in keeping with these. Their generous proportions are the result of the taller spout, which provides more convenient KLUDI freedom ov movement between the mixer and the washstand. Flexibility is improved since the spout can also be swivelled to the side.

The flow of water and temperature are adjusted with customary accuracy using the side operating mechanism. This is also in the KLUDI OBJEKTA design and fits in perfectly with the single-piece mixer body, which proves itself to be very robust and of high quality. The curved, cylindrical spout has been coordinated to match the classic-modern KLUDI OBJEKTA design.

KLUDI OBJEKTA





Contemporary, ergonomic, convenient

With an upright mixer body and slightly curved upper surfaces on the spout, KLUDI OBJEKTA is testament to contemporary design. The use of form is pleasantly understated and yet makes its own distinctive mark. In daily use, KLUDI OBJEKTA provides convenience and reliability. The operating elements are designed to be ergonomic, the curved surfaces are simple and quick to clean.

BASIN



single-lever basin mixer XL DN 10 322600575



single lever basin mixer DN 15 322330575

flow rate 5 I/min* 322350575

without pop-up waste set* 321260575



single lever basin mixer DN 10 for use with displacement heaters 322340575 ₺



single lever basin mixer DN 15 with high, curved spout spout can be swivelled through 360° 320230575 ₺

320240575



without pop-up waste set*



single lever shower mixer DN 15 vertical bath/ shower mixer 326510575 ₺

BIDET



single lever bidet mixer DN 15 324160575

BATH



single lever bath and shower mixer DN 15 326530575



single lever bath and shower mixer DN 15 single hole mounted 326850575



thermostatic bath and shower mixer DN 15 352600538



concealed single lever bath and shower mixer

concealed valve with functional unit 326500575 ₺

KLUDI FLEXX.BOXX*

concealed unit DN 20 88011 ⊞



concealed single lever bath and shower mixer

concealed valve with functional unit protected against back flow 326570575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



concealed thermostatic bath and shower mixer concealed valve with functional unit

358300538

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



single lever bath and shower mixer DN 15 vertical bath/ shower mixer 324890575 ₺

SHOWER





Thermostatic shower mixer DN 15 50 % water consumption regulation 352000538



concealed single lever shower mixer concealed valve with functional unit 326550575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed thermostatic shower mixer

concealed valve with functional unit 358350538 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞



128 *Not illustrated



Saves money, helps protect the environment Contemporary and economical - two attributes that accurately describe KLUDI LOGO NEO. The line of mixer taps impresses with its refreshing design, and it spares the wallet and helps save natural resources thanks to its dual function. KLUDI's EcoPlus function saves energy: when you turn the tap on in the centre position, only cold water will run. No loss of comfort when washing your hands, cleaning your teeth or running water for plants. But considerable savings for the household's energy bill. On top of this, the EcoAir mode used for the washbasin mixer, cuts the amount of water used for washing hands every day by up to 40 per cent – by aerating the water you still have a full flow of water. A single-lever basin mixer with side control is also included in the extended range. There is more convenient KLUDI VersatilityPlus available below the tall, swivelling spout. The flow of water and temperature can be adjusted using the handle on the side. Incidentally, this makes life particularly easy when you're cleaning, as it can be turned off if your hands are wet, without the tap getting spattered with splashes of water and soap.

132

BASIN



single lever basin mixer DN 10 372820575 ₺

with pipe fittings* 372810575 ₺



single lever basin mixer DN 10 for use with displacement heaters 372760575 ₺



single lever basin mixer XS DN 10 372850575 ₺



single-lever basin mixer XL DN 10 spout height lower edge = 120 mm



single lever basin mixer DN 10 with retractable chain 372830575 ₺

with pipe fittings* 372800575 ₺



single lever basin mixer DN 10 for unpressurised storage tanks* 372750575 **□**



single lever basin mixer DN 15 with high, curved spout spout can be swivelled through 360° 370230575





BIDET

single lever bidet mixer DN 10 375330575 ₺

with pipe fittings* 375310575

BATH



single lever bath and shower mixer DN 15 376810575



single lever bath and shower mixer DN 15 swivelling spout 250 mm 375910575 ₺



concealed single lever bath and shower mixer 374190575

concealed mixer. pre-installation kit DN 15* 38625 ⊞



single lever bath and shower mixer DN 15 swivelling spout 250 mm with tele-hand-held shower 375920575 ₺

SHOWER



single lever shower mixer DN 15 378410575 ₺



concealed single lever shower mixer 374200575

concealed mixer, pre-installation kit DN 15* 38625 **±**

CARE



single lever basin mixer DN 10 Public lever arm 120 mm 372840575



single lever basin mixer DN 10 clinic-lever 180 mm 372870575 ₺

*Not illustrated

single lever shower mixer DN 15

378410575



KLUDI TERCIO The new generosity of scale A new generosity of scale predominates in modern bathrooms. The XL single-lever mixer in KLUDI TERCIO design is tailor-made for this. The extra-large mixer looks at its best when fitted on large-size washbasins. The single-lever mixer with controls on the side provides even more KLUDI freedom of movement between the washbasin and mixer. The bath mixer is very versatile to use with its taller, swivelling spout. Water can run off easily from the curved surfaces of the lever and spout – resulting in extra ease of cleaning. single lever basin mixer DN 15 380230575



BASIN



single-lever basin mixer XL DN 10 384840575 □







single lever basin mixer DN 10 384850575 ₺



single lever basin mixer DN 15 for use with displacement heaters 384760575 □



single lever basin mixer DN 15 with retractable chain 384800575 ₺



single lever basin mixer DN 15 with high, curved spout spout can be swivelled through 360° 380230575 ■

without pop-up waste set* $380240575 \square$





single lever bidet mixer DN 10 384320575 ₺



BATH

single lever bath and shower mixer DN 15 384820575 ₺



thermostatic bath and shower mixer DN 15 351010538 ☑



concealed single lever bath and shower mixer 386510575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed single lever bath and shower mixer 384190575 ₺

concealed mixer, pre-installation kit DN 15* 38625 ⊞







Thermostatic shower mixer DN 15 351000538 ₺

chrome



concealed single lever shower mixer 386560575 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±



concealed single lever shower mixer 384200575 ₺

concealed mixer, pre-installation kit DN 15* 38625 ₺



KLUDI STANDARD

The term for reliability

KLUDI STANDARD has been a byword for rock-solid reliability for many years. The long-established range of mixer is robust enough to be still working perfectly even after years of intensive use. You can depend on KLUDI STANDARD at any time – in each combination of components.

BASIN



basin mixer DN 8
with retractable chain
210600508

210600515

□



basin mixer DN 8 with waste outlet 210370508 ☐ 210370515 ☐



pillar valve DN 15 200130508 ☑ 200130515 ☑

BATH



bath-and shower mixer DN 15 without shower set 251250508 ☑ 251250515 ☑

SHOWER



262090508

262090515

bath-and shower mixer DN 10



shower mixer DN 15 without shower set 262020508 ☐ 262020515 ☐



DRAIN





filling, waste and overflow trim set 7182605-00 □







filling, waste and overflow pre installation set 2131500-00



Covering cap for pipe interruptor 82308505-00 □



pipe interruptor pre installation set 1077200-00



pop-up and overflow set trim set 7106605-00 ☑





pop-up and overflow set pre installation set 2104000-00



pop-up and overflow set pre installation set 2140705-00 ■

pop-up and overflow set* pre installation set 2140805-00 **I**

pop-up and overflow set* pre installation set 2140905-00 ☑



wall supply DN 15 protected against back flow 6306105-00 ☑

☑ chrome *Not illustrated 1-



NEW

KLUDI PUSH

Extra showering enjoyment

A concept for running showers and bath that is as straightforward as it is ingenious: the water is turned on and off with a simple press of the ergonomic push-button and the temperature is preset at the thermostatic handle. This represents real convenience for young and old alike, and for every stage in life, since the mechanical buttons click quietly but audibly when pressed, while not actually retracting into the mixer. So you can feel them at all times – even when your face is covered in lather.

The buttons can even be customised during installation and two consumer units, overhead shower and body jet for example, can be connected at the same time. KLUDI PUSH is supplied with a round or square escutcheon in the soft-edge design and is robust and easy to clean.

KLUDI PUSH



concealed thermostatic shower mixer concealed valve with functional unit with push-button without diverter 388010538 ■



concealed thermostatic shower mixer concealed valve with functional unit with push-button with two-way-diverter 388110538



concealed thermostatic shower mixer concealed valve with functional unit with push-button without diverter 388020538



concealed thermostatic shower mixer concealed valve with functional unit with push-button with two-way-diverter 388120538 ■

□ chrome 14



ACCESSORIES







glass holder

crystal glass 5597505H7 **□**



liquid soap dispenser bowl crystal glass 5597605H7 **□**

deposit plate of crystal glass 320 mm 5597305H7 **☑**

260 mm* 5598305H7 □ bowl of crystal glass 5598505H7 **□**

soap holder



spare toilet paper holder 5597205 ₺



5597105 ₺



toilet brush holder 5597405H7 □



5597805 ₺



JOOP! Accessories

every aspect of the bathroom.

People who furnish their bathroom with JOOP! from KLUDI manifest a sense of style which goes beyond the mixer. This is why the superior accessories in the collection towel holders, soap dispensers, glass holders, shelves, paper holders and toilet sets are more than just practical aids. They are highly decorative elements in gleaming chrome and the finest crystal that reflect the lifestyle and flamboyance of JOOP! in





towel holder 5597705



bath towel holder 600 mm 5598005

800 mm* 5597905 ₺

bath handle 300 mm* 5598105



hook

small* 5598405 ₺

148 □ chrome *Not illustrated

Accessories that are as beautiful as the fittings

There is a separate, comprehensive accessory line for the KLUDI AMBA. It is perfectly matched to the fittings, allowing bathrooms to be uniformly configured in the KLUDI AMBA design. Hooks, handles and brackets have a high-quality chrome finish; insets are made of fine porcelain.





ACCESSORIES



liquid soap dispenser porcelain container 5397605 □



glass holder porcelain glass 5397505 **☑**



soap dish porcelain dish 5398505 ☑



hook 5398405 □



towel holder 5397705 **■**



bath towel holder L = 650 mm 5398005 **□**

L = 850 mm* 5397905 **☑**



grab bar 350 mm 5398105 ☑



paper-holder 5397105 **■**



spare toilet paper holder 5397205 ■



toilet brush holder porcelain container 5397405 ■

□ chrome *Not illustrated



KLUDI PLUS

The versatile bathroom

The art of bathroom design is to make the best use of the available space. KLUDI PLUS was developed with this for this purpose. The collection comprises ceramic products for washbasins, toilets and bidets, mirrors – and elegant bathroom furnishings.

Three different options to enlarge it make this bathroom totally versatile: as a small bathroom through to a family bathroom. The design concept provides a wide range of styles for contemporary living with convincing details. It is a perfect match for KLUDI's premium mixer and lines of accessories.

NEW

Stage 1







Stage 2 The base cabinet matches the counter modul unit. This base cabinet provides useful storage space for the guest bathroom.



Stage 3 The double counter modul unit stands for practical design. The furniture also offers enough room when storage requirements are higher.

Small bathroom put to perfect use

Small or guest bathrooms represent the ultimate in bathroom planning. Intuitive functions and a high standard of design are called for. Especially where planning and realisation are concerned, KLUDI PLUS demonstrates its strengths and its great flexibility. The set of furnishings is available for three stages, depending on the size of the household and amount of storage space required. There are two matching ceramic solutions for the washbasin area: a countertop basin and a wall-hung basin.

Two mirror designs – with and without lighting elements – offer practical details. One example: the cabinet doors have no need of handles thanks to the sophisticated fasteners. A slight touch is all it takes.





BASIN







countertop wash basin 49W0343 □



pop-up and overflow set can be combined with: KLUDI PLUS 49W0543 washbasin 4999905 ☑



counter modul 80 x 405 x 312 mm 49CM143 □



counter modul 80 x 405 x 312 mm 49CM243 □



counter modul unit Size: 300 x 405 x 312 mm 49CMU43 □

MIRROR



lighted mirror 800 x 500 mm 49SP243



crystal mirror 800 x 405 mm 49SP343

□ chrome □ ceramic white *Not illustrated 157



Bathrooms that are carefully thought-through

When planning bathrooms, conceptual skills are called for. KLUDI PLUS presents a balanced, compact concept that can also be upscaled – and can then be used for a multi-generational bathroom. The bathroom experts at KLUDI have given some thought to the design of the ceramic fixtures too.

The toilet and bidet have been designed to be compact while simultaneously allowing for maximum ergonomics. What is more, they offer a number of intelligent details.

WC



washdown WC 370 x 560 x 350 mm 49WCW43 □



Toilet seat with soft close 49WCS43 □



decor iris for WC/Bidet can be combined with: KLUDI PLUS 49WCW43 toilet and KLUDI PLUS bidet 49BIW43

BIDET



Bidet 370 x 560 x 305 mm 49BIW43 □



Intelligent and easy to clean

A clean solution: the toilet seat can simply be removed for cleaning by pressing a button and put back in place just as easily.



Intelligent and tasteful

No more excuses for leaving the toilet lid open,
no reason to bang the lid shut: a slight tap is all it
takes and the toilet lid will close gently.

158 □ chrome □ ceramic white *Not illustrated



KLUDI A-XES

KLUDI design accessories

Contemporary and classy, light and graceful – this is the effect KLUDI A-XES gives. The accessories are the ideal addition to the KLUDI fittings. Their distinct use of form with cylinders and cubes makes it possible to combine them with every bathroom design.

Versatile to combine



ACCESSORIES



liquid soap dispenser satin finish glass 4897605 ☑



glass holder satin finish glass 4897505 ☑



soap dish satin finish glass 4898505 ☑



towel holder 4897705 **■**



bath towel rail 650 mm 4898005 ☑



bath towel rail with shelf 600 mm 4898905 ☑



double bath towel rail 550 mm 4898805 □



grab bar 350 mm 4898105 **■**



sponge basket 4898605 **□**



sponge basket corner-mounted 4898705 ☑



paper-holder 4897105 **□**



spare toilet paper holder 4897205 ■



toilet brush holder 4897405 **□**



hook 4898405 □





The accessories can be mounted on the right or the left side

162





KLUDI Dual-Shower-Systems: more scope for individuality

The KLUDI dual-shower systems help in designing bespoke showers! This is primarily due to the individuality of the systems. They can be adjusted exactly to fit the situation where they are to be installed and to meet individual requirements. Today more than ever, because KLUDI has further perfected the options for making adjustments to dual-shower systems.

The height tolerance of up to 30 centimetres makes it possible, for example, to install a KLUDI dual-shower system even when ceilings are low. The problem of a water-conducting shower rail that is too long no longer exists. Even the arm of an overhead shower can be infinitely adjusted, so that it can be best adapted to the given situation and showering habits of the users.



By installing the water-conducting shower rail, a height tolerance of up to 30 cm is gained, giving you new potential. This means KLUDI dual shower systems will also fit under low ceilings.



During installation, the shower arm, which can be swivelled sideways, can be adjusted steplessly to fit perfectly to the situation and the showering habits of users.

SHOWER SYSTEMS



KLUDI FIZZ Thermostatic-Dual-Shower-System DN 15 with 3 shower cartridges KLUDI FIZZ 3S hand shower DN 15 and SUPARAFLEX Silver shower hose 1,600 mm 6709605-00 ☑



KLUDI FIZZ Thermostatic-Dual-Shower-System DN 15 with 3 shower cartridges KLUDI FIZZ 1S hand shower and SUPARAFLEX Silver shower hose 1,600 mm 6709505-00 ₺

KLUDI A-QA

Thermostat-Mono-

6608105-00 ₺

Shower-System DN 15

50 % water consumption regulation



KLUDI FIZZ Dual-Shower-System DN 15 with 2 shower cartridges KLUDI FIZZ 3S hand shower DN 15 and SUPARAFLEX Silver shower hose 1.600 mm

with three shower cartidge* 6709305-00 **I**



KLUDI A-QA s Thermostatic-Dual-Shower-System DN 15 with head shower 200 mm KLUDI A-QA s hand-held shower and Suparaflex hose 1,600 mm 6609505-00 ₺



KLUDI ZENTA **Dual-Shower-System DN 15** with head shower 200 mm KLUDI ZENTA 2S hand-held shower and Suparaflex hose 1,600 mm 6609005-00 □



KLUDI Dual-Shower-System DN 15 with head shower 200 mm KLUDI ZENTA 1S hand-held shower and SUPARAFLEX shower hose 1,600 mm 6167705-00 ₺



KLUDI A-QA s **Dual-Shower-System DN 15** with head shower 200 mm KLUDI A-QA s hand-held shower and Suparaflex hose 1,600 mm 6609105-00 **□**



KLUDI A-QA Thermostatic-Dual-Shower-System DN 15 with KLUDI A-QA head shower with KLUDI A-QA hand shower 4909505-00 ₺



KLUDI A-QA Dual-Shower-System DN 15 with KLUDI A-QA headshower G 1/2 x 140 x 245 mm with KLUDI A-QA hand shower 4919105-00 ₺



KLUDI A-QA v Shower Duo: thermostatic shower mixer 3S shower set KLUDI A-QA v L = 1100 mm 6209705-00



168



KLUDI FIZZ

Elegance and energy of the fan array

Unique and with a gentle stream of water: the array design of KLUDI FIZZ showers. The unusual design generates a jet of water that retains its energy.

The combination of chrome with a brilliant white shower-head base sets a strong, new trend in design: fresh, clean, crisp.



The perfect shower with a full and gentle jet of water

The triple-head shower that looks like a propeller combines its striking design with a maximum rain shower. The position of each of the three showers can be moved so that the jet of water can be directed individually.

The unique handset with the fan array can be adjusted with a choice of three types of jet. It is child's play to switch between the volume jet, booster and smooth line thanks to the effortless adjustment. The adjustment has been positioned ideally in terms of ergonomics.







Volume jetThe volume jet with 75 nozzles is uniformly wide and soft.



Smooth Line
The Smooth Line stream aligns the wide yet gentle jets of water in one row, thus generating a consistent, parallel flow of individual jets.



The booster centres the jet in the middle of the shower head, creating an invigorating and massaging stream of water.





Individually adjustable dual-head shower

Something to look forward to every day: the KLUDI FIZZ dual-head shower generates a wonderfully dense rain shower, which is adapted perfectly to the human body. Both showers can be adjusted individually for this. Whether in a linear arrangement or in opposite directions, everyone can have the pleasure of their own individual shower with KLUDI FIZZ.





The handset as an overhead shower

KLUDI FIZZ represents the new model overhead shower: simply twist the handset into the overhead shower holder. The unique concealed mounting is practical and versatile. The handset is easy to exchange when needed. Both the single handset and the version with three types of jet can be fitted into the overhead shower holder. The shower can be directed using the ball joint – up to an angle of 36°.



KLUDI showering hygiene
After each shower, the residual water will drain from
the KLUDI FIZZ handset. That results in greater
hygiene for showers and prevents annoying dripping.

SHOWERS



KLUDI FIZZ
3S hand shower DN 15
quick and easy cleaning system
adjustable to three spray patterns:
booster, smooth, volume
6770005-00

□



KLUDI FIZZ 1S hand-held shower quick and easy cleaning system 6760005-00 ☑



KLUDI FIZZ 3S bathtub set 6775005-00 ☑





KLUDI FIZZ head shower DN 15 with 3 shower cartridges headshower with normal spray (volume) 6757805-00 ☑



KLUDI FIZZ swiveling head shower holder DN 15 6756005-00 □



KLUDI FIZZ head shower DN 15 with 2 shower cartridges headshower with normal spray (volume) 6757505-00 □



KLUDI FIZZ head shower DN 15 adjustable to three spray patterns: booster, smooth, volume with adjustable ball joint inclination angle of 36 ° 6758005-00 ■



head shower DN 15
wall fastening
with adjustable ball joint inclination
angle of 36 °
6757005-00



KLUDI FIZZ shower set DN 15 6705105 ☑



KLUDI FIZZ side shower DN 15 6708305-00 ☑




KLUDI FIZZ
Thermostatic-DualShower-System DN 15
with 3 shower cartridges
KLUDI FIZZ 3S hand shower DN 15
and SUPARAFLEX Silver shower hose
1,600 mm
6709605-00 🗖



KLUDI FIZZ
Thermostatic-DualShower-System DN 15
with 3 shower cartridges
KLUDI FIZZ 1S hand shower
and SUPARAFLEX Silver shower hose
1,600 mm
6709505-00 □



Dual-Shower-System DN 15
with 2 shower cartridges
KLUDI FIZZ 3S hand shower DN 15
and SUPARAFLEX Silver shower hose
1,600 mm
6709105-00





KLUDI FIZZ 3S shower setL = 900 mm
6774005-00 **□**

1S shower set* L = 900 mm 6764005-00 **☑**



KLUDI FIZZ
wall rail
L = 900 mm
with floating slider and
Suparaflex hose
6762005-00

□



178 ■ chrome *Not illustrated



3S shower set 6794005-00

The new arrival in the high-end

All good things come from above: KLUDI's FRESHLINE sets new highlights for high-end showers with a diameter of 14 centimetres. Its body is made of superior, gleaming chrome-plated plastic. The soft anti-limescale spray nozzles produce a clean drenching shower even in hard-water areas – simply wipe away limescale with a sponge.

The white shower-head base provides the visual highlight for this chromeplated handset: it comes with one spray pattern (volume jet) or as a version with three spray patterns (3S), which can be changed by simply twisting the shower-head base.

To provide maximum hygiene, the 3S shower has a drain function – after showering, the residual water is simply drained from the shower head. No irritating drips and no need to wipe up after your shower.



Volume jetThe volume jet uses the width of the 14-centimetre

shower-head base and is broad and soft.



Smooth Line
Mini-aerators mix air into the water for the
"Smooth Line" mode. The result is a broad and

gentle stream of water.



BoosterThe "Booster" mode produces an invigorating massager jet.

SHOWERS



3S handshower DN 15 adjustable to three spray patterns: booster, smooth, volume 6790005-00

☐



1S handshower DN 15 with spray mode: volume 6780005-00 **☑**



KLUDI FRESHLINE for head shower DN 15 Ø 250 mm 6751105-00 ■



1S bathtub set 6785005-00 **☑**



3S bathtub set 6795005-00 **□**



1S shower set L = 600 mm 6783005-00 **□**

L = 900 mm* 6784005-00 ☑



3S shower set L = 600 mm 6793005-00 **□**

L = 900 mm* 6794005-00 ☑



Dual-Shower-System DN 15
with KLUDI FRESHLINE
head shower 6751105-00
with KLUDI FRESHLINE 3S
handshower DN 15 6790005-00
with KLUDI SUPARAFLEX shower hose
G 1/2 x G 1/2 x 1,600 mm
6709005-00 □



Thermostatic-DualShower-System DN 15
with KLUDI FRESHLINE
head shower 6751105-00
with KLUDI FRESHLINE 3S
handshower DN 15 6790005-00
with KLUDI SUPARAFLEX shower hose
G 1/2 x G 1/2 x 1,600 mm
6709205-00

□

*Not illustrated







The dual-shower system with large disc shower head

What type of shower is it to be? KLUDI's A-QA dual thermostatic shower system combines a maximum rain shower from the large disc shower head with a handset with three adjustable types of jets. The smaller Eco-jet handset from the KLUDI A-QA range of showers uses up to 50% less water.

The slider rail is mounted close to the wall, thus saving space. This satisfyingly provides generous freedom of movement. The KLUDI shower hygiene function ensures that any residual water flows off fast and easily, preventing any dripping. The KLUDI HotStop offers reliable protection against scalding thanks to its anti-scald limiter.



By installing the water-conducting shower rail, a height tolerance of up to 30 cm is gained, giving you new potential. This means KLUDI dual shower systems will also fit under low ceilings.



During installation, the shower arm, which can be swivelled sideways, can be adjusted steplessly to fit perfectly to the situation and the showering habits of users.



A gentle shower, rainshower or invigorating jets of water

As the water flows from the 97 apertures in the adjustable KLUDI A-QA handset, this creates a volume jet to pamper your skin every day. The rainshower is so soft that even children will enjoy showering. The effect from the booster is fabulously invigorating.



Volume jetThe volume jet remains constant in width and intensity.



Rainshower

The rainshower has a circular arrangement that ensures a gentle, caressing shower.



Booster
The booster centres the jet in the middle of the shower head, creating an invigorating and massaging stream of water.



SHOWERS



KLUDI A-QA i 1S hand-held shower quick and easy cleaning system Voluminous shower spray from 90 spray nozzles 6610005-00 ₺



KLUDI A-QA i 1S bathtub set 6615005-00 ₺



KLUDI A-QA s 3S hand shower DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume 6570005-00 ☑



KLUDI A-QA s 3S bathtub set 6575005-00 ₺




KLUDI A-QA b 1S hand-held shower with 50 % Eco function quick and easy cleaning system 6560005-00



KLUDI A-QA b 1S bathtub set 6565005-00 ₺



KLUDI A-QA wall supply DN 15 6554005-00 ₺





KLUDI A-QA shower hook 6555105-00 ₺

Protected against back flow* 6554305-00 ☑





KLUDI A-QA eco-head shower DN 15 200 x 200 mm 6654005-00 ₺

eco-head shower DN 15* 250 x 250 mm* 6654105-00 ☑



KLUDI A-QA head shower DN 15 140 x 245 mm 4940205-00 ▮



KLUDI A-QA head shower DN 15 Ø 245 mm 6651105-00 ₺

Ø 200 mm* 6651005-00 ₺



.....

KLUDI A-QA

6653105-00 ₺

KLUDI A-QA

head shower DN 15 250 x 250 mm

head shower DN 15* 200 x 200 mm 6653005-00 ₺

KLUDI A-QA eco-head shower DN 15 Ø 245 mm 6652105-00 ₺

Ø 200 mm* 6652005-00 ₺



KLUDI A-QA shower arm DN 15 L = 400 mm6651405-00

L = 250 mm* 6651305-00 ₺



KLUDI A-QA ceiling arm DN 15 L = 150 mm 6651505-00 **□**

 □ chrome *Not illustrated 193

SHOWERS



KLUDI A-QA s
Thermostatic-DualShower-System DN 15
with head shower 200 mm
KLUDI A-QA s hand-held shower and
Suparaflex hose 1,600 mm
6609505-00 🗖



KLUDI A-QA s
Dual-Shower-System DN 15
with head shower 200 mm
KLUDI A-QA s hand-held shower and
Suparaflex hose 1,600 mm
6609105-00



KLUDI A-QA
Thermostat-MonoShower-System DN 15
50 % water consumption regulation
6608105-00

□



KLUDI A-QA i 1S shower set L = 900 mm 6614005-00 **□**



KLUDI A-QA
Thermostatic-DualShower-System DN 15
with KLUDI A-QA head shower
with KLUDI A-QA hand shower
4909505-00 🗹



KLUDI A-QA
Dual-Shower-System DN 15
with KLUDI A-QA headshower
G 1/2 x 140 x 245 mm
with KLUDI A-QA hand shower
4919105-00



KLUDI A-QA s
wall rail
L = 600 mm:
with floating slider and
Sirenaflex hose 1,600 mm
6571005-00

■

L = 900 mm* 6572005-00 **□**



metal wall rail
L = 955 mm
with horizontal and
vertical adjustable slider
6564105-00 □



KLUDI A-QA s 3S shower set L = 600 mm 6573005-00 **□**

L = 900 mm* 6574005-00 **□**



KLUDI A-QA b 1S shower set L = 600 mm 6563005-00 ■

L = 900 mm* 6564005-00 ☑



KLUDI A-QA b 1S shower set metal wall rail L = 955 mm 6564205-00 ■



KLUDI A-QA v shower set 3S L = 1100 mm 6209605-00 ☑



KLUDI A-QA v
wall rail
L = 1100 mm:
with floating slider and
Suparaflex hose 1,600 mm
6209505-00



KLUDI A-QA v Shower Duo: thermostatic shower mixer 3S shower set KLUDI A-QA v L = 1100 mm 6209705-00 ☑



KLUDI A-QA v: installing the wall rail without any drilling Installing a new wall rail often involves drilling new holes. The KLUDI A-QA v wall rail provides an elegant solution, as it can use existing drill holes. Its flexible wall mounts can be adjusted up or down by 1020 mm. This means they can be mounted right where the existing drill holes are. The ideal solution for quick and tidy renovation without further damage to the tiling.

194



KLUDI LOGO

A drenching shower – attractive in appearance too

Fine design, highly functional and top quality: even in the basic segment, KLUDI has now created a concept for greater showering enjoyment. In relaunching the LOGO series, the expert for showers gives a new definition to state-of-the-art. A drenching shower in the starter model range has never been so stimulating – even in its looks!

SHOWERS



3S Hand shower DN 15 booster, smooth, volume 6830005-00 ■



1S Hand shower DN 15 6810005-00 **□**



1S bathtub set
KLUDI LOGO 1S hand shower DN 15
KLUDI LOGOFLEX
6801005-00

□

3S bathtub set* 6803005-00 **□**





wall rail L = 600 mm 6806005-00 ☑

L = 900 mm* 6809005-00 **□**



1S shower set L = 900 mm 6819005-00 **■**

L = 600 mm* 6816005-00 **□**



3S shower set L = 900 mm 6839005-00 **□**

L = 600 mm* 6836005-00 **□**

NEW

wiping up to a minimum.

A choice of three spray patterns

an invigorating stream of water that spreads to a comfortable width just a few centimetres over your head. A real pleasure! In addition, the 3S handset has a booster jet that will direct a massage to really hit the spot and a gentle smooth spray, where the flow is pleasant and does not splash. The 3S handset with its three spray patterns has a drain function for consummate hygiene too. After showering, the residual water is simply drained from the shower head. This keeps irritating dripping and

The rainshower is the standard pattern for the new LOGO handsets:

The new KLUDI LOGO slider rails ensure that the LOGO handsets are always in reach when you're under the shower. With a transparent shower bracket that makes it simple to remove the handset and put it back. It is easy to undo the knob with wet hands and to lock it back in position on the rail. The rail is available in genuine chrome-plated brass in 60 and 90 centimetre lengths – with matching LOGO flex hose in a length of 160 centimetres.



Volume jet

The intense volume mode comes out broad and soft from the evenly spaced jets – this ensures that it covers a wide area even from a low height.



Smooth

The smooth spray is generated by six mini-aerators, which mix air into the water, thus ensuring a gentle stream of water.



Booster jet

The "booster" mode delivers a directed massager jet that energises the skin and releases tension.

□ chrome *Not illustrated

HANDSHOWER



KLUDI NEW WAVES hand shower DN 15 5710005-00 ₺



KLUDI FIZZ 3S hand shower DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume 6770005-00 **□**



KLUDI FIZZ 1S hand-held shower quick and easy cleaning system



hand shower DN 15 3910005-00 ₺



KLUDI A-QA i 1S hand-held shower quick and easy cleaning system Voluminous shower spray from 90 spray nozzles 6610005-00 ₺



KLUDI A-QA s 3S hand shower DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume 6570005-00 ₺





KLUDI A-QA b 1S hand-held shower with 50 % Eco function quick and easy cleaning system 6560005-00



KLUDI ZENTA 3S hand-held shower with quick lime deposit cleaning system: booster, smooth, volume 6080005-00 **□**



KLUDI ZENTA 2S Hand-held shower with quick lime deposit cleaning system: smooth, volume 6070005-00 ₺



KLUDI ZENTA 1S hand-held shower with quick lime deposit cleaning system: 6060005-00 ₺



KLUDI LOGO 3S Hand shower DN 15 booster, smooth, volume 6830005-00 ☑



New



KLUDI LOGO 1S Hand shower DN 15 6810005-00 ₺

New



KLUDI A-QA





J00P! head shower DN 15 5577905-00 ₺



KLUDI A-QA head shower DN 15 140 x 245 mm 4940205-00 ₺



KLUDI FIZZ head shower DN 15 with 3 shower cartridges headshower with normal spray (volume) 6757805-00 **I**



KLUDI FIZZ head shower DN 15 with 2 shower cartridges headshower with normal spray (volume) 6757505-00 **I**



KLUDI A-QA head shower DN 15 rain shower, soft spray, massage 6239105-00

KLUDI A-QA head shower DN 15* shower spray 6219105-00 ₺



shower arm DN 15 projection 130 mm 6235305-00 □

projection 230 mm*



KLUDI A-QA shower arm DN 15 L = 400 mm6651405-00 ▮

L = 250 mm* 6651305-00 ₺



side shower DN 15 6108305-00 ☑



drench shower DN 15 6051005-00 ₺



drench shower DN 20 6051105-00 ₺



KLUDI REGULA hand shower DN 15 6001105-00 ₺

SHOWER-SETS



KLUDI NEW WAVES shower set L = 900 mm 5714005-00 **□**



KLUDI ADLON shower set L = 600 mm 2710305 ☑ 2710345 ☑



J00P! shower set L = 900 mm 5513005-00 **□**



KLUDI ZENTA 3S shower set L = 600 mm 6083005-00 **□**

L = 900 mm* 6084005-00 ■ 6084086-00 ■ 6084091-00 □



KLUDI ZENTA 2S shower set L = 600 mm 6073005-00 **□**

L = 900 mm* 6074005-00 ₺



KLUDI ZENTA 1S shower set L = 600 mm 6063005-00 **□**

L = 900 mm* 6064005-00 ₺



KLUDI A-QA shower set L = 900 mm 3914005-00 ☑

WALL RAILS



KLUDI ZENTA Wall bar with floating slider and Logoflex hose L = 600 mm 6061005-00 **□**

L = 900 mm* 6062005-00 **I**□



KLUDI LOGO wall rail L = 600 mm 6806005-00 ₺

L = 900 mm* 6809005-00 **I**



KLUDI STANDARD

wallrail L = 600 mm 6048005-00 □

L = 900 mm* 6048505-00 **□**

202 chrome gold plated 23 carat 203



KLUDI MEDI CARE

For nursing and care homes and hospitals

The arm lever, which swivels to the side, has a plastic casing that makes it easy to grasp, especially for the nursing sector. The safety cartridge with anti-scald limiter can be adjusted individually to suit local conditions. Initially there is no flow of cold water from the mixer. The Care stream regulator does not take in air and thus prevents formation of aerosols. The KLUDI SIRENA CARE slider rails can be gripped securely and demonstrate a tensile strength of 130kg, as tested by TÜV.

207

BASIN



single lever basin mixer DN 8 clinic-lever fixed spout without pop-up waste 341120524

■

with pop-up waste* 341150524 **□**



single lever basin mixer DN 6 care-lever swivelling spout without pop-up waste 341130534 ■



single lever basin mixer DN 8 care-lever fixed spout without pop-up waste 341120534 ☑

fixed spout without pop-up waste*



single lever basin mixer DN 8 clinic-lever swivelling spout without pop-up waste 341130524

■



wall mounted single-lever-mixer DN 15 clinic-lever

clinic-lever swivelling or lockable spout s-connections projection 180 mm 349220524 ■

projection 245 mm* 349200524 ☑

projection 335 mm* 349240524 **■**



wall mounted single-lever-mixer DN 15 clinic-lever

swivelling or lockable spout lockable S-connections projection 185 mm 349230524 ☑

projection 250 mm* 349210524 **☑**

projection 340 mm* 349250524 **I**□



thermostatic hospital mixer DN 15 clinic lever shut-off valve lockable S-connections 350850564 ☑



lockable plug for wash basin with overflow 1042105-00 ■

lockable plug* for wash basin without overflow 1042205-00 ■



place-saving bottle trap underneath with a wheelchair 1025505-00 ■



angle valve thermostat 358450538 **□**

SHOWER



Thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C 353300538 ■



KLUDI SIRENA CARE barrier-free bath tub holder 6150505-00 ☑



KLUDI SIRENA CARE barrier-free bath tub holder 6150605-00 ☑





KLUDI SIRENA CARE barrier-free shower bar L = 900 mm 6150205-00 ☑

KLUDI SIRENA CARE barrier-free shower bar L = 900 mm 6150305-00 ☑



KLUDI PROVITA

Meets special requirements

KLUDI PROVITA makes life easier for older people and those dependent on care, who have special needs when it comes to their home environment. The fittings are particularly safe and hygienic, the extended control lever provides a good grip. The special range has been designed for use in doctors' offices, hospitals, care facilities and in the home.

Convenient to use, maximum safety

wall mounted single-lever-mixer DN 15

335320500

clinic-lever 7491005-00

210

KLUDI PROVITA blends in harmoniously with different bath facilities. It is also possible to operate the control lever using the lower arm or elbow. Two versions of lever can be combined with the mixer bodies. The public arm lever with a 120mm reach is intended for convenient use in private buildings. The 180 mm reach is suitable for use in hospitals and care and nursing homes.

The KLUDI HotStop anti-scald limiter has been pre-set in the thermostatic shower valve. It is not possible to override it in daily use. Thermal disinfection is still possible if needed to provide protection from bacteria, in particular Legionnaires' disease. The curved surfaces are easy to clean and particularly hygienic. The spout on the wall mixers can be swivelled by 120° or locked in the centre position.





single lever basin mixer DN 8 optional for CLINIC- or PUBLIC lever with waste outlet 333300500 ₺



single lever basin mixer DN 8 optional for CLINIC- or PUBLIC lever 333360500 ₺



clinic-lever projection 180 mm 7491005-00 🗈



public lever throat 120 mm 7493005-00 🗈



single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever s-connections 335300500



wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever lockable S-connections 335310500



wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever s-connections 335320500



single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever lockable S-connections 335330500

211



wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever s-connections 335360500 ₺



wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever lockable S-connections 335370500 ₺



concealed single lever bath and shower mixer concealed valve with functional unit 336500500 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ±

BATH

SHOWER



Thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C 353300538



concealed single lever shower mixer concealed valve with functional unit 336550500 ₺

KLUDI FLEXX.BOXX* concealed unit DN 20 88011 ⊞

*Not illustrated



Icons



KLUDI low pressure Fitting for under-sink heater



KLUDI Sensor Fitting with sensor, non-contact operation



KLUDI battery operationFitting with battery



KLUDI mains operationFitting for connection to the mains



KLUDI HotStop
Hot water stop at 38 °C



Saves up to 40% water



KLUDI Eco s-pointer Saves up to 40% water and enables adjustment of spray angle



KLUDI cleanout function Residual water cleanout quick as lightning

Surfaces





☐ white/chrome



■ black/chrome



chrome/glass green



gold plated 23 carat



In the image of KLUDI FRESHLINE we use the ceramic shower bricks "Tatami" by Flaminia.

Reprinting, duplication and translation are permitted only with our express,

© Kludi GmbH & Co. KG, Menden (Germany)

written consent.

Germany

Kludi GmbH & Co. KG P.O. Box 25 60 · 58685 Menden Am Vogelsang 31–33 · 58706 Menden

Tel.: +49 2373 904-0 Fax: +49 2373 904-540

All rights reserved. Subject to technical alterations

Printed in Germany on chlorine-bleached paper.

international-sales@kludi.com \cdot www.kludi.com

Icons

You will find a detailed explanation of our pictograms on the back of this flap.

See overleaf





Kludi GmbH & Co. KG P.O. Box 25 60 · 58685 Menden Am Vogelsang 31–33 · 58706 Menden Germany

Tel. +49 2373 904-193
Fax +49 2373 904-540
international-sales@kludi.com · www.kludi.com