
KLUDI Fittings for bathroom and kitchen Catalogue 2016



• KLUDI •



Contents

Technology Navigator 4 Surfaces 8 List of article numbers 10

Bathroom ranges


O			
Fittings		Shower hoses	194
KLUDI ADLON	23	Accessories for all	196
J00P!	28	shower ranges	
KLUDI AMBA	36		
KLUDI E2	42	Wastes	
KLUDI BALANCE	47	Washbasin- and bidet wastes	203
KLUDI BALANCE WHITE		Bath- and shower wastes	210
KLUDI Q-BEO	54		
KLUDI MX	58	Hospital and care	
KLUDI O-CEAN	63	home ranges	
KLUDI BINGO STAR	66		
KLUDI BOZZ	67	KLUDI MEDI CARE	219
KLUDI ZENTA KLUDI ZENTA BLACK & WHITE	73	KLUDI PROVITA	225
KLUDI OBJEKTA	85	Vitabon rongos	
KLUDI LOGO NEO	91	Kitchen ranges	
KLUDI TERCIO	95	Fittings	
KLUDI STANDARD	99	KLUDI ADLON	233
KLUDI PUSH	107	JOOP!	234
Pre-installation sets	109	KLUDI E-GO	235
		KLUDI TANGENTA	237
Thermostat		KLUDI MX	238
THERMOSTAT	121	KLUDI L-INE	240
SURFACE-MOUNTED		KLUDI L-INE S	242
KLUDI PUSH	123	KLUDI BINGO STAR	243
THERMOSTAT CONCEALED	125	KLUDI BOZZ	245
Accessories		KLUDI ZENTA KLUDI ZENTA BLACK & WHITE	246
JOOP!	133	KLUDI OBJEKTA	247
KLUDI AMBA	136	KLUDI KOMET	249
KLUDI E2	138	KLUDI TRENDO	251
KLUDI A-XES	141	KLUDI SCOPE	253
		KLUDI LOGO NEO	255
Furniture and ceramic		KLUDI TERCIO	256
KLUDI PLUS	149	KLUDI STANDARD	257
		Kitchen accessories	264
Showers			
KLUDI ADLON	155		
JOOP!	156	Spare parts and	
KLUDI Q-BEO	157	accessories for all rai	nges
KLUDI FIZZ	158	Cartridge Navigator	268
KLUDI FRESHLINE	163	Gasket kit Navigator	270
KLUDI A-QA	166	Spare parts and accessories	272
KLUDI ZENTA	178		
KLUDI ZENTA BLACK & WHITE		General Terms and	283
KLUDI LOGO	182	Conditions of Sale	
Shower systems	184		
Special showers	189		

Technology Navigator

Are you looking for a KLUDI bathroom fitting to meet specific technical requirements? Just take a look at the Technology Navigator. It will give you all the technical specifications at a glance.

And this is how it works: for example, to find a bathroom fitting with s-pointer that will save water, watch out for the dot in the columns below both the relevant pictograms. This indicates: the KLUDI AMBA line has this fitting in its range.

Bath- room	eco		230 V		230 V CO ((0))		eco
KLUDI ADLON							
KLUDI AMBA							•
KLUDI A-QA							•
KLUDI BALANCE		•	•	•	•		
KLUDI BINGO STAR							•
KLUDI BOZZ	•						•
KLUDI E2							•
KLUDI FIZZ							
J00P!							•
KLUDI LOGO							
KLUDI LOGO NEO	•						•
KLUDI MEDI CARE							•
KLUDI MX							•
KLUDI OBJEKTA	•						•
KLUDI O-CEAN							•
KLUDI PROVITA							•
KLUDI PUSH							
KLUDI Q-BEO							•
KLUDI STANDARD							
KLUDI TERCIO	•						•
KLUDI ZENTA				•	•	•	•





Low pressureFitting suitable for under-counter water heaters.



SensorFitting with non-contact operation.



Battery operationElectronic fitting with battery operation.



Mains operated

Electronic fitting for 230 V AC connection.



HotStop

Fitting with anti-scald limiter at 38 °C.



Eco

Saves at least 40 % water.



s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



Showering hygiene


Quick and easy to drain remaining water from the hand spray. No dripping.

Technology Navigator

Are you looking for a KLUDI kitchen fitting to meet specific technical requirements? Just take a look at the Technology Navigator. It will give you all the technical specifications at a glance.

And this is how it works: for example, to find a kitchen fitting with hand spray and multi-connector, watch out for the dot in the columns below the two relevant pictograms. This indicates: the KLUDI MX line has this fitting in its range.

Kitchen					Ruck 1			((9))		230 V	eco
KLUDI ADLON	•										
KLUDI BINGO STAR	•										•
KLUDI BOZZ											
KLUDI E-GO							•	•	•	•	
JOOP!											
KLUDI KOMET	•	•	•	•		•					
KLUDI L-INE	•										•
KLUDI L-INE S											
KLUDI LOGO NEO	•										
KLUDI MX	•			•	•						
KLUDI OBJEKTA	•			•							
KLUDI SCOPE	•					•					
KLUDI STANDARD	•			•							
KLUDI TANGENTA											
KLUDI TERCIO											
KLUDI TRENDO	•			•							
KLUDI ZENTA	•										





Low pressure

Fitting suitable for under-counter water heaters.



Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Sensor

Fitting with non-contact operation.



Battery operation

Electronic fitting with battery operation.



Eco

Saves at least 40 % water.



Mains operated

Electronic fitting for 230 V AC connection.



Push-fit connector

It just takes one click to fit the end of the hose to the adapter on the mixer body with the push-fit connector.



Pull-out spout

Fitting with pull-out spout for extended working radius.



Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.

Surfaces

Bath-	CHROME	CHROM/ GLAS GREEN	CHROME/GLAS TRANSPARENT	CHROME/ VARICOR ARKTIS	BLACK/ CHROME	WHITE/ CHROME	GOLD PLATED 23 CARAT
room	05	H7	D1	D2	86	91	45
KLUDI ADLON	•						•
KLUDI AMBA	•						
KLUDI A-QA	•						
KLUDI A-XES	•						
KLUDI BALANCE	•					•	
KLUDI BINGO STAR	•						
KLUDI BOZZ	•						
KLUDI E2	•						
KLUDI FIZZ	•						
KLUDI FRESHLINE	•						
J00P!	•	•	•	•			
KLUDI LOGO	•						
KLUDI LOGO NEO	•						
KLUDI MEDI CARE	•						
KLUDI MX	•						
KLUDI OBJEKTA	•						
KLUDI O-CEAN	•						
KLUDI PROVITA	•						
KLUDI PUSH	•						
KLUDI Q-BEO	•						
KLUDI STANDARD	•						
KLUDI TERCIO	•						
KLUDI ZENTA	•				•	•	

Kitchen	CHROME	BLACK/ CHROME	CHROM/E MATT BLACK	MOCCA/ CHROM	WEIß/ CHROME	WHITE/ CHROME	CHROME/ MATT WHITE	BRUSHED STAINLESS STEEL	STAINLESS STEEL FINISH
	05	86	87	82	92	91	93	F6/F8	96
KLUDI ADLON	•								
KLUDI BINGO STAR	•								•
KLUDI BOZZ	•								
KLUDI E-GO	•								
JOOP!	•								
KLUDI KOMET	•								
KLUDI L-INE	•								
KLUDI L-INE S	•		•				•		
KLUDI LOGO NEO	•								
KLUDI MX	•			•	•				
KLUDI OBJEKTA	•								
KLUDI SCOPE	•								•
KLUDI STANDARD	•								
KLUDI TANGENTA								•	
KLUDI TERCIO	•								
KLUDI TRENDO	•								•
KLUDI ZENTA	•	•				•			•

List of article numbers	
article number	Page
10 020 05 -00	204
10 105 05 -00	204
10 111 05 -00	205
10 250 05 -00	205
10 255 05 -00	205, 223
10 265 05 -00	205
10 311 05 -00	206
10 321 05 -00	205
10 323 05 -00	206
10 361 05 -00	205
10 402 35 -00	203
10 411 35 -00	204
10 415 35 -00	204
10 421 05 -00	203
10 422 05 -00	203
10 423 05 -00	33
10 424 05 -00	203
10 427 05 -00	203
10 428 05 -00	203
10 432 05 -00	206
10 462 05 -00	206
10 499 05 -00	206
10 772 00 -00	210
11	210
11 001 05 01	273
11 001 05 15	273
11 002 05 01	273
11 002 05 15	273
11 003 05 01	273
11 003 05 08	274
11 004 05 01	274
11 004 05 08	274
11 103 05 15	273
11 402 35 -00	204
11 416 35 -00	204
12	
12 003 05	105
12 160 05 -00	264
13	204
13 023 05 60	28
13 500 05	60, 82
13 501 05	61, 82
13 502 05	103
14	100
14 203 05 19	105
14 303 05 08	103
14 303 05 05	104
16	104
16 021 05	116
16 021 05	116
10 021 40	110

article number	Page
16 024 05	117
16 203 05 -00	27
16 203 45 -00	27
20	100
20 013 05 08	100
20 013 05 15	100
20 407 05 08	100
20 407 05 15	100
20 408 05 08	99
21 025 05 00	00
21 035 05 08	99
21 035 05 15	99
21 037 05 08	99
21 037 05 15	99
21 040 00 -00	212
21 058 05 08	99
21 058 05 15	99
21 060 05 08	99
21 060 05 15	99
21 062 05 08	99
21 062 05 15	99
21 091 00 -00	213
21 110 05 -00	213
21 115 35 -00	214
21 130 35 -00	212
21 133 35 -00 21 230 35 -00	212
21 315 00 -00	210
21 353 00 -00	210
21 380 10 -00	212
21 383 10 -00	214
21 384 10 -00	214
21 406 05 -00	211
21 407 05 -00	211
21 408 05 -00	211
21 409 05 -00	211
21 447 10 -00	215
21 520 00 -00	213
21 620 00 -00	213
25	210
25 001 05 08	100
25 001 05 15	100
25 007 05 08	101
25 007 05 15	101
25 009 05 08	101
25 009 05 15	101
25 101 05 15	101
25 111 05 15	102
25 113 05 15	102
25 121 05 15	102
25 123 05 15	102

_				
a	rticle	nu	ımber	Page
25	125	05	08	100
25	125	05	15	100
25	411	05	15	102
25	413	05	15	103
26	;			
26	101	05	08	103
26	101	05	15	103
26	202	05	08	103
26	202	05	15	103
26	209	05	08	101
26	209	05	15	101
27	,			
27	051	05		155
27	051	45		155
27	103	05		155
27	103	45		155
27	105	05		155
27	105	45		155
27	652	05		181
29)			
29	209			112
29	211			112
29	213			112
29	215			113
29	509			113
29	511			114
29	513			114
29	515			114
29	527			113
29	747			112
29	751	00		112
29	757			112
29	809			113
29	811			113
29	909			114
29	911			114
29	927			114
30)			
30	015	05	08	260
30	015	05	15	260
30	023	05	15	260
30	025	05	08	260
30	405	05	08	260
30	405	05	15	260
30	409	05	08	260
30	409	05	15	260
31				
31	052	05	08	259
31	052	05	15	259
31	053	05	08	259
31	053	05	15	259
_		_		

article number	Page
31 055 05 08	259
31 055 05 15	259
31 453 05 15	259
31 623 05 08	257
31 623 05 15	257
31 656 05 08	258
31 656 05 15	258
31 658 05 08	257
31 658 05 15	257
31 701 05 15	258
31 703 05 15	258
31 710 05 15	257
31 711 05 15	257
31 723 05 15	258
31 730 05 15	257
31 911 05 08	257
31 911 05 15	257
31 918 05 15	259
31 919 05 15	259
31 920 05 15	258
31 921 05 08	258
31 921 05 15	258
32	100
32 004 05 08	100, 221
32 004 05 15	100, 221
32 023 05 75	85
32 024 05 75	86
32 126 05 75	85
32 233 05 75	85
32 234 05 75	85
32 235 05 75	85
32 260 05 75	85
32 393 05 75	86
32 416 05 75	86
32 425 05 75	87
32 489 05 75	87
32 491 05 75	87
32 574 05 75	247
32 575 05 75	247
32 576 05 75	247
32 577 05 75	247
32 578 05 75	247
32 579 05 75	247
32 581 05 75	248
32 615 05 75	88
32 650 05 75	87
32 651 05 75	89
32 653 05 75	86
32 655 05 75	89
32 657 05 75	88
02 001 00 10	

article number	Page
32 685 05 75	87
32 764 05 75	88
32 818 05 75	89
32 881 05 75	248
32 882 05 75	248
33	
33 125 05 62	58
33 126 05 62	58
33 128 05 62	58
33 135 05 62	58
33 184 05 62	58
33 215 05 62	58
33 330 05 00	225
33 336 05 00	225
33 434	110
33 445 05 62	59
33 446 05 62	59
33 447 05 62	59
33 530 05 00	225
33 531 05 00	226
33 532 05 00	226
33 533 05 00	227
33 535 05 62	60
33 536 05 00	226
33 537 05 00	227
33 574 05 75	251
33 574 96 75	251
33 575 05 75	251
33 575 96 75	251
33 576 05 75	251
33 576 96 75	251
33 577 05 75	251
33 578 05 75	251
33 578 96 75	251
33 579 05 75	251
33 581 05 75	252
33 581 96 75	252
33 650 05 00	227
33 650 05 62	60
33 655 05 00	228
33 655 05 62	61
33 657 05 62	60
33 710 05 62	61
33 716 05 62	61
33 791 05 62	250
33 792 05 62	250
33 793 05 62	249
33 794 05 62	249
33 795 05 62	249
33 796 05 62	249
33 797 05 62	249

			ımber	Page
_	798			249
_	799			250
_	930			253
_	930			253
_	931			253
_	931			253
_	932			253 253
_	933			253
_	938			253
	938			253
_	939			253
_	939			253
34		50	10	200
	112	05	24	219
_	112			220
_	113			219
_	113			220
_	115			219
34	115	05	34	219
34	908	05	24	219
34	908	05	34	219
34	920	05	24	220
34	921	05	24	221
34	922	05	24	220
34	923	05	24	220
34	924	05	24	220
34	925	05	24	221
35	j			
35	085	05	64	221
35	093			111
35	100	05	38	82, 122
35	100	86	38	82, 122
35	100	91	38	82, 122
35	101	05	38	80, 122
35	101	86	38	80, 122
35	101	91	38	80, 122
35	156			111
35	158			111
35	200	05	38	88, 122
35	201	05	38	86, 122
35	203	05	38	71, 122
_	250	_		52, 121
35	260	05	38	86, 122
35	330	05	38	221, 228
35	430	05	38	61, 121
35	431	05	38	59, 121
35	730	05	38	89
35	830	05	38	60, 88, 127
35	835	05	38	61, 89, 127

List of artiolo flan	
article number	Page
35 845 05 38	223
37	
37 023 05 75	92
37 275 05 75	92
37 276 05 75	91
37 280 05 75	92
37 281 05 75	91
37 282 05 75	91
37 283 05 75	92
37 284 05 75	91
37 285 05 75	91
37 287 05 75	92
37 289 05 75	91
37 290 05 75	92
37 419 05 75	94
37 420 05 75	94
37 531 05 75	93
37 533 05 75	93
37 591 05 75	93
37 592 05 75	93
37 681 05 75	93
37 841 05 75	94
37 913 05 75	255
37 914 05 75	255
37 919 05 75	255
37 924 05 75	255
38	200
38 001	83
38 002	83
38 003	83
38 004	83
38 016 05 30	69
38 017 05 30	68
38 018 05 30	68
38 023 05 75	95
38 024 05 75	96
38 100 05	74
38 102 05	74
38 105 05	75
	63, 69,
38 116 05 30	79
38 200 05	74
38 202 05	74
38 205 05	74
38 243	109
38 244 05 75	76
38 244 05 76	68
38 245 05 75	76
38 245 05 76	68
38 250 05 75	73
38 250 05 75W	73

article number	Page
38 250 86 75	73
38 250 91 75	73
38 251 05 75	73
38 251 86 75	73
38 251 91 75	73
38 253 05 75	73
38 255 05 75	75
38 256 05 75	76
38 257 05 75	75
38 260 05 75	73
38 260 05 75W	73
38 260 86 75	73
38 260 91 75	73
38 262 05 75	74
38 265 05 75	76
38 290 05 76	67
38 291 05 76	67
38 292 05 76	67
38 294 05 75	75
38 294 05 76	67
38 296 05 76	68
38 297 05 76	67
38 340 05 75	63
38 345 05 10	63
38 350 05 75	63
38 351 05 75	63
38 393 05 20	68
38 393 05 75	76
38 393 05 76	67
38 394 05 75	96
38 400 05	77
38 401 05	78
38 402 05	77
38 403 05	79
38 419 05 75	97
38 420 05 75	97
38 423 05 75	96
38 424 05 20	70
38 424 05 75	81
38 424 05 76	69
38 430 05 75	64
38 432 05 75	96
38 442 05 75	97
38 446 05 75	80
38 447 05 75	80
38 476 05 75	95
38 480 05 75	95
38 481 05 75	95
38 482 05 75	96
38 484 05 75	95
38 485 05 75	95

article number	Page
38 500 05	77
38 501 05	78
38 502 05	78
38 503 05	79
38 505 05	71
38 530 05 75	79
38 530 86 75	79
38 530 91 75	79
38 533 05 76	69
38 601 05 38	107,
	123 108,
38 602 05 38	124 107,
38 603 05 38	123
38 604 05 38	108, 124
38 611 05 38	107, 123
38 612 05 38	108, 124
38 615 05 75	97
38 625	110
38 650 05 75	81
38 650 05 76	70
38 650 86 75	81
38 650 91 75	81
38 651 05 75	97
38 655 05 75	82
38 655 05 76	71
38 655 86 75	82
38 655 91 75	82
38 656 05 75	97
38 657 05 75	81
38 657 05 76	70
38 660 05 75	81
38 660 05 76	70
38 660 86 75	81
38 660 91 75	81
38 670 05 75	80
38 670 86 75	80
38 670 91 75	80
38 691 05 76	69
38 750 05 75	64
38 755 05 75	65
38 757 05 75	64
38 760 05 75	65
38 770 05 75	64
38 801 05 38	107, 123
38 802 05 38	108, 124
38 803 05 38	107, 123
38 804 05 38	108, 124
38 811 05 38	107,
38 812 05 38	123 108,
00 012 00 00	124

article number	Page
38 818 05 75	98
38 830 05 45	65, 82,
38 831 05 76	128 71
38 835 05 45	65, 83,
38 860 05 75	128 83
38 860 05 76	
	71
38 860 86 75	83
38 860 91 75	83
38 870 05 75	82
38 870 86 75	82
38 870 91 75	82
38 940 05 75	256
38 943 05 75	256
38 949 05 75	256
38 960 05 75	64
38 964 05 75	256
38 970 05 75	65
38 973 05 75	246
38 973 86 75	246
38 973 91 75	246
38 973 96 75	246
38 979 05 75	246
38 981 05 75	246
38 984 05 75	246
39	
39 051 05	175
39 100 05 -00	174
39 140 05 -00	172
39 904 05 62	238
39 904 82 62	238
39 904 92 62	238
39 905 05 62	238
39 906 05 62	238
39 906 82 62	238
39 906 92 62	238
39 907 05 62	238
39 934 05 62	238
39 941 05 62	238
39 941 82 62	238
39 941 92 62	238
39 942 05 62	239
39 942 05 62	239
39 945 82 62	239
39 945 92 62	239
40	
40 803 05 75	242
40 851 05 75	242
40 851 87 75	242
40 851 93 75	242
42	

article number	Page
42 023 05 78	66
42 025 05 73	63
42 025 05 75	75
42 026 05 75	75
42 030 05 78	66
42 200 05 75	235
42 205 05 75	235
42 210 05 75	235
42 215 05 75	236
42 803 05 76	245
42 803 05 78	243
42 803 96 78	243
42 809 05 78	243
42 809 96 78	243
42 814 05 77	240
42 816 05 77	240
42 817 05 77	240
42 819 05 77	240
42 821 05 77	240
42 836 05 78	243
42 836 96 78	243
42 851 05 76	245
42 851 05 78	243
42 851 96 78	243
42 852 05 78	243
42 853 05 77	241
42 854 05 77	240
42 855 05 78	244
42 857 05 78	243
42 857 96 78	243
42 859 05 78	244
44	244
44 904 F8 75	237
44 941 F8 75	237
44 991 F8 75	237
48	201
48 971 05	143
48 972 05	143
48 974 05	142
48 975 05	141
48 976 05	141
48 977 05	141
48 980 05	141
48 981 05	142
48 984 05	142
48 985 05	
	141
48 986 05	141
48 987 05	142
48 988 05	142
48 989 05	142
48 990 L3	143

	LIGU	O1	ui	tioio	Hallibolo
article nu	ımber				Page
48 991 L3					143
48 992 L3					143
48 994 05					144
48 995 00					144
48 996 L3					144
48 997 05					143
49					
49 023 05	75				42
49 025 05	75				42
49 095 05	-00				166,
49 191 05					184 166,
					185
49 216 05					43
49 244 05					43
49 245 05					42
49 296 05					42
49 297 05					42
49 298 05					42
49 402 05					170
49 426 05					44
49 445 05					43
49 447 05	75				44
49 503 05					45
49 590 05					43
49 650 05					44
49 655 05					45
49 657 05					45
49 714 05					45
49 729 05					46, 126
49 815 05					46
49 830 05					45, 126
49 835 05					46, 126
49 846 05	/5				46
49 971 05					140
49 972 05					140
49 974 05					140
49 975 05					138
49 976 05					138
49 977 05					139
49 979 05					139
49 980 05					139
49 981 05					139
49 982 05					138
49 983 05					138
49 984 05					139
49 985 05					138
49 987 05					138
49 989 05					151
49 990 05					139
49 999 05					151
49 BIW 43					150

	00.0
article number	Page
49 CM1 43	149
49 CM2 43	149
49 CMU 43	149
49 SP2 43	150
49 SP3 43	150
49 W03 43	149
49 W05 43	149
49 WCS 43	151
49 WCW 43	150
50	
50 023 05 65	54
50 026 05 65	54
50 100 05 -00	157
50 120 05 -00	157
50 129 05 65	54
50 143 05 65	54
50 216 05 65	54
50 400 05 65	56, 121
50 424 05 65	55
50 443 05 65	54
50 504 05	56
50 514 05 65	55
50 650 05 65	55
50 655 05 65	56
50 657 05 65	55
50 714 05 65	56
50 717 05 65	56
50 815 05 65	57
50 830 05 65	55, 127
50 835 05 65	56, 127
51	
51 010 05 20	23
51 010 45 20	23
51 012 05 20	23
51 012 45 20	23
51 014 05 20	23
51 043 05 20	23
51 043 45 20	23
51 046 05 20	23
51 046 45 20	23
51 211 05 20	23
51 211 45 20	23
51 407 05	25
51 441 05 20	24
51 441 45 20	24
51 524 05 20	24
U 1 J24 UJ 2U	
51 524 45 20	24
51 524 45 20	0.4
51 525 05 20	24
	24 24 233

article number	Page
51 610 05 20	25
51 610 45 20	25
51 719 05 20	25, 125
51 719 45 20	25, 125
51 720 05 20	25, 125
51 720 45 20	25, 125
51 803 05 20	26
51 803 45 20	26
51 815 05 20	26
51 815 45 20	26
51 816 05 20	26
51 816 45 20	26
51 817 05 20	24
51 817 45 20	24
51 818 05 20	25
51 818 45 20	25
51 843 05 20	27
51 843 45 20	27
51 845 05 20	27
51 845 45 20	27
51 848 05 20	25
51 848 45 20	25
52	
52 023 05 75	47
52 023 91 75	47
52 026 05 75	47
52 026 91 75	47
52 050 05 -00	53
52 061 05 -00	53
52 100 05	47
52 100 91	47
52 102 05	48
52 105 05	49
52 200 05	47
52 200 91	47
52 202 05	48
52 205 05	48
52 216 05 75	50
52 216 91 75	50
52 244 05 75	49
52 245 05 75	49
52 296 05 75	49
52 296 91 75	49
52 298 05 75	49
52 298 91 75	49
52 445 05 75 F2 445 01 75	50
52 445 91 75	50
52 447 05 75	50
52 447 91 75	50
52 448 05 75	51
52 505 05	51

article number	Page
52 515 05 75	51
52 590 05 75	50
52 590 91 75	50
52 650 05 75	51
52 650 91 75	51
52 655 05 75	52
52 655 91 75	52
52 657 05 75	51
52 710 05 75	52
52 710 91 75	52
52 718 05 75	52
52 729 05 75	52, 127
52 815 05 75	53
52 830 05 75	51, 126
52 830 91 75	51, 126
52 835 05 75	52, 127
52 835 91 75	52, 127
52 846 05 75	53
52 847 05 75	53
53	
53 023 05 75	36
53 026 05 75	36
53 028 05 75	36
53 029 05 75	36
53 216 05 75	37
53 244 05 75	37
53 245 05 75	37
53 296 05 75	36
53 298 05 75	36
53 400 05 38	40, 121
53 401 05 38	37, 121
53 445 05 75	37
53 447 05 75	38
53 448 05 75	38
53 505 05	39
53 515 05 75	39
53 590 05 75	38
53 650 05 75	38
53 655 05 75	40
53 657 05 75	39
53 710 05 75	39
53 718 05 75	40
53 729 05 75	40, 126
53 811	113
53 815 05 75	41
53 830 05 75	39, 125
53 835 05 75	40, 126
53 846 05 75	40
53 847 05 75	41
53 971 05	137
53 972 05	137

article number	Page
53 974 05	137
53 975 05	136
53 976 05	136
53 977 05	136
53 979 05	136
53 980 05	137
53 981 05	137
53 984 05	136
53 985 05	136
55	
55 023 05 05	28
55 023 H7 05	28
 55 024 05 75	28
 55 024 H7 75	28
55 029 05 05	28
55 029 H7 05	28
55 030 05 75	28
55 030 03 75 55 030 H7 75	28
55 056 05 -00	34
	-
55 115 D1	29
55 115 D2	29
55 130 05 -00	156
55 143 05 05	29
55 143 05 75	28
55 143 H7 05	29
55 146 05 05	29
55 146 H7 05	29
55 216 05 05	30
55 216 H7 05	30
55 217 05 75	30
55 217 H7 75	30
55 423 05 75	32
55 423 H7 75	32
55 424 05 05	31
55 424 H7 05	31
55 425 05 05	31
55 425 05 75	30
55 425 H7 05	31
55 426 05 05	31
55 426 H7 05	31
55 443 05 75	30
55 443 H7 75	30
55 502 05	32
55 503 05	32
55 515 05 75	32
55 515 H7 75	32
55 541 05 -00	156
55 551 05 -00	156
55 650 05 75 55 650 UZ 75	32
55 650 H7 75	32
55 655 05 75	33

article number	Page
55 655 H7 75	33
55 718 05 75	33
55 718 H7 75	33
55 719 05 05	33, 125
55 769 05 05	156
55 769 H7 05	156
55 779 05 -00	156
55 811	34
55 815 05 05	33
55 815 H7 05	33
55 830 05 05	32, 125
55 835 05 05	33, 125
55 843 05 05	34
55 904 05 75	234
55 971 05	135
55 972 05	135
55 973 05 H7	133
55 974 05 H7	135
55 975 05 H7	133
55 976 05 H7	133
55 977 05	134
55 978 05	134
55 979 05	134
55 980 05	134
55 981 05	134
55 982 05	133
55 983 05 H7	133
55 984 05	134
55 985 05 H7	133
60	
60 011 05 -00	189
60 035 21 -00	190
60 205 10 -00	189
60 208 05 -00	189
60 480 05 -00	189
60 485 05 -00	189
60 510 05 -00	171
60 511 05 -00	172
60 530 05 -00	190
60 531 05 -00	190
60 537 05 -00	191
60 539 05 -00	190
60 540 05 -00	192
60 541 05 -00	191
60 551 05 -00	190
60 563 05 -00	191
60 576 05 -00	178
60 577 05 -00	178
60 600 05 -00	180
60 600 86 -00	180
60 600 91 -00	180
	100

article number	Page
60 610 05 -00	180
60 620 05 -00	180
60 630 05 -00	180
60 640 05 -00	179
60 650 05 -00	181
60 650 86 -00	181
60 650 91 -00	181
60 660 91 -00	181
60 700 05 -00	180
60 730 05 -00	179
60 740 05 -00	179
60 750 05 -00	181
60 800 05 -00	180
60 800 86 -00	180
60 800 91 -00	180
60 830 05 -00	179
60 840 05 -00	179
60 840 86 -00	179
60 840 91 -00	179
60 850 91 -00	179
61	
61 004 05 -00	195
61 006 05 -00	195
61 007 05 -00	195
61 055 05 -00	195
61 056 05 -00	195
61 057 05 -00	195
61 061 05 -00	194
61 062 05 -00	194
61 071 05 -00	194
61 071 91 -00	194
61 072 05 -00	194
61 072 91 -00	194
61 073 05 -00	194
61 074 05 -00	194
61 083 05 -00	172
61 101 21 -00	192
61 105 05 -00	192
61 150 00 -00	210
61 151 00 -00	210
61 502 05 -00	222
61 503 05 -00	222
61 504 05 -00	222
61 505 05 -00	223
61 506 05 -00	223
62	
62 095 05 -00	174
62 096 05 -00	173
62 097 05 -00	168
62 101 21 -00	198
62 119 05 -00	192

Elot of artiolo flambors	
article number	Page
62 191 05 -00	171
62 353 05 -00	196
62 354 05 -00	196
62 391 05 -00	171
62 535 05 -00	192
63	
63 050 05 -00	189
63 060 05 -00	191
63 060 43 -00	191
63 061 05 -00	191
63 061 43 -00	191
64	
64 320 05 -00	168
64 325 05 -00	168
64 330 05 -00	169
64 420 05 -00	169
64 425 05 -00	169
64 430 05 -00	169
64 520 05 -00	169
64 530 05 -00	169
65	
65 540 05 -00	197
65 543 05 -00	197
65 544 05 -00	176
65 545 05 -00	176
65 551 05 -00	197
65 560 05 -00	175
65 560 43 -00	175
65 561 05 -00	176
65 562 05 -00	176
65 600 05 -00	174
65 630 05 -00	173
65 640 05 -00	173
65 641 05 -00	174
65 642 05 -00	173
65 650 05 -00	175
65 670 05 -00	175
65 700 05 -00	174
65 710 05 -00	173
65 720 05 -00	173
65 730 05 -00	172
65 740 05 -00	172
65 750 05 -00	175
66	
66 081 05 -00	168,
66 090 05 -00	186 178,
	188 167,
66 091 05 -00	185
66 095 05 -00	166, 184
66 100 05 -00	174
66 140 05 -00	172

66 150 05 -00	artiala numbar	Dogo
66 192 05 -00 167, 185 66 195 05 -00 167, 184 66 510 05 -00 170 66 511 05 -00 170 66 513 05 -00 196 66 514 05 -00 196 66 515 05 -00 197 66 520 05 -00 170 66 521 05 -00 170 66 530 05 -00 171 66 531 05 -00 170 66 534 05 -00 196 66 534 05 -00 196 66 534 05 -00 197 66 534 05 -00 197 66 534 05 -00 197 66 534 05 -00 197 66 534 05 -00 197 66 534 05 -00 197 66 534 05 -00 197 66 530 05 -00 171 67 105 67 051 05 162 67 083 05 -00 160 67 090 05 -00 163 186 67 091 05 -00 158 67 092 05 -00 158 67 093 05 -00 158 67 590 05 -00	article number	Page
66 195 05 -00		
66 510 05 -00 170 66 511 05 -00 170 66 513 05 -00 196 66 514 05 -00 196 66 515 05 -00 197 66 520 05 -00 170 66 521 05 -00 170 66 530 05 -00 171 66 531 05 -00 170 66 533 05 -00 196 66 534 05 -00 196 66 534 05 -00 197 66 540 05 -00 171 66 540 05 -00 171 67 051 05 162 67 083 05 -00 160 67 090 05 -00 163 67 091 05 -00 163 67 092 05 -00 163 67 093 05 -00 158 186 158 67 095 05 -00 158 187 158 67 096 05 -00 163 67 550 05 -00 159 67 575 05 -00 159 67 575 05 -00 159 67 576 05 -00 160 67 578 05 -00 159 67 578 05 -00 159 67 578 05 -00		
66 511 05 -00	66 195 05 -00	
66 513 05 -00	66 510 05 -00	170
66 514 05 -00	66 511 05 -00	170
66 515 05 -00	66 513 05 -00	196
66 520 05 -00	66 514 05 -00	196
66 521 05 -00	66 515 05 -00	197
66 530 05 -00 171 66 531 05 -00 170 66 533 05 -00 196 66 534 05 -00 197 66 540 05 -00 171 66 541 05 -00 171 67 67 051 05 162 67 091 05 -00 163 67 092 05 -00 158, 67 093 05 -00 158, 67 096 05 -00 158, 67 096 05 -00 158, 67 575 05 -00 160 67 570 05 -00 159 67 578 05 -00 159 67 600 05 -00 161 67 600 05 -00 161 67 600 05 -00 161 67 600 05 -00 161 67 67 090 05 -00 161 67 67 090 05 -00 161 67 67 090 05 -00 161 67 700 05 -00 161 67 700 05 -00 161 67 700 05 -00 161 67 700 05 -00 161 67 700 05 -00 161 67 700 05 -00 160 67 700 05 -00 161 67 670 05 -00 160 67 700 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 700 05 -00 161 67 700 05 -00 161 67 770 05 -00 161 67 770 05 -00 160 67 770 05 -00 161 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160	66 520 05 -00	170
66 531 05 -00	66 521 05 -00	170
66 533 05 -00	66 530 05 -00	171
66 534 05 -00	66 531 05 -00	170
66 535 05 -00 197 66 540 05 -00 171 66 541 05 -00 171 67 67 051 05 162 67 083 05 -00 160 67 090 05 -00 159 67 093 05 -00 158, 187 67 095 05 -00 158, 187 67 096 05 -00 158, 187 67 570 05 -00 159 67 578 05 -00 159 67 620 05 -00 159 67 600 43 -00 159 67 640 91 -00 160 67 640 91 -00 161 67 670 91 -00 161 67 670 95 -00 161 67 670 95 -00 161 67 670 95 -00 160 67 770 05 -00 160 67 670 05 -00 160 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 160 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 160 67 740 05 -00 160 67 740 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160	66 533 05 -00	196
66 540 05 -00	66 534 05 -00	196
66 541 05 -00 171 67 162 67 083 05 -00 160 67 090 05 -00 163, 186 67 091 05 -00 188 67 092 05 -00 163, 186 67 093 05 -00 158, 187 67 095 05 -00 158, 187 67 096 05 -00 158, 187 67 596 05 -00 163 67 570 05 -00 163 67 570 05 -00 159 67 575 05 -00 159 67 578 05 -00 159 67 578 05 -00 159 67 600 05 -00 161 67 600 43 -00 161 67 600 43 -00 161 67 640 91 -00 160 67 650 91 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 160 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 91 -00 161 67 750 95 -00 160 67 750 95 -00 160 67 750 95 -00 160	66 535 05 -00	197
67 051 05 162 163 163 163 186 67 090 05 -00 159 67 578 05 -00 159 67 620 05 -00 161 67 670 05 -00 161 67 700 05 -00 161 67 700 05 -00 161 67 700 05 -00 160 67 740 91 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 160 67 770 05 -00 160 67 670 05 -00 160 67 640 05 -00 160 67 640 05 -00 160 67 640 05 -00 160 67 650 91 -00 160 67 670 05 -00 160 67 670 05 -00 160 67 670 05 -00 160 67 670 05 -00 160 67 670 05 -00 160 67 670 05 -00 160 67 670 05 -00 160 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160 67 770 05 -00 160	66 540 05 -00	171
67 051 05	66 541 05 -00	171
67 083 05 -00 160 67 090 05 -00 163, 186 67 091 05 -00 159, 188 67 092 05 -00 163, 186 67 093 05 -00 158, 187 67 095 05 -00 158, 187 67 096 05 -00 158, 187 67 511 05 -00 163 67 560 05 -00 160 67 570 05 -00 159 67 575 05 -00 159 67 578 05 -00 159 67 600 05 -00 161 67 600 05 -00 165 67 570 05 -00 159 67 570 05 -00 161 67 600 05 -00 161 67 600 05 -00 161 67 600 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160	67	
67 090 05 -00 163, 186 67 091 05 -00 159, 188 67 092 05 -00 163, 186 67 093 05 -00 158, 187 67 095 05 -00 158, 187 67 096 05 -00 158, 187 67 511 05 -00 163 67 570 05 -00 159 67 575 05 -00 159 67 578 05 -00 159 67 580 05 -00 159 67 600 05 -00 160 67 578 05 -00 159 67 600 05 -00 161 67 600 05 -00 161 67 600 05 -00 161 67 600 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 161 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160	67 051 05	162
67 091 05 -00 186 67 091 05 -00 159, 188 67 092 05 -00 163, 186 67 093 05 -00 158, 187 67 095 05 -00 158, 187 67 096 05 -00 158, 187 67 511 05 -00 163 67 570 05 -00 159 67 575 05 -00 159 67 578 05 -00 159 67 580 05 -00 159 67 600 43 -00 161 67 600 43 -00 161 67 640 05 -00 160 67 67 690 5 -00 160 67 67 600 43 -00 160 67 670 05 -00 160 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 05 -00 161 67 750 91 -00 161 67 750 91 -00 161 67 750 91 -00 161	67 083 05 -00	
67 091 05 -00 159, 188 67 092 05 -00 163, 186 67 093 05 -00 158, 187 67 095 05 -00 158, 187 67 096 05 -00 158, 187 67 511 05 -00 163 67 560 05 -00 160 67 570 05 -00 159 67 578 05 -00 159 67 580 05 -00 159 67 600 05 -00 161 67 600 05 -00 161 67 600 05 -00 161 67 600 05 -00 161 67 640 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 670 05 -00 161 67 770 043 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 05 -00 161 <td>67 090 05 -00</td> <td></td>	67 090 05 -00	
67 092 05 -00 163, 186 67 093 05 -00 158, 187 67 095 05 -00 158, 187 67 096 05 -00 158, 187 67 511 05 -00 163 67 560 05 -00 160 67 570 05 -00 159 67 578 05 -00 159 67 578 05 -00 159 67 600 05 -00 161 67 600 05 -00 161 67 600 05 -00 161 67 600 43 -00 279 67 620 05 -00 160 67 640 91 -00 160 67 650 91 -00 161 67 670 95 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 161 67 750 05 -00 161	67 091 05 -00	
67 093 05 -00	67 092 05 -00	163,
67 095 05 -00		
67 095 05 -00 187 67 096 05 -00 158, 187 67 511 05 -00 163 67 560 05 -00 160 67 570 05 -00 159 67 578 05 -00 159 67 580 05 -00 159 67 600 05 -00 161 67 600 43 -00 279 67 620 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 161 67 670 91 -00 161 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161		
67 096 05 -00 187 67 511 05 -00 163 67 560 05 -00 160 67 570 05 -00 159 67 578 05 -00 159 67 580 05 -00 159 67 600 05 -00 161 67 600 43 -00 161 67 640 05 -00 160 67 640 05 -00 160 67 640 91 -00 161 67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 91 -00 161 67 750 91 -00 161 67 7800 05 -00 161 67 7800 05 -00 161		187
67 560 05 -00 160 67 570 05 -00 159 67 575 05 -00 159 67 578 05 -00 159 67 580 05 -00 159 67 600 05 -00 161 67 600 43 -00 279 67 620 05 -00 160 67 640 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 91 -00 161 67 750 91 -00 161 67 750 91 -00 161 67 750 91 -00 161		187
67 570 05 -00 159 67 575 05 -00 159 67 578 05 -00 159 67 580 05 -00 159 67 600 05 -00 161 67 600 43 -00 161, 279 67 620 05 -00 160 67 640 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 91 -00 161 67 750 91 -00 161 67 750 91 -00 161 67 750 91 -00 161		
67 575 05 -00 159 67 578 05 -00 159 67 580 05 -00 159 67 600 05 -00 161 67 600 43 -00 279 67 620 05 -00 160 67 640 05 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 95 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 91 -00 161 67 750 91 -00 161 67 7800 05 -00 161		
67 578 05 -00 159 67 580 05 -00 159 67 600 05 -00 161 67 600 43 -00 279 67 620 05 -00 160 67 640 05 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 91 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 750 05 -00 161 67 7800 5 -00 161		
67 580 05 -00 159 67 600 05 -00 161 67 600 43 -00 161, 279 67 620 05 -00 160 67 640 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 700 43 -00 160 67 740 91 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164		
67 600 05 -00 161 67 600 43 -00 161, 279 67 620 05 -00 160 67 640 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 95 -00 160 67 740 91 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164		
67 600 43 -00 161, 279 67 620 05 -00 160 67 640 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 43 -00 160 67 740 95 -00 160 67 740 91 -00 160 67 740 95 -00 160 67 750 05 -00 160 67 750 91 -00 161 67 800 05 -00 164		
67 600 43 -00 279 67 620 05 -00 160 67 640 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 91 -00 161 67 700 05 -00 160 67 700 43 -00 160 67 740 91 -00 160 67 750 05 -00 160 67 750 05 -00 160 67 750 91 -00 161 67 750 91 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 600 05 -00	
67 640 05 -00 160 67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 05 -00 160 67 700 43 -00 160 67 740 05 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 600 43 -00	
67 640 91 -00 160 67 650 05 -00 161 67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 05 -00 160 67 700 43 -00 160 67 740 95 -00 160 67 750 05 -00 160 67 750 91 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 620 05 -00	160
67 650 05 -00 161 67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 05 -00 160 67 700 43 -00 160 67 740 91 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 640 05 -00	160
67 650 91 -00 161 67 670 05 -00 161 67 670 91 -00 161 67 700 05 -00 160 67 700 43 -00 160 67 740 05 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 640 91 -00	160
67 670 05 -00 161 67 670 91 -00 161 67 700 05 -00 160 67 700 43 -00 160 67 740 05 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 650 05 -00	161
67 670 91 -00 161 67 700 05 -00 160 67 700 43 -00 160 67 740 05 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 650 91 -00	161
67 700 05 -00 160 67 700 43 -00 160 67 740 05 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 670 05 -00	161
67 700 43 -00 160 67 740 05 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 670 91 -00	161
67 740 05 -00 160 67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 700 05 -00	160
67 740 91 -00 160 67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 700 43 -00	160
67 750 05 -00 161 67 750 91 -00 161 67 800 05 -00 164	67 740 05 -00	160
67 750 91 -00 161 67 800 05 -00 164	67 740 91 -00	160
67 800 05 -00 164	67 750 05 -00	161
	67 750 91 -00	161
67 830 05 -00 164	67 800 05 -00	164
	67 830 05 -00	164

article number	Page
67 840 05 -00	164
67 850 05 -00	165
67 870 05 -00	165
67 900 05 -00	164
67 930 05 -00	164
67 940 05 -00	163
67 950 05 -00	164
68	
68 010 05 -00	183
68 030 05 -00	183
68 060 05 -00	183
68 090 05 -00	183
68 100 05 -00	182
68 160 05 -00	182
68 190 05 -00	182
68 300 05 -00	182
68 360 05 -00	182
68 390 05 -00	182
70	
70 345 05 -00	208
70 346 05 -00	209
70 420 05 -00	177
70 430 05 -00	177
70 604 05 -00	214
70 956 00 -00	214
71	
71 055 05 -00	211
71 055 45 -00	211
71 066 05 -00	211
71 256 00 -00	214
71 337 05 -00	192
71 370 05 -00	212
71 520 05 -00	213
71 620 05 -00	213
71 826 05 -00	210
73	
73 006 00 -00	109
73 018 05 -00	252
73 018 96 -00	252
73 030 05 -10	264
73 038 05 -00	244
73 038 96 -00	244
73 073 05 -00	41
73 074 05 -00	41
73 076 05 -00	41
74	
74 001 00 -00	109
74 030 05 -00	239
74 030 19 -00	239
74 030 36 -00	239
74 129 00 -00	276

article number	Page
74 146 H7 -00	35
74 147 05 -00	35
74 182 05 -00	250
74 233 05 -00	110
74 266 00 -00	282
74 329 00 -00	272
74 366 00 -00	277
74 370 05 -00	279
74 387 00 -00	34
74 391 05 -00	62
74 410 05 -00	34
74 410 H7 -00	34
74 440 00 -00	275
74 441 00 -00	275
74 470 00 -00	278
74 478 05 -00	234
74 485 05 -00 74 485 HZ 00	34
74 485 H7 -00	34
74 518 05 -00	252
74 518 96 -00	252
74 580 00 -00	109
74 598 00 -00	276
74 613 05 -00	71, 245
74 662 00 -00	115
74 669 05 -00	84
74 669 86 -00	84
74 669 91 -00	84
74 700 05 -00	84
74 700 86 -00	84
74 700 91 -00	84
74 750 00 -00	277
74 794 00 -00	115
74 802 00 -00	116
74 805 00 -00	277
74 809 00 -00	278
74 821 05 -00	72
74 839 05 -00	279
74 845 05 -00	65
74 868 00 -00	277
74 869 05 -00	197
74 872 05 -00	246
74 872 86 -00	246
74 872 91 -00	246
74 872 96 -00	246
74 879 05 -00	223
74 883 00 -00	282
74 884 05 -00	239
74 884 19 -00	239
74 884 36 -00	239
74 892 05 -00	241
74 895 05 -00	236
170000000	

anti-da accorda a	Davis
article number	Page
74 910 05 -00	228
74 927 00 -00	278
74 930 05 -00	228
74 947 00 -00	277
74 950 05 -00	94, 255
74 989 05 -00	53
74 989 43 -00 	53
75	
75 010 05 -00	254
75 010 96 -00	254
75 025 00 -00	275
75 047 05 -00	89
75 048 05 -00	90
75 054 00 -00	274
75 055 00 -00	274
75 068 05 -00	278
75 079 05 -00	115
75 201 00 -00	276
75 205 05 -00	279
75 218 00 -00	274
75 260 05 -00	280
75 300 05 -00	27, 233
75 300 45 -00	27
75 301 05 -00	27, 233
75 301 45 -00	27
75 312 00 -00	272
75 336 05 -00	27
75 336 45 -00	27
75 375 05 -00	279
75 404 05 -00	262
75 406 05 -00	262
75 407 05 -00	261
75 408 05 -00	262
75 409 05 -00	262
75 410 05 -00	262
75 413 05 -00	262
75 418 05 -00	263
75 421 05 -00	106,
75 422 05 -00	260 106,
	261
75 484 00 -00	272
75 526 00 -00	275
75 567 05 -00	263
75 570 00 -00 75 571 00 00	275
75 571 00 -00	275
75 585 05 -00	261
75 586 05 -00	261
75 605 00 -00	276
75 638 05 -00	224
75 667 05 -00	278
75 727 05 -00	111

	LIST	UI	aı	เเษเษ	Hulling	O
article num	nber				Page	
75 730 05 -	00				111	
75 730 45 -	00				111	
75 731 05 -	00				111	
75 731 45 -	00				111	
75 802 00 -	00				116	
75 895 05 -	00				280	
75 980 05 -	00				110	
75 981 05 -	00				110	
75 982 05 -	00				105	
75 997 00 -	00				272	
76						
76 071 05 -	00				84	
76 148 46 -	00				116	_
76 149 46 -	00				117	_
76 156 05 -	00				117	_
76 156 45 -	00				117	_
76 360 05 -	00				106,	_
					261 106,	_
76 361 05 -					261	
76 400 00 -					276	_
76 416 05 -					279	_
76 424 00 -					110	_
76 552 04 -					280	
76 619 00 -					277	_
76 729 00 -					278	
76 760 05 -	00				255	
76 837 00 -	00				272	
76 856 00 -	00				276	
76 942 05 -	00				224	
76 943 05 -	00				223	
77						
77 899 05 -	00				35	
77 899 H7 -	00				35	
78						
78 119 05 -	00				239	
78 122 00 -	00				272	
78 333 05 -	00				198	
78 400 05 -	00				72	
78 421 05 -	00				254	
78 421 96 -	00				254	
81						
810 110 05-	-00				191	
810 746 05-	-00				207	
810 747 05-	-00				207	
810 754 05-	-00				208	
82						
820 272 35-	-00				208	
820 273 05-	-00				208	
820 274 05-	-00				208	
823 085 05-	-00				210	
83						

article number	Page
830 068 10-00	190
830 068 21-00	190
830 126 05-00	193
830 274 00-00	282
830 288 00-00	282
830 313 05-00	193
84	
845 008 05-00	208
845 016 05-00	206
845 025 05-00	207
845 066 05-00	207

article number	Page
845 072 05-00	207
845 146 05-00	207
88	
88 011	109
88 088	109
92	
920 699 05-00	246
929 032 00-00	281
929 073 00-00	280
929 076 00-00	280
929 077 00-00	280

article number	Page
929 100 35-00	281
929 108 00-00	281
929 109 00-00	281
929 110 35-00	281
929 128 00-00	281
929 170 00-00	237
93	
930 989 05-00	176
930 990 05-00	176

Bathroom fittings



KLUDI ADLON



JOOP!



KLUDI AMBA



KLUDI E2



KLUDI BALANCE



KLUDI Q-BEO



KLUDI MX



KLUDI O-CEAN



KLUDI BINGO STAR



KLUDI BOZZ



KLUDI ZENTA



KLUDI OBJEKTA



KLUDI LOGO NEO



KLUDI TERCIO



KLUDI STANDARD 99



KLUDI PUSH 107



Pre-installation sets 109


KLUDI ADLON

product description surface article number product KLUDI ADLON basin mixer DN 8 **BASIN** chrome 510120520 gold plated 23 carat **510124520** cross handles single hole mounted flow class A cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm **KLUDI ADLON** 510100520 chrome basin mixer DN 8 gold plated 23 carat **510104520** cross handles single hole mounted flow class A cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm **KLUDI ADLON** 510460520 chrome basin mixer DN 15 gold plated 23 carat **510464520** cross handles three hole assembling flow class A cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm pop-up waste G 1 1/4 projection 145 mm KLUDI ADLON basin mixer DN 15 chrome **510430520** gold plated 23 carat **510434520** cross handles three hole assembling flow class A cascade aerator M 24 x 1 ceramic headpart 180° high pressure supply hose G 1/2 x G 1/2 x 300 mm pop-up waste G 1 1-/4 projection 150 mm KLUDI ADLON pillar valve DN 15 cross handle 510140520 chrome single hole mounted ceramic headpart 180° marking: COLD BIDET **KLUDI ADLON** 512110520 chrome bidet mixer DN 8 gold plated 23 carat 512114520 cross handles single hole mounted flow class A ball joint-cascade-aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm

article number product product description surface

BATH






KLUDI ADLON bath-and shower mixer DN 15

cross handles wall fastening flow class BB cascade aerator M 28 x 1 ceramic headpart 180° with diverter: shower/tub s-connections with shower set

chrome

514410520 gold plated 23 carat 514414520






KLUDI ADLON bath-and shower mixer DN 15

stand assembly four hole tiles deck mounted installation cross handles flow class BB cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose fight pressure supply lose G 1/2 x G 1/2 x 400 mm protected against back flow for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00

515250520 chrome gold plated 23 carat **515254520**






KLUDI ADLON bath-and shower mixer DN 15

stand assembly four hole tiles deck mounted installation cross handles flow class BB cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose fight present supply lose G 1/2 x G 1/2 x 400 mm protected against back flow for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00

515240520 chrome gold plated 23 carat **515244520**






KLUDI ADLON angle valve DN 15 cross handle stand assembly ceramic headpart 180° marking: COLD

518170520 chrome gold plated 23 carat 518174520

KLUDI ADLON


product product description surface article number






KLUDI ADLON angle valve DN 15 cross handle stand assembly ceramic headpart 180° marking: HOT chrome 518180520 gold plated 23 carat 518184520





KLUDI ADLON two way diverter DN 15 cross handle stand assembly head part 360° marking: neutral tub spout G 3/4 shower outlet G 1/2 2 connections G 1/2 chrome **518480520** gold plated 23 carat **518484520**






KLUDI ADLON bath filler DN 20 wall fastening flow class B cascade aerator M 28 x 1 seperate DN 20 connector for pre-installation

chrome **5140705**








KLUDI ADLON shower mixer DN 15 cross handles wall fastening flow class B ceramic headpart 180° s-connections shower outlet G 1/2 chrome **516100520** gold plated 23 carat **516104520**






KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C without shut-off valve

required accessories: Thermostat concealed thermostatic mixer DN 15 1 38°C

chrome **517190520** gold plated 23 carat **517194520**

35158





KLUDI ADLON concealed thermostatic mixer concealed trim-set hot water safety device 40 °C with shut-off valve

required accessories: Thermostat concealed thermostatic mixer DN 15



chrome **517200520** gold plated 23 carat **517204520**

35156

25

KLUDI ADLON				
product		product description	surface	article number
	256.		chrome gold plated 23 carat	518150520 518154520
		required accessories: concealed valve DN 15 connection G 1/2		29809
		concealed valve DN 20 connection G 3/4		29811
		concealed valve DN 12 soldered connection 15 mm		29909
		concealed valve DN 20 soldered connection 22 mm		29911
		concealed valve DN 15 soldered connection 18 mm		29927
			chrome gold plated 23 carat	518160520 518164520
		required accessories: concealed valve DN 15		00000
		connection G 1/2 concealed valve DN 20		29809
		connection G 3/4 concealed valve DN 12		29811
		soldered connection 15 mm concealed valve DN 20		29909
		soldered connection 22 mm concealed valve DN 15 soldered connection 18 mm		29911 29927
		Soldered Connection To Tillin		
			chrome gold plated 23 carat	518030520 518034520
<u> </u>	·	required accessories: concealed valve DN 15		
		connection G 1/2 concealed valve DN 20		29809
		connection G 3/4 concealed valve DN 12		29811
		soldered connection 15 mm concealed valve DN 20		29909
		soldered connection 22 mm concealed valve DN 15		29911 29927
		soldered connection 18 mm		

KLUDI ADLON

			NLC	JUI ADLUN
product		product description	surface	article number
	97 <u>6</u>	KLUDI ADLON two way diverter set 2 – trim set cross handle consisting of: handle, sleeve, rosette required accessories: two way diverter DN 15 set 1– pre-installation	chrome gold plated 23 carat neutral	518450520 518454520 2975100
ACCESSORIES	G1/2 Ø56	KLUDI ADLON angle valve DN 15 cross handle without marking with compression joint sliding flange	chrome gold plated 23 carat	518430520 518434520
•	500 <u>G%</u>	copper tube 10 x 500 mm with doubled flanging for G 1/2 or G 3/8	chrome gold plated 23 carat	1620305-00 1620345-00
SPARE PARTS		KLUDI ADLON handle with cowling "COLD"	chrome gold plated 23 carat	7530005-00 7530045-00
	63	KLUDI ADLON handle with cowling "HOT"	chrome gold plated 23 carat	7530105-00 7530145-00
		KLUDI ADLON handle with insert neutral	chrome gold plated 23 carat	7533605-00 7533645-00

J00P! product description product surface article number **BASIN** J00P! chrome 130230560 single lever basin mixer DN 10 solid lever single hole mounted flow rate 10,5 I/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set J00P! 550240575 chrome single lever basin mixer DN 10 solid lever chrome/glass green 55024H775 single hole mounted flow class A ovalflow-aerator ceramic cartridge with hot water limitation pop-up waste <u>G 1 1/4</u> flexible hoses G 3/8 rapid installation set chrome J00P! 550230505 single lever basin mixer DN 10 chrome/glass green 55023H705 cylindrical handle single hole mounted flow class A now class A ovalflow-aerator ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 9770/IO J00P! 550300575 chrome single lever basin mixer DN 10 chrome/glass green 55030H775 solid lever single hole mounted flow class A ovalflow-aerator ovaniow-aeration ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set noise level I J00P! 550290505 chrome single lever basin mixer DN 10 cylindrical handle chrome/glass green 55029H705 single hole mounted flow class A ovalflow-aerator ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set P-IX 9770/IO J00P! 551430575 chrome basin mixer DN 15 solid lever three hole assembling flow class A ovalflow-aerator ceramic headpart 90° pop-up waste G 1 1/4 flexible hoses G 1/2


P-IX 9776/IO

				J00P!
product		product description	surface	article number
		JOOP! basin mixer DN 15 cylindrical handle three hole assembling flow class A ovalflow-aerator ceramic headpart 90° pop-up waste G 1 1/4 flexible hoses G 1/2 P-IX 9776/IO	chrome chrome/glass green	551430505 55143H705
060	97 - 48 97 - 48 960 - 190 - 960	JOOP! wall mounted basin mixer DN 15 for concealed installation pre-installation set and trim set cylindrical handle flow class A ovalflow-aerator ceramic headpart 90°	chrome chrome/glass green	551460505 55146H705
	265 545	JOOP! wash basin column for guest WC trim set flow class A ovalflow-aerator ceramic headpart 90° wash bowl glass transparent	chrome/ glass transparent	55115D1
•	933 243 243	required accessories: JOOP! pre installation set	neutral	7438700-00
6		JOOP! handle trim set	chrome	7441005-00
		JOOP! handle trim set	chrome/glass green	74410H7-00
	285 535	JOOP! wash basin column for guest WC trim set flow class A ovalflow-aerator ceramic headpart 90° wash bowl Varicor Arktis	chrome/ Varicor Arktis	55115D2
	900	required accessories: JOOP! pre installation set	neutral	7438700-00
6		JOOP! handle trim set	chrome	7441005-00
,		JOOP! handle trim set	chrome/glass green	74410H7-00

article number product product description surface

BIDET





J00P! single lever bidet mixer DN 10


solid lever single hole mounted flow class Z ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set



chrome chrome/glass green

552170575 55217H775





JOOP! single lever bidet mixer DN 10

cylindrical handle single hole mounted flow class Z ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste 6 1 1/4 flexible hoses G 3/8 rapid installation set




chrome chrome/glass green

552160505 55216H705

BATH





single lever bath- and shower mixer DN 15 solid lever wall fastening wan iasterning covered eccentric-wall connections flow class DB ovalflow-aerator ceramic cartridge with hot water limitation protected against back flow autom divertor elevisor fleether is autom. diverter shower/bathtub swivelling shower connector G 1/2

chrome chrome/glass green

554430575 55443H775



J00P! bath-and shower mixer DN 15

stand assembly

four hole tiles deck mounted installation solid lever solid level flow class DB ovalflow-aerator ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower high pressure supply hose fight pressure supply nose G 1/2 x G 1/2 x 400 mm protected against back flow for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00 Please note the socket height! chrome

554250575

product product description surface article number



JOOP! bath-and shower mixer DN 15

stand assembly four hole tiles deck mounted installation cylindrical handle flow class DB ovalflow-aerator ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00 Please note the socket height!



JOOP! bath-and shower mixer DN 15

stand assembly
four hole bath rim mounting
cylindrical handle
flow class DB
ovalflow-aerator
ceramic headpart 90°
autom. diverter shower/bathtub
retractable hand shower
high pressure supply hose
G 1/2 x G 1/2 x 400 mm
protected against back flow
for bathtub rim mounting unit 7466200-00 or
mounting plate 7614846-00
Please note the socket height!

chrome **554240505** chrome/glass green **55424H705**



JOOP! bath-and shower mixer DN 15

stand assembly four hole bath rim mounting cylindrical handle flow class BB ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow without bath filler for bathtub rim mounting unit 7479400-00 or mounting plate 7614846-00

chrome 554260505 chrome/glass green 55426H705

product product description surface article number J00P! chrome 556500575 concealed single lever bath and chrome/glass green 55650H775 shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 J00P! 555150575 chrome chrome/glass green 55515H775 concealed single lever bath and shower concealed trim-set solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 33434 pre installation set J00P! chrome 558300505 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 J00P! 5550205 chrome bath filler DN 20 wall fastening projection 160 mm flow class D ovalflow-aerator separate connector G 3/4 for pre-installation J00P! 5550305 chrome bath filler DN 20 wall fastening projection 220 mm flow class D ovalflow-aerator separate connector G 3/4 for pre-installation **SHOWER** J00P! 554230575 chrome single lever shower mixer DN 15 solid lever 55423H775 chrome/glass green wall fastening flow class B covered eccentric-wall connections ceramic cartridge with hot water limitation

protected against back flow shower outlet G 1/2

PA-IX 9775/IA

					J00P!
product		product description		surface	article number
	9114	JOOP! concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		chrome chrome/glass green	556550575 55655H775
	33434	JOOP! concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre installation set		chrome chrome/glass green	557180575 55718H775
	0170	JOOP! concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	T SSC T	chrome	558350505 88011
	6/95 2150	JOOP! concealed thermostatic mixer concealed trim-set cylindrical handle hot water safety device 38 °C without shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 20 Thermostat concealed thermostatic mixer DN 15	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	chrome	557190505 35093 35158
	500 70	JOOP! concealed valve, trim set set 2 – trim set cylindrical handle consisting of: handle, sleeve, rosette adjustable extension required accessories: JOOP! concealed valve DN 20		chrome chrome/glass green	558150505 55815H705
ACCESSORIES	29.5¢,	Joop! lockable plug for wash basin with overflow waste flow rate 22 I/min with hair strainer		chrome	1042305-00


J00P! product product description surface article number JOOP! angle valve DN 15 cylindrical handle without marking sliding flange 558430505 chrome J00P! 7438700-00 neutral pre installation set for wash basin unit 55115... for guest WC concealed assembly set for trim set 55115.. chrome chrome/glass green J00P! 7441005-00 handle trim set 74410H7-00 for wash basin unit 55115... JOOP! concealed valve DN 20 55811 connection G 3/4 sleeve ceramic headpart 90° JOOP! pop-up and overflow set trim set 5505605-00 chrome rosette plate and plug with big valve disc **SPARE PARTS** JOOP! lever for single lever mixer for 55024, 55030, 55217 chrome chrome/glass green 7448505-00 74485H7-00

			J00P!
product	product description	surface	article number
	J00P! handle for 55423, 55443, 55515, 55718, 55990 55650, 55655	chrome/glass green	74146H7-00
	J00P! handle for 55423, 55443, 55515, 55718, 55990 55650, 55655	chrome	7414705-00
	J00P! handle for 55023, 55029, 55216	chrome chrome/glass green	7789905-00 77899H7-00

product product description surface article number

BASIN





KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow class Z caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I



chrome

530230575








2013





KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow class Z caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 noise level I



chrome

530260575










chrome

2013



530290575






KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow class Z caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I



530280575






KLUDI AMBA single lever basin mixer DN 15 solid lever single hole mounted flow class Z caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 noise level I



chrome

532980575






KLUDI AMBA single lever washbowl mixer DN 15 solid lever single hole mounted flow class Z caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height = 273 mm



chrome





KLUDI AMBA single lever washbowl mixer DN 15 solid lever single hole mounted flow class Z caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height = 213 mm



chrome

532960575

KLUDI AMBA

product		product description		surface	article number
	501/2 200 200 200 200 200 200 200 200 200 2	KLUDI AMBA concealed two hole wall mounted basin mixer trim set solid lever flow class Z caché s-pointer-aerator M 24 x 1 projection wall spout 226 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer		chrome	532450575 38243
	200 100 110 110 110 110 110 110 110 110	KLUDI AMBA concealed two hole wall mounted basin mixer trim set solid lever flow class Z caché s-pointer-aerator M 24 x 1 projection wall spout 186 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer		chrome	532440575 38243
BIDET	0.40 512 98 336 0.53	WHIDI AMD A	eco	chrome	532160575
ВАТН	275 70 130 ± 10 953 110 110	KLUDI AMBA single lever bath- and shower mixer DN 15 solid lever wall fastening flow class DB caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow covered eccentric-wall connections noise level I		chrome	534450575
	500 110 110 100 100 100 100 100 100 100	KLUDI AMBA thermostatic bath- and shower mixer DN 15 wall fastening, flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2	38°C †	chrome	534010538


KLUDI AMBA product product description surface article number KLUDI AMBA 535900575 chrome single lever bath- and shower mixer DN 15 installation for free standing bath tub ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ 1S handshower 6760005-00 required accessories: KLUDI FLEXX.BOXX 88088 concealed unit DN 20 534470575 **KLUDI AMBA** chrome single lever bath- and shower mixer DN 15 stand assembly, solid lever three hole tiles deck mounted installation flow class DB caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower noise level I for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00



KLUDI AMBA single lever bath- and shower mixer DN 15 stand assembly, solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler

534480575 chrome for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00





KLUDI AMBA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC noise level I PA-IX 18967/IDC


required accessories: KLUDI FLEXX.BOXX concealed unit DN 20

chrome

88011

				KLUDI AMBA
product		product description	surface	article number
	0170	KLUDI AMBA concealed single lever bath and shower mixer trim set solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC required accessories: concealed mixer DN 15 pre installation set	chrome	535150575 33434
	0170	KLUDI AMBA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC protected against back flow according to DIN EN 1717 noise level I required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	536570575 88011
	0170	KLUDI AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	538300575 88011
	Gh 90 173 \$	KLUDI AMBA bath filler DN 20 wall fastening projection 175 mm flow class D caché s-pointer-aerator M 24 x 1 separate connector G 3/4 for pre-installation	chrome	5350505





KLUDI AMBA single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow covered eccentric-wall connections noise level I

chrome


product		product description		surface	article number
	900 Son	KLUDI AMBA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2		chrome	534000538
	0170	KLUDI AMBA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class DC noise level I PA-IX 18967/IDC required accessories:		chrome	536550575
		KLÚDI FLEXX.BOXX concealed unit DN 20			88011
	62	KLUDI AMBA concealed single lever shower mixer trim set solid lever wall fastening ceramic cartridge with hot water limitation flow class DC		chrome	537180575
	100 M	required accessories: concealed mixer DN 15 pre installation set			33434
		KLUDI AMBA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories:	1 38°C	chrome	538350575
	0170	KLUDI FLEXX.BOXX concealed unit DN 20			88011
	0170	KLUDI AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 30 l/min at 3 bar	A 38°C	chrome	537290575
	-75	required accessories: KLUDI FLEXX.BOXX concealed unit DN 20			88011
	Mar. 81	KLUDI AMBA three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette		chrome	538460575
	100	required accessories: KLUDI three-way diverter DN 15			29757

KLUDI AMBA

				KLODI AIVIDA
product		product description	surface	article number
	0100	KLUDI AMBA two way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette required accessories: KLUDI two way diverter DN 15	chrome	538470575 29747
	100	KLUDI AMBA concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension required accessories: KLUDI concealed valve DN 20	chrome	538150575 53811
SPARE PARTS		KLUDI AMBA lever for 53023, 53026, 53029, 53028, 53296, 53298, 53216	chrome	7307605-00
		KLUDI AMBA lever for 53590, 53447	chrome	7307405-00
7		KLUDI AMBA lever for 53445, 53650, 53657, 53710, 53655	chrome	7307305-00

product product description surface article number

BASIN




KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set



chrome

490230575






KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted PCA aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set



chrome

490250575





KLUDI E2 single lever basin mixer DN 15 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge = 120 mm



chrome


492970575











KLUDI E2 single lever washbowl mixer DN 15 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge = 155 mm




chrome

492960575








KLUDI E2 single lever washbowl mixer DN 15 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge = 260 mm




chrome

492980575





KLUDI E2 concealed two hole wall mounted basin mixer trim set solid lever flow class Z s-pointer eco-aerator M 24 x 1 projection wall spout 230 mm



required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer




chrome

492450575



KLUDI E2



product product description surface article number



KLUDI E2 single lever bath- and shower mixer DN 15 solid lever stand assembly three hole tiles deck mounted installation flow class DB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm shower outlet G 1/2 for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00



chrome

494470575




KLUDI E2 single lever bath- and shower mixer DN 15 solid lever stand assembly three hole tiles deck mounted installation flow class DB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00

chrome

494260575






KLUDI E2 concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20 chrome

496500575

product	3170	KLUDI E2 concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC protected against back flow according to DIN EN 1717 noise level I required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		surface	ASSOLUTION AND SERVICE AND SER
	15 80-110 15 80-110	KLUDI E2 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	T T S S S S S S S S S S S S S S S S S S	chrome	498300575 88011
	G% 175	KLUDI E2 bath filler DN 20 wall fastening projection 175 mm flow class D s-pointer aerator M 24 x 1 separate connector G 3/4 for pre-installation		chrome	4950305
SHOWER	230 130 -17 130 -17 131 131 131	KLUDI E2 single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections without shower set		chrome	497140575
		KLUDI E2 concealed single lever shower mixer concealed valve with functional unit		chrome	496550575





KLUDI E2 concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20


KLUDI E2

ILUDI LL					
product		product description		surface	article number
	170	KLUDI E2 concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	1 33°C	chrome	498350575 88011
	-75	KLUDI E2 concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 30 I/min at 3 bar required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	chrome	497290575 88011
	81	KLUDI E2 three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette required accessories: KLUDI three-way diverter DN 15		chrome	498460575 29757
	31	KLUDI E2 concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension required accessories: KLUDI concealed valve DN 20		chrome	498150575 53811

KLUDI BALANCE

surface article number product description product





KLUDI BALANCE single lever basin mixer DN 10

solid lever single hole mounted flow class Z caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I




chrome white/chrome



520230575





KLUDI BALANCE single lever basin mixer DN 10

solid lever single hole mounted flow class Z
caché s-pointer-Laminar-flow-regulator M 24 x 1
ceramic cartridge with hot water limitation
without pop-up waste
rapid installation set flexible hoses G 3/8 noise level I water flow regulator 8.0 I/min




chrome white/chrome





2012





KLUDI BALANCE E electronic controlled basin mixer DN 10 single hole mounted flow class Z flow rate 8 I/min PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism



chrome white/chrome





5220005 5220091







KLUDI BALANCE E electronic controlled basin mixer DN 10

single hole mounted flow class Z
flow rate 8 l/min
PCA cascade aerator M 24 x 1 with
anti-theft device
magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8

with dirt catcher sieves noise level I

protected against vandalism



chrome white/chrome







product product description surface article number



KLUDI BALANCE E electronic controlled basin mixer DN 10

single hole mounted flow rate 5 I/min thief-proof aerator M 24 x 1 magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with control device electric power supply via 230 V main adapter without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism for use with displacement heaters



chrome









5220205



KLUDI BALANCE E

electronic controlled basin mixer DN 10 single hole mounted

flow rate 5 I/min thief-proof aerator M 24 x 1 magnet-cartridge unit with presetable temperature control handle optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism for use with displacement heaters












5210205







KLUDI BALANCE E electronic controlled pillar tap DN 10

single hole mounted flow class Z flow rate 8 l/min PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit

optical object-detection electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set

flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I



chrome





protected against vandalism

KLUDI BALANCE surface article number product product description **KLUDI BALANCE E** 5210505 chrome electronic controlled pillar tap DN 10 single hole mounted flow rate 8 I/min thief-proof Cascade-aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism **KLUDI BALANCE** chrome 522980575 single lever washbowl mixer DN 10 white/chrome 522989175 solid lever single hole mounted flow class Z caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge = 272 mm KLUDI BALANCE 522960575 chrome single lever washbowl mixer DN 10 white/chrome 522969175 solid lever single hole mounted flow class Z caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge = 212 mm KLUDI BALANCE concealed two hole wall mounted 522450575 chrome basin mixer trim set, solid lever flow class Z s-pointer eco-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 220 mm required accessories: installation set DN 15 38243 for concealed two hole wall mounted basin mixer **KLUDI BALANCE** 522440575 chrome concealed two hole wall mounted basin mixer trim set, solid lever flow class Z s-pointer eco-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm

required accessories: installation set DN 15

for concealed two hole wall mounted

product product description surface article number

BIDET



KLUDI BALANCE single lever bidet mixer DN 10 single hole mounted flow class Z without ball joint Eco s-pointer aerator M 24 x 1Z ceramic cartridge with hot water limitation pop-up waste G 1 1/4


rapid installation set flexible hoses G 3/8 noise level I



chrome white/chrome 522160575 522169175

BATH






KLUDI BALANCE single lever bath- and shower mixer DN 15 solid lever wall fastening flow class DB s-pointer aerator M 24 x 1D ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections



chrome white/chrome

524450575 524459175



KLUDI BALANCE

noise level I

single lever bath- and shower mixer DN 15 installation for free standing bath tub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ 1S handshower





chrome white/chrome 525900575 525909175

88088



KLUDI BALANCE
single lever bath- and shower mixer DN 15
stand assembly
solid lever
three hole tiles deck mounted installation
flow class DB
s-pointer aerator M 24 x 1
ceramic cartridge with hot water limitation
autom. diverter shower/bathtub
protected against back flow
retractable hand shower
high pressure surply brosses

high pressure supply hoses
G 1/2 x G 1/2 x 600 mm
projection 220 mm
noise level I
P-IX 7505/IDB
for bathtub rim mounting unit 7480200-00 or
mounting plate 7614946-00



chrome white/chrome

KLUDI BALANCE

				ILUDI	DALANGL
product		product description		surface	article number
		KLUDI BALANCE single lever bath- and shower mixer DN 15 stand assembly, solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00		chrome	524480575
	0179	KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		chrome white/chrome	526500575 526509175
	Ø171 92 92	KLUDI BALANCE concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 pre installation set		chrome	525150575 33434
	92	KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit wall fastening, solid lever ceramic cartridge with hot water limitation flow class CB autom. diverter shower/bathtub protected against back flow required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		chrome	526570575 88011
	019	KLUDI BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	1 1 38°C	chrome white/chrome	528300575 528309175 88011
	G ½ 9 56 0 26 180 177	KLUDI BALANCE bath filler DN 20 wall fastening projection 160 mm s-pointer aerator M 24 x 1D flow class D with push-on rosette noise level I		chrome	5250505


product product description surface article number **SHOWER KLUDI BALANCE** chrome 527100575 single lever shower mixer DN 15 527109175 white/chrome solid lever wall fastening flow class ${\sf B}$ ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections noise level I **KLUDI BALANCE** 352500575 chrome thermostatic shower mixer DN 15 wall fastening, flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation shower outlet G 1/2 protected against back flow pre-installed dirt cleaner sieve s-connections noise level I noise test applied **KLUDI BALANCE** chrome 526550575 concealed single lever shower mixer concealed valve with functional unit white/chrome 526559175 ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI BALANCE concealed single lever shower mixer 527180575 chrome concealed trim-set required accessories: concealed mixer DN 15 33434 pre installation set KLUDI BALANCE 528350575 chrome concealed thermostatic shower mixer white/chrome 528359175 concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 527290575 **KLUDI BALANCE** chrome concealed thermostatic mixer DN 20 concealed valve with functional unit NEW without shut-off valve hot water safety device 38 °C flow rate 30 I/min at 3 bar required accessories: 88011 KLŪDI FLEXX.BOXX concealed unit DN 20

KLUDI BALANCE

			KLOD	IDALANGL
product		product description	surface	article number
	M24x1 Ø100	KLUDI BALANCE three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette required accessories: KLUDI three-way diverter DN 15	chrome	528460575 NEW 29757
	9100	KLUDI BALANCE two way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette required accessories: KLUDI two way diverter DN 15	chrome	528470575 528470575 29747
	M24x1 Ø100	KLUDI BALANCE concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension required accessories: KLUDI concealed valve DN 20	chrome	528150575 NEW
	056	KLUDI BALANCE shower hook for hoses with conical nut with screws and dowels	chrome	5205005-00
	947 50 922	KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow according to DIN EN 1717	chrome	5206105-00
SPARE PARTS		KLUDI BALANCE lever for single lever mixer 52023, 52026, 52216, 52296, 52298, 52445, 52710	chrome white	7498905-00 7498943-00

product product description surface article number

BASIN



KLUDI Q-BEO single lever basin mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set

P-IX 18510/IA




chrome

500230565

NEW





KLUDI Q-BEO single lever basin mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set P-IX 18510/IA




chrome

500260565

NEW





KLUDI Q-BEO handwash basin single lever mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set




chrome

501290565

NEW





KLUDI Q-BEO basin mixer DN 15 cubic-handles three hole assembling flow class A s-pointer aerator M 24 x 1 ceramic headpart 90° pop-up waste G 1 1/4 flexible hoses G 3/8 P-IX 18513/IA

P-IX 18510/IA




chrome

501430565

NEW

BIDET





KLUDI Q-BEO single lever bidet mixer DN 15 solid lever single hole mounted flow class Z ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA




chrome

502160565

NEW

BATH





KLUDI Q-BEO
single lever bath- and shower mixer DN 15
solid lever
wall fastening
flow class CB
s-pointer aerator M 24 x 1
ceramic cartridge with hot water limitation
autom. diverter shower/bathtub
protected against back flow
shower outlet G 1/2
covered eccentric-wall connections
PA-IX 18512/ICB



chrome

504430565


NEW

KLUDI Q-BEO product product description surface article number KLUDI Q-BEO 504240565 chrome bath-and shower mixer DN 15 stand assembly four hole tiles deck mounted installation NEW cubic-handles flow class DB s-pointer aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable KLUDI Q-BEO-hand shower high pressure supply hoses G 1/2 x G 1/2 x 400 protected against back flow projection 220 mm P-IX 18514/IDB for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00 **KLUDI Q-BEO** chrome 506500565 concealed single lever bath and shower mi-NEW concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 505140565 KLUDI Q-BEO chrome concealed single lever bath and shower NEW concealed trim-set solid lever autom. diverter shower/bathtub for concealed body 33434 required accessories: concealed mixer DN 15 33434 pre installation set **KLUDI Q-BEO** 506570565 chrome concealed single lever bath and shower NEW concealed valve with functional unit solid lever, autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC protected against back flow according to DIN EN 1717 required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI Q-BEO 508300565 chrome concealed thermostatic bath- and shower NEW concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC

> required accessories: KLUDI FLEXX.BOXX

concealed unit DN 20

product product description surface article number



KLUDI Q-BEO bath filler DN 20 wall fastening projection 220 mm s-pointer aerator M 24 x 1 flow class D separate connector G 3/4 for pre-assembly G 3/4




chrome

5050405

NEW

SHOWER






KLUDI Q-BEO single lever shower mixer DN 15 solid lever wall fastening flow class B covered eccentric-wall connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18511/IB chrome

507140565

NEW






KLUDI Q-BEO
thermostatic shower mixer DN 15
cubic-handles, wall fastening
flow class B
temperature control handle with hot water safety
device 38° C
ceramic headpart 180°
50 % water consumption regulation
dirt catcher sieves
protected against back flow
covered eccentric-wall connections
connection G 1/2
PA-IX 18515/IB

chrome

ne **504000565**

NEW





KLUDI Q-BEO concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC


required accessories: KLUDI FLEXX.BOXX concealed unit DN 20 chrome

506550565

NEW

88011





KLUDI Q-BEO concealed single lever shower mixer concealed trim-set solid lever for concealed body 33434


required accessories: concealed mixer DN 15 pre installation set chrome

507170565

NEW

33434





KLUDI Q-BEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20 38°C

chrome

508350565

NEW


KLUDI Q-BEO

product		product description	surface	article number
170 60,	070	KLUDI Q-BEO concealed valve, trim set Cubic-handle existing of: handle, sleeve, flange without marking	chrome	508150565 NEW
	60	required accessories: concealed valve DN 15 connection G 1/2		29809
		concealed valve DN 20 connection G 3/4		29811
		concealed valve DN 12 soldered connection 15 mm		29909
		concealed valve DN 20 soldered connection 22 mm		29911
		concealed valve DN 15 soldered connection 18 mm		29927

product product description surface article number

BASIN





KLUDI MX single lever basin mixer DN 10 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8


rapid installation set



chrome

331250562






KLUDI MX single lever basin mixer DN 10 open ring lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste 6 1 1/4 flexible hoses G 3/8 rapid installation set for use with displacement heaters



chrome

331350562






KLUDI MX single lever basin mixer DN 10 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set



chrome

331260562






KLUDI MX XXL single lever basin mixer DN 10 pull-out function unit for hair washing open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation lowering function without pop-up waste flexible hoses G 3/8



chrome

331840562





KLUDI MX single lever basin mixer DN 10 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set




chrome

331280562

BIDET






KLUDI MX single lever bidet mixer DN 10 open ring lever single hole mounted flow class Z ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set



chrome

KLUDI MX

article number product product description surface **BATH KLUDI MX** chrome 334450562



single lever bath- and shower mixer DN 15 open ring lever wall fastening flow class BB cascade aerator M 28 x 1 s-connections ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub

KLUDI MX THERM


354310538 chrome



thermostatic bath- and shower mixer DN 15 wall fastening flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves, shower outlet G 1/2 s-connections




chrome



KLUDI MX single lever bath- and shower mixer DN 15 stand assembly three hole tiles deck mounted installation open ring lever flow class DB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose fight present supply those G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00



334470562



KLUDI MX single lever bath- and shower mixer DN 15 stand assembly three hole deck mounted installation open ring lever flow class DB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose Ingir pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 160 mm for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00



334460562 chrome

KLUDI MX				
product		product description	surface	article number
	168	KLUDI MX concealed single lever bath and shower mixer concealed valve with functional unit open ring lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	336500562 88011
	158	KLUDI MX concealed single lever bath and shower mixer trim set open ring lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 pre installation set	chrome	335350562 33434
	168	KLUDI MX concealed single lever bath and shower mixer concealed valve with functional unit open ring lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC protected against back flow according to DIN EN 1717 P-IX 19310/ICB required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	336570562 88011
	919	KLUDI MX/KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	358300538 88011
	GY4 041 188 060	KLUDI bath filler DN 20 wall fastening flow class B aerator M 28 x 1 with push-on rosette projection 170 mm	chrome	1350005

KLUDI MX article number product product description surface KLUDI bath filler with diverter DN 20 chrome 1350105 wall fastening flow class B aerator M 28 x 1 autom. diverter shower/bathtub protected against back flow with push-on rosette projection 170 mm KLUDI MX single lever shower mixer DN 15 **SHOWER** 337100562 chrome open ring lever wall fastening flow class B s-connections s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 **KLUDI MX THERM** chrome 354300538 thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C
ceramic headpart 180°
50 % water consumption regulation
protected against back flow temperature insulated body dirt catcher sieves shower outlet G 1/2 s-connections **KLUDI MX** 336550562 chrome concealed single lever shower mixer concealed valve with functional unit open ring lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI MX 337160562 chrome concealed single lever shower mixer trim set open ring lever required accessories: concealed mixer DN 15 33434 pre installation set KLUDI MX/KLUDI OBJEKTA 358350538 chrome concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011

concealed unit DN 20

KLUDI MX

product product description surface article number

SPARE PARTS KLUDI MX chrome 7439105-00






KLUDI MX lever for single lever mixer for 33125, 33126, 33128, 33135, 33184, 33215, 33446, 33447, 33535, 33650, 33655, 33657, 33710, 33716

KLUDI O-CEAN article number product product description surface KLUDI O-CEAN single lever basin mixer DN 10 **BASIN** 383500575 chrome solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I **KLUDI O-CEAN** 383510575 chrome single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I **KLUDI O-CEAN** 383400575 chrome single lever basin mixer DN 10 solid lever single hole mounted flow class Z stream spout - spray former water flow regulator 8.0 l/min ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I KLUDI O-CEAN single lever basin mixer DN 10 383450510 chrome with joystick single hole mounted flow class Z stream spout - spray former water flow regulator 8.0 l/min joystick ceramic cartridge pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I KLUDI O-CEAN single lever basin mixer DN 10 solid lever 420250573 chrome single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 KLUDI 381160530 chrome pillar valve DN 15 cylindrical handle single hole mounted





flow class Z Caché eco s-pointer-aerator M 18,5 x 1 ceramic headpart 90° without pop-up waste

product product description surface article number KLUDI O-CEAN single lever bidet mixer DN 10 **BIDET** 384300575 chrome solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I **BATH KLUDI O-CEAN** 387700575 chrome single lever bath- and shower mixer DN 15 solid lever wall fastening flow class CB s-pointer aerator M 24 x 1C ceramic cartridge with hot water limitation s-connections G 1/2 x G 3/4 shower outlet G 1/2 protected against back flow autom. diverter shower/bathtub with cover plate and shelf noise level I **KLUDI O-CEAN** chrome 387500575 concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20 88011 **KLUDI O-CEAN** 389600575 chrome concealed single lever bath and shower mixer trim set solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 33434 pre installation set **KLUDI O-CEAN** 387570575 chrome concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC protected against back flow according to DIN EN 1717 P-IX 19310/ICB required accessories: KLUDI FLEXX.BOXX concealed unit DN 20 88011

KLUDI O-CEAN


product		product description		surface	article number
	-75 -05	KLUDI O-CEAN/KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC	† 35°C	chrome	388300545
	min 1	required accessories: KLUDI FLEXX.BOXX concealed unit DN 20			88011
SHOWER	330 3.0 4.0 1.5 3.0 1.5 3.0	KLUDI O-CEAN single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation s-connections G 1/2 x G 3/4 shower outlet G 1/2 protected against back flow with cover plate and shelf noise level I		chrome	389700575
	9170	KLUDI O-CEAN concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX,BOXX		chrome	387550575
	min 1	concealed unit DN 20			88011
	-85	KLUDI O-CEAN concealed single lever shower mixer trim set solid lever		chrome	387600575
A ST	0170	required accessories: concealed mixer DN 15 pre installation set			33434
	-75	KLUDI O-CEAN/KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories:	38°C	chrome	388350545
China China	one Co	KLUDI FLEXX.BOXX concealed unit DN 20			88011
SPARE PARTS		KLUDI O-CEAN lever for single lever mixer for 38340, 38350, 38351, 38430		chrome	7484505-00

KLUDI BINGO STAR

product product description surface article number

BASIN






KLUDI BINGO STAR
single lever basin mixer DN 10
solid lever
single hole mounted
flow class Z
PCA Caché-aerator M 16,5 x 1
ceramic cartridge with hot water limitation
swivelling spout
pop-up waste G 1 1/4
flexible hoses G 3/8
rapid installation set
P-IX 18635/IA



chrome

420230578





KLUDI BINGO STAR single lever basin mixer DN 10 solid lever single hole mounted flow class Z PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout with stop device 30°/30° pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set



chrome

KLUDI BOZZ article number product product description surface **BASIN KLUDI BOZZ** 382910576 chrome single lever basin mixer DN 10 solid lever single hole mounted flow class Z PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set noise level I **KLUDI BOZZ** 382920576 chrome single lever basin mixer DN 15 solid lever single hole mounted single flote flottified with hot water limitation PCA Caché-aerator M 16,5 x 1 flow rate 5 l/min pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set **KLUDI BOZZ** chrome 382970576 single lever basin mixer DN 8 solid lever single hole mounted flow rate 5 I/min Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set for use with displacement heaters KLUDI BOZZ single lever basin mixer DN 15 382900576 chrome solid lever single hole mounted single note intuited ceramic cartridge with hot water limitation PCA Caché-aerator M 16,5 x 1 flow rate 5 l/min at 3 bar flexible hoses G 3/8 rapid installation set without pop-up waste KLUDI BOZZ 382940576 chrome single lever basin mixer DN 10 solid lever single hole mounted flow class Z PCA Caché-aerator M 16,5 x 1
ceramic cartridge with hot water limitation
swivelling spout
rapid installation set pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I **KLUDI BOZZ** 383930576 chrome basin mixer DN 10 solid lever NEW three hole assembling pop-up waste G 1 1/4 flow class A Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90°

rapid installation set flexible hoses G 3/8 noise level I product product description surface article number **KLUDI BOZZ** chrome 383930520 basin mixer DN 10 cross handles NEW three hole assembling pop-up waste G 1 1/4 flow class A Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I **KLUDI BOZZ** 382960576 chrome single lever washbowl mixer DN 10 solid lever single hole mounted flow class Z PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set noise level I **KLUDI BOZZ** chrome 382450576 concealed two hole wall mounted basin mixer trim set, solid lever flow class Z s-pointer eco-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin 38243 **KLUDI BOZZ** 382440576 chrome concealed two hole wall mounted basin mixer trim set, solid lever flow class Z s-pointer eco-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm required accessories: installation set DN 15 for concealed two hole wall mounted basin 38243 mixer KLUDI BOZZ wall mounted pillar valve DN 15 wall fastening actuation by stick 380180530 chrome special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar with push-on rosette connection G 1/2 projection 185 mm **KLUDI BOZZ** 380170530 chrome wall mounted pillar valve DN 15 wall fastening actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar with push-on rosette connection G 1/2 projection 110 mm

KLUDI BOZZ

product product description surface article number






KLUDI BOZZ
pillar tap with head part control unit DN 15
single hole mounted
actuation by stick
special headpart with spindle outlet
aerator M 21,5 x 1
flow rate 4,3 I/min at 3 bar
shank fastening G 1/2

chrome

380160530





KLUDI
pillar valve DN 15
cylindrical handle
single hole mounted
flow class Z
Caché eco s-pointer-aerator M 18,5 x 1
ceramic headpart 90°
without pop-up waste




chrome **381160530**



BIDET





KLUDI BOZZ
single lever bidet mixer DN 10
solid lever
single hole mounted
flow class Z
ball joint-aerator M 24 x 1
ceramic cartridge with hot water limitation
pop-up waste G 1 1/4
flexible hoses G 3/8
rapid installation set
noise level I




chrome 3

385330576

BATH






KLUDI BOZZ
single lever bath- and shower mixer DN 15
solid lever
wall fastening
flow class CB
aerator M 24 x 1
s-connections
ceramic cartridge with hot water limitation
protected against back flow
autom. diverter shower/bathtub
shower outlet G 1/2

chrome

386910576





KLUDI BOZZ bath-and shower m

noise level I

bath-and shower mixer DN 15
four hole tiles deck mounted installation
stand assembly
solid lever
flow class CB
cascade aerator M 24 x 1
ceramic headpart 90°
autom. diverter shower/bathtub
retractable hand shower
protected against back flow
flexible high pressure supply hoses
G 1/2 x G 1/2 x 400 mm
projection 220 mm
noise level I

chrome

384240576

NEW


KLUDI BOZZ product product description surface article number KLUDI BOZZ chrome 384240520 bath-and shower mixer DN 15 four hole tiles deck mounted installation NEW stand assembly cross handles flow class CB cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow Hexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I **KLUDI BOZZ** 386500576 chrome concealed single lever bath and shower concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20 88011 KLUDI BOZZ 386600576 chrome concealed single lever bath and shower mixer concealed trim-set Ø170 solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 pre installation set 33434 KLUDI BOZZ 386570576 chrome concealed single lever bath and shower concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC

protected against back flow according to DIN EN 1717 P-IX 19310/ICB

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20

KLUDI BOZZ article number product product description surface KLUDI BOZZ bath filler DN 20 3850505 chrome wall fastening projection 160 mm s-pointer aerator M 24 x 1 flow class C with push-on rosette noise level I






KLUDI BOZZ single lever shower mixer DN 15 solid lever wall fastening flow class B s-connections s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 noise level I

388310576 chrome






KLUDI BOZZ thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C with shut-off valve s-connections protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB

chrome 352030538

chrome

chrome






KLUDI BOZZ concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC

required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20





KLUDI BOZZ concealed single lever shower mixer concealed trim-set solid lever

required accessories: concealed mixer DN 15 pre installation set

388600576 chrome

33434

386550576

SPARE PARTS



KLUDI BOZZ lever for single lever mixer 38291, 38297, 38294, 38296, 38244, 38245, 38533, 38691, 38650, 38660, 38831, 42803, 42851, 38292, 38290 7461305-00

KLUDI BOZZ

product	product description	surface	article number
	KLUDI BOZZ lever for single lever mixer 38650, 38660, 38657, 38655, 38860	chrome	7840005-00



KLUDI BOZZ handle 38391

chrome


7482105-00

KLUDI ZENTA

product product description surface article number

WASCHTISCH






KLUDI ZENTA
single lever basin mixer DN 10
solid lever
single hole mounted
flow class Z
s-pointer eco-aerator M 24 x 1
ceramic cartridge with hot water limitation
pop-up waste 6 1 1/4
rapid installation set
flexible hoses G 3/8
P-IX 18634/IA



chrome black/chrome white/chrome 382500575 382508675 382509175






KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow rate 4,8 l/min PCA-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA WELL Reg. Nr. WA1003420101104



chrome

382500575W






KLUDI ZENTA
single lever basin mixer DN 10
solid lever
single hole mounted
flow class Z
s-pointer eco-aerator M 24 x 1
ceramic cartridge with hot water limitation
centre position cold water
pop-up waste G 1 1/4
rapid installation set
flexible hoses G 3/8



chrome

382530575






KLUDI ZENTA
single lever basin mixer DN 10
solid lever
single hole mounted
flow class Z
s-pointer eco-aerator M 24 x 1
ceramic cartridge with hot water limitation
without pop-up waste
rapid installation set
flexible hoses G 3/8
P-IX 18634/IA



chrome black/chrome white/chrome 382510575 382518675 382519175






KLUDI ZENTA XL single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste 6 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA



chrome black/chrome white/chrome 382600575 382608675 382609175





KLUDI ZENTA XL single lever basin mixer DN 10 solid lever single hole mounted flow rate 4,8 l/min PCA-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA WELL Reg. Nr. WA10035-20101104




chrome

382600575W

product product description surface article number






KLUDI ZENTA XL single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/IA



chrome

382620575






KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves



chrome

3820205





KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8


with dirt catcher sieves



chrome

3810205






KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit powered by 230 V mains supply backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves



chrome

3820005






KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves



chrome

3810005





KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves




chrome





KLUDI ZENTA article number product product description surface KLUDI ZENTA E electronic controlled pillar tap DN 15 3810505 chrome single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves **KLUDI ZENTA** 382940575 chrome single lever basin mixer DN 10 solid lever single hole mounted flow class Z PCA Caché-aerator M 16,5 x 1
ceramic cartridge with hot water limitation
swivelling spout
rapid installation set pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I **KLUDI ZENTA** 420250575 chrome single lever basin mixer DN 10 solid lever single hole mounted flow class Z flow regulator s-pointer M 24 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 KLUDI ZENTA single lever basin mixer DN 10 420260575 chrome solid lever single hole mounted flow class Z flow regulator s-pointer M 24 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8 KLUDI ZENTA single lever basin mixer DN 10 solid lever chrome 382550575 single hole mounted flow class Z PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18635/IA KLUDI ZENTA 382570575 chrome single lever washbowl mixer DN 10 solid lever






single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge = 258 mm



product product description surface article number KLUDI ZENTA single lever washbowl mixer DN 10 chrome 382560575 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste

rapid installation set flexible hoses G 3/8 noise level I





KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge = 120 mm

spout height lower edge = 225 mm



chrome

382650575




KLUDI ZENTA basin mixer DN 10 solid lever three hole assembling flow class A s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I



chrome

383930575

NEW



KLUDI ZENTA concealed two hole wall mounted basin mixer trim set, solid lever flow class Z s-pointer eco-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm



382450575 chrome


required accessories: installation set DN 15 for concealed two hole wall mounted basin

mixer



38243





KLUDI ZENTA concealed two hole wall mounted basin mixer

trim set, solid lever flow class Z s-pointer eco-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm





chrome

382440575

					KLUDI ZENTA
product		product description		surface	article number
	50 50 50 50 50 50 50 50 50 50 50 50 50 5	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm required accessories: concealed electronic body DN 15	(eco)	chrome	3840005
		pre installation set			38001
		concealed electronic body DN 15 pre installation set			38002
	902 49	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm required accessories: concealed electronic body DN 15 pre installation set		chrome	3850005 38001 38002
	140 0 240 119	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm required accessories: concealed electronic body DN 15 pre installation set	(eco)	chrome	3840205 38003 38004

KLUDI ZENTA					
product		product description		surface	article number
	180 0 97 122	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm required accessories:	600	chrome	3850205
		concealed electronic body DN 15 pre installation set			38003
		concealed electronic body DN 15 pre installation set			38004
		W HDI ZENTA E		ab u a u a	2040405
	9199 - 0 240 174 99	KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm required accessories:		chrome	3840105
		concealed electronic body DN 15 pre installation set			38001
		concealed electronic body DN 15 pre installation set			38002
	012 019 0199 0199 0199 190	kludi zenta E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm		chrome	3850105
		required accessories: concealed electronic body DN 15 pre installation set			38001
		concealed electronic body DN 15			38002
		pre installation set			

KLUDI ZENTA

article number product product description surface KLUDI ZENTA E electronic controlled basin mixer DN 15 3840305 chrome trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 I/min at 3 bar optical object-detection projection 240 mm required accessories: concealed electronic body DN 15 pre installation set 38003 concealed electronic body DN 15 38004 pre installation set



KLUDI ZENTA E
electronic controlled basin mixer DN 15
trim set
round escutcheon
powered by 230 V mains supply
or 6 V lithium battery CR-P2
wall fastening
flow regulator M 24 x 1
flow rate 5 l/min at 3 bar
optical object-detection

projection 190 mm

required accessories:
concealed electronic body DN 15
pre installation set

concealed electronic body DN 15 pre installation set




chrome **3850305**



38003

38004






KLUDI
pillar valve DN 15
cylindrical handle
single hole mounted
flow class Z
Caché eco s-pointer-aerator M 18,5 x 1
ceramic headpart 90°
without pop-up waste



chrome

381160530






KLUDI ZENTA single lever bidet mixer DN 10 solid lever single hole mounted flow class Z ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste 6 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA



chrome black/chrome white/chrome


product product description surface article number **BATH KLUDI ZENTA** chrome 386700575 single lever bath- and shower mixer DN 15 black/chrome 386708675 solid lever white/chrome 386709175 wall fastening flow class CB
aerator M 24 x 1
ceramic cartridge with hot water limitation
protected against back flow autom. diverter shower/bathtub s-connections PA-IX 18636/ICB



KLUDI ZENTA thermostatic bath- and shower mixer DN 15 wall fastening flow class BB aerator M 24 x 1/B
temperature control handle with hot water safety
device 38° C
ceramic headpart 90°
protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2



chrome black/chrome white/chrome 351010538 351018638 351019138



KLUDI ZENTA single lever bath- and shower mixer DN 15 stand assembly three hole tiles deck mounted installation solid lever solid lever flow class DB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose fight present supply those G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00

s-connections



chrome 384470575



KLUDI ZENTA single lever bath- and shower mixer DN 15 stand assembly three hole deck mounted installation solid lever flow class DB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose Ingir pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 140 mm for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00



chrome

KLUDI ZENTA

article number

384240575

NEW

REALIZEMENTA
bath-and shower mixer DN 15
four hole tiles deck mounted installation
stand assembly
cylindric handles
flow class CB
s-pointer aerator M 24 x 1
ceramic headpart 90°
autom. diverter shower/bathtub
retractable hand shower
protected against back flow

noise level I

flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm



KLUDI ZENTA
concealed single lever bath and shower
mixer
concealed valve with functional unit
solid lever
autom. diverter shower/bathtub
ceramic cartridge with hot water limitation
flow class DC
PA-IX 18967/IDC

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20

KLUDI ZENTA concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub

required accessories: concealed mixer DN 15 pre installation set chrome black/chrome white/chrome

chrome

black/chrome

white/chrome

386500575 386508675 386509175

88011


386600575

386608675

386609175

33434





chrome **386570575**


KLUDI ZENTA concealed single lever bath and shower mixer

concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC protected against back flow according to DIN EN 1717 P-IX 19310/ICB

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20

88011

KLUDI ZENTA product product description surface article number KLUDI O-CEAN/KLUDI ZENTA 388300545 chrome concealed thermostatic bath- and shower concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20 88011 KLUDI 1350005 chrome bath filler DN 20 wall fastening flow class B aerator M 28 x 1




KLUDI bath filler with diverter DN 20 wall fastening flow class B aerator M 28 x 1 autom. diverter shower/bathtub protected against back flow with push-on rosette projection 170 mm

with push-on rosette projection 170 mm

chrome






KLUDI ZENTA single lever shower mixer DN 15 solid lever wall fastening flow class A s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18637/IA

388700575 388708675 chrome black/chrome white/chrome 388709175






KLUDI ZENTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C
with shut-off valve
protected against back flow
dirt catcher sieves shower outlet G 1/2 s-connections PA-IX 18064/IB

chrome black/chrome white/chrome 351000538 351008638 351009138

1350105





KLUDI ZENTA concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20

386550575 386558675 chrome black/chrome white/chrome 386559175

KLUDI ZENTA

			K	LUDI ZENTA
product		product description	surface	article number
	Ø170 -85 84	KLUDI ZENTA concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre installation set	chrome black/chrome white/chrome	388600575 388608675 388609175
	9 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KLUDI O-CEAN/KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	388350545 88011
ACCESSORIES	70-100 -Giy 123	concealed electronic body DN 15 pre installation set without trim set in-wall installation ceramic cartridge powered by 230 V mains supply dirt catcher sieves with back flow preventer		38001
	70-100 G/5 123 142	concealed electronic body DN 15 pre installation set without trim set in-wall installation ceramic cartridge powered by 6 V battery dirt catcher sieves with back flow preventer		38002
0	70-100 Gi5 H23	concealed electronic body DN 15 pre installation set without trim set in-wall installation for cold or premixed water connection powered by 230 V mains supply		38003
0	70-100 Gib 123	concealed electronic body DN 15 pre installation set without trim set in-wall installation for cold or premixed water connection powered by 6 V battery		38004

KLUDI ZENTA

product product description article number surface chrome



KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38250, 38251, 38253, 38256, 38260, 38262, 38530, 38100, 38102, 38105, 38200, 38202, 38205

7607105-00

SPARE PARTS





KLUDI ZENTA lever for single lever mixerfor 38244, 38245, 38250, 38251, 38256, 38260, 38262, 38530, 38670, 38870

7466905-00 7466986-00 7466991-00 chrome black/chrome white/chrome

KLUDI ZENTA lever for single lever mixer for 38446, 38447, 38650, 38655, 38657, 38660, 38667, 38860


chrome black/chrome white/chrome

7470005-00 7470086-00 7470091-00



product product description surface article number






KLUDI OBJEKTA
single lever basin mixer DN 10
solid lever
single hole mounted
ceramic cartridge with hot water limitation
Eco s-pointer aerator M 24 x 1Z
flow class Z
pop-up waste G 1 1/4
rapid installation set
flexible hoses G 3/8



chrome

322330575






KLUDI OBJEKTA single lever basin mixer DN 10 solid lever single hole mounted ceramic cartridge with hot water limitation PCA aerator M 24 x 1 flow rate 5 I/min pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8



chrome

322350575






KLUDI OBJEKTA
single lever basin mixer DN 15
solid lever
single hole mounted
ceramic cartridge with hot water limitation
flow regulator M 24 x 1
flow rate 5 l/min
pop-up waste G 1 1/4
rapid installation set
flexible hoses G 3/8
for use with displacement heaters



chrome

322340575






KLUDI OBJEKTA
single lever basin mixer DN 15
solid lever
single hole mounted
ceramic cartridge with hot water limitation
Eco s-pointer aerator M 24 x 1Z
flow class Z
without pop-up waste
rapid installation set
flexible hoses G 3/8



chrome

321260575






KLUDI OBJEKTA single-lever basin mixer XL DN 10 solid lever single hole mounted ceramic cartridge with hot water limitation s-pointer eco-aerator M 24 x 1 flow class Z flexible hoses G 3/8 rapid installation set pop-up waste G 1 1/4



chrome

322600575





KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 18 x 1 ceramic cartridge swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I



chrome

product product description surface article number




KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout



chrome

320240575





KLUDI OBJEKTA basin mixer DN 10 solid lever

rapid installation set flexible hoses G 3/8 noise level I

three hole assembling flow class A Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I


chrome

323930575

NEW

BIDET





KLUDI OBJEKTA

single lever bidet mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation ball joint caché aerator M 18,5 x 1 flow class Z rapid installation set flexible hoses G 3/8 pop-up waste G 1 1/4




chrome

324160575

BATH





KLUDI OBJEKTA

single lever bath- and shower mixer DN 15 solid lever


wall fastening ceramic cartridge with hot water limitation s-pointer agrator M 24 x 1 flow class CB autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4



chrome

326530575





KLUDI OBJEKTA thermostatic bath- and shower mixer DN 15


wall fastening flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2



chrome

352600538





KLUDI OBJEKTA

thermostatic bath- and shower mixer DN 15

wall fastening flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic shut-off valve 180°
50 % water consumption regulation protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2



chrome

352010538

NEW

KLUDI OBJEKTA surface product product description article number KLUDI OBJEKTA chrome 324250575 bath-and shower mixer DN 15 four hole tiles deck mounted installation NEW stand assembly solid lever flow class CB cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I **KLUDI SPEZIAL OBJEKTA** 324910575 chrome single lever bath- and shower mixer DN 15 wall fastening ceramic cartridge with hot water limitation aerator M 24 x 1 flow class BB autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 326850575 KLUDI OBJEKTA chrome single lever bath- and shower mixer DN 15 single hole mounted ceramic cartridge with hot water limitation aerator M 24 x 1 flow class DC autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow flexible hoses G 3/8 rapid installation set KLUDI OBJEKTA 324890575 chrome single lever bath- and shower mixer DN 15 vertical bath/ shower mixer wall fastening ceramic cartridge with hot water limitation aerator M 28 x 1 flow class BB autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow connection angle G 1/2 x G 3/4 x 45° distance from center to center 75 mm **KLUDI OBJEKTA** 326500575 chrome concealed single lever bath and shower concealed valve with functional unit solid lever, wall fastening ceramic cartridge with hot water limitation

flow class DC autom. diverter shower/bathtub

PA-IX 18967/IDC

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20



KLUDI OBJEKTA				
product		product description	surface	article number
	90	KLUDI OBJEKTA concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub required accessories: concealed mixer DN 15 pre installation set	chrome	326150575 33434
	90	KLUDI OBJEKTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class CB autom. diverter shower/bathtub protected against back flow noise level I P-IX 19310/ICB required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	326570575 88011
	-75 -75	KLUDI MX/KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	358300538 88011
SHOWER	150 -17 G19 G19 27 90	KLUDI OBJEKTA single lever shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4	chrome	327640575
T T	762 = 17 O O O O O O O O O O O O O O O O O O	KLUDI OBJEKTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB DIN-DVGW-BM-0037	chrome	352000538

				KLUDI UDJEKTA
product		product description	surface	article number
	110	KLUDI OBJEKTA single lever shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow connection angle G 1/2 x G 1/2 x 45° distance from center to center 75 mm	chrome	326510575
	0171	KLUDI OBJEKTA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class C PA-IX 18967/IDC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	326550575 88011
	90	KLUDI OBJEKTA concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre installation set	chrome	328180575 33434
	20 175 OF TOTAL OF THE PARTY OF	KLUDI MX/KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	358350538 88011
	2.5	Thermostat concealed thermostatic mixer concealed trim-set hot water safety device 38 °C with shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15	chrome	357300538 35156
SPARE PARTS		KLUDI OBJEKTA lever for 32233, 32234, 32126, 32260, 32416, 32235	chrome	7504705-00

product product description surface article number

KLUDI OBJEKTA leverfor 32489, 32491, 32615, 32650, 32651, 32653, 32655, 32657, 32685, 32764, 32818


chrome

7504805-00



KLUDI LOGO NEO article number product product description surface **BASIN KLUDI LOGO NEO** 372850575 chrome single lever basin mixer XS DN 10 solid lever single hole mounted flow class Z flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 KLUDI LOGO NEO 372810575 chrome single lever basin mixer DN 8 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses with nipple Ø 10 mm noise level I P-IX 19334/IZ KLUDI LOGO NEO 372820575 chrome single lever basin mixer DN 10 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ KLUDI LOGO NEO single lever basin mixer DN 10 372890575 chrome solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation centre position cold water pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 KLUDI LOGO NEO single lever basin mixer DN 10 solid lever 372760575 chrome single hole mounted flow rate 5 I/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I P-IX 19338/I **KLUDI LOGO NEO CARE** 372840575 chrome single lever basin mixer DN 10 Public lever arm 120 mm single hole mounted





KLUDI LOGO NEO CARE
single lever basin mixer DN 10
Public lever arm 120 mm
single hole mounted
flow class Z
eco-aerator M 24 x 1
ceramic cartridge with hot water limitation
pop-up waste G 1 1/4
rapid installation set
flexible hoses G 3/8

product product description surface article number





KLUDI LOGO NEO CARE single lever basin mixer DN 10 clinic-lever 180 mm single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4

rapid installation set flexible hoses G 3/8


flexible hoses G 3/8



chrome

372870575






KLUDI LOGO NEO single-lever basin mixer XL DN 10 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set



chrome

372900575






KLUDI LOGO NEO
single lever basin mixer DN 8
solid lever
single hole mounted
flow class Z
eco-aerator M 24 x 1
ceramic cartridge with hot water limitation
retractable chain
rapid installation set
flexible hoses with nipple Ø 10 mm
noise level I
P-IX 19334/IZ



chrome

372800575






KLUDI LOGO NEO single lever basin mixer DN 10 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation retractable chain rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ



chrome

372830575






KLUDI LOGO NEO single lever basin mixer DN 10 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation retractable chain rapid installation set flexible hoses G 3/8 noise level I for use with displacement heaters P-IX 19338/I



chrome

372750575





KLUDI LOGO NEO
single lever basin mixer DN 15
solid lever
single hole mounted
flow rate 5 l/min
flow regulator M 18 x 1
ceramic cartridge
swivelling spout
pop-up waste G 1 1/4
rapid installation set

flexible hoses G 3/8 noise level I




chrome

KLUDI LOGO NEO

article number product product description surface

BIDET





KLUDI LOGO NEO single lever bidet mixer DN 8 solid lever single hole mounted


flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses with nipple Ø 10 mm noise level I P-IX 19334/IZ



chrome

375310575





KLUDI LOGO NEO single lever bidet mixer DN 10

solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ




chrome

375330575








KLUDI LOGO NEO

single lever bath- and shower mixer DN 15 solid lever wall fastening flow class CB aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections noise level I PA-IX 19339/ICA

chrome

376810575






KLUDI LOGO NEO single lever bath- and shower mixer DN 15

solid lever wall fastening distance from center to center 45 mm distance from center to center 45 min flow class BA aerator M 22 x 1/B ceramic cartridge with hot water limitation swivelling spout 250 mm s-connections G 1/2 x G 1/2 protected against back flow Tele-hand shower DN 15 chrome-plated Universal hose G 1/2 x G 1/2 x 1250 mm Tele-wall holder transparent noise-level II P-IX 3967/IIBA

chrome

375920575



KLUDI LOGO NEO single lever bath- and shower mixer DN 15 solid lever wall fastening

distance from center to center 45 mm distance from center to center 45 min flow class BA aerator M 22 x 1/B ceramic cartridge with hot water limitation swivelling spout 250 mm s-connections G 1/2 x G 1/2 protected against back flow noise-level II PA-IX 3967/IIBA


chrome

KLUDI LOGO NEO

product		product description	surface	article number
	0150 75 85	KLUDI LOGO NEO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for concealed-device 38625 required accessories: concealed mixer DN 15 pre installation set	chrome	374190575 38625
SHOWER	270 270 270 270 270 270 270 270 270 270	KLUDI LOGO NEO single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections PA-IX 19340/IA	chrome	378410575
	75	KLUDI LOGO NEO concealed single lever shower mixer concealed trim-set solid lever for concealed-device 38625 required accessories: concealed mixer DN 15 pre installation set	chrome	374200575 38625
SPARE PARTS	83	KLUDI LOGO NEO lever for single lever mixer 37281, 37282, 37276, 37280, 37283, 37275, 37531, 37533, 37681, 37592, 37591, 37719, 37841, 37920, 37913, 37914, 37919, 37924, 37285, 37290	chrome	7495005-00

KLUDI TERCIO product description surface article number product **KLUDI TERCIO BASIN** 384810575 chrome single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise test applied **KLUDI TERCIO** 384850575 chrome single lever basin mixer DN 10 solid lever single hole mounted PCA aerator M 24 x 1 flow rate 5 l/min ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 **KLUDI TERCIO** chrome 384760575 single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min
flow regulator M 24 x 1
ceramic cartridge with hot water limitation
pop-up waste G 1 1/4
rapid installation set flexible hoses G 3/8 for use with displacement heaters noise test applied KLUDI TERCIO single lever basin mixer DN 15 384800575 chrome solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise test applied **KLUDI TERCIO** chrome 384840575 single-lever basin mixer XL DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise test applied **KLUDI TERCIO** 380230575 chrome





single lever basin mixer DN 15 solid lever single hole mounted flow class Z
aerator M 18 x 1
ceramic cartridge with hot water limitation
swivelling spout
pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise test applied



product product description surface article number



KLUDI TERCIO
single lever basin mixer DN 15
solid lever
single hole mounted
flow class Z
aerator M 18 x 1
ceramic cartridge with hot water limitation
swivelling spout
rapid installation set
flexible hoses G 3/8
noise test applied



chrome

380240575



KLUDI TERCIO basin mixer DN 10 solid lever three hole assembling flow class A s-pointer aerator M 24

flow class A s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I




chrome

383940575

NEW







KLUDI TERCIO single lever bidet mixer DN 10 solid lever

solid lever
single hole mounted
flow class Z
ball joint-aerator M 24 x 1
ceramic cartridge with hot water limitation
pop-up waste G 1 1/4
rapid installation set
flexible hoses G 3/8
noise test applied




chrome

384320575

BATH





KLUDI TERCIO single lever bath- and shower mixer DN 15

solid lever
wall fastening
flow class BB
aerator M 24 x 1
ceramic cartridge with hot water limitation
autom. diverter shower/bathtub
shower outlet G 1/2
protected against back flow
s-connections G 1/2 x G 3/4
noise test applied

chrome

384820575





KLUDI TERCIO

bath-and shower mixer DN 15
four hole tiles deck mounted installation
stand assembly
cylindric handles
flow class CB
s-pointer aerator M 24 x 1
ceramic headpart 90°
autom. diverter shower/bathtub
retractable hand shower
protected against back flow
flexible high pressure supply hoses
G 1/2 x G 1/2 x 400 mm
projection 220 mm
noise level I



chrome

384230575

NEW

KLUDI TERCIO

				VLUDI LEKCIO
product		product description	surface	article number
	9.70	KLUDI TERCIO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class DC autom. diverter shower/bathtub required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	386510575 88011
	9150 89	KLUDI TERCIO concealed single lever bath and shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre installation set	chrome	384190575 38625
	91	KLUDI TERCIO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for concealed body 33434 required accessories: concealed mixer DN 15 pre installation set	chrome	386150575 33434
SHOWER	150 17 189 079 36.5 89	KLUDI TERCIO single lever shower mixer DN 15 solid lever wall fastening flow class A ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 noise test applied	chrome	384420575
	0.199	KLUDI TERCIO concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class C required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	386560575 88011
	0150 89	KLUDI TERCIO concealed single lever shower mixer concealed trim-set solid lever required accessories: concealed mixer DN 15 pre installation set	chrome	384200575 38625

KLUDI TERCIO

product		product description	surface	article number
Ø170 - S	0170	KLUDI TERCIO concealed single lever shower mixer concealed trim-set solid lever	chrome	388180575
	91	required accessories: concealed mixer DN 15 pre installation set		33434

			NLUL	O STAINDAND
product		product description	surface	article number
BASIN	350 G 55 150 150 170 195 195 195 195 195 195 195 195 195 195	KLUDI STANDARD basin mixer DN 8 single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 pop-up waste G 1 1/4 copper tubes 10 mm handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	210370508 210370515
P	0,30 0 150 170 195 350 0,30 150 170	KLUDI STANDARD basin mixer DN 8 single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 retractable chain copper tubes 10 mm handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	210350508 210350515
	25° 25° 200 25° 135 140 200 25° 25° 25° 25° 25° 25° 25° 25° 25° 25°	KLUDI STANDARD basin mixer DN 8 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 pop-up waste G 1 1/4 copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	210620508 210620515
	252 257 200 350 Q32 200	KLUDI STANDARD basin mixer DN 8 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 retractable chain copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	210600508 210600515
	390 GS 132 140 3200	KLUDI STANDARD basin mixer DN 8 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 chainholder copper tubes 10 mm P-IX 8570/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	210580508 210580515
	C35 249 160 210 24C	KLUDI STANDARD pillar valve DN 15 handle Terralux metal single hole mounted flow rate 6 I/min swivelling or lockable casted spout thief-proof Cascade-aerator M 24 x 1 ceramic headpart 180° marking: blue/red P-IX 9216/IZ	chrome	204080508


KLUDI STANDARD				
product		product description	surface	article number
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	KLUDI STANDARD pillar valve DN 15 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue/red PA-IX 1247/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	204070508 204070515
		KLUDI STANDARD pillar valve DN 15 single hole mounted flow class A casted spout aerator M 24 x 1 marking: blue/red P-IX 1116/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	200130508 200130515
ВАТН	G 15 150 ±17	KLUDI STANDARD CARE wall fitting DN 15 wall fastening flow rate 8 l/min casted spout care-aerator M 24 x 1 s-connections PA-IX 8668/IZ handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	320040508 320040515
	150 117 PT	KLUDI STANDARD bath-and shower mixer DN 15 wall fastening flow class BB casted spout aerator M 28 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 PA-IX 8525/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	251250508 251250515
		KLUDI STANDARD bath-and shower mixer DN 15 wall fastening flow class BB casted spout aerator M 24 x 1 s-connections autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 PA-IX 8562/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	250010508 250010515

product description surface article number

KLUDI STANDARD bath-and shower mixer DN 15 wall fastening flow class BB casted spout with aerator M 24 x 1 s-connections autom. diverter shower/bathtub protected against back flow


Tale-hand shower DN 15 chrome-plated Universal hose, chrome plated 1250 mm PA-IX 8562/IBB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic

cradle hook



KLUDI STANDARD
bath-and shower mixer DN 15
wall fastening
flow class BB
casted spout with aerator M 24 x 1
s-connections
autom. diverter shower/bathtub
protected against back flow
cradle hook
Tele-hand shower DN 15 white
plastic-hose white 1250 mm
PA-IX 8562/IBB
handle 08 = handle Terralux metal
handle 15 = handle Terralux plastic


chrome chrome 250070508 250070515



KLUDI STANDARD
bath-and shower mixer DN 10
wall fastening
distance from center to center 120 mm
flow class AB
swivelling tube spout (360°)
aerator M 22 x 1
s-connections
with diverter: shower/tub
protected against back flow
shower outlet G 3/4
handle 08 = handle Terralux metal
handle 15 = handle Terralux plastic

chrome chrome

262090508 262090515




KLUDI SPECIAL bath-and shower mixer DN 15 handle Terralux ABS (15) wall fastening flow class BA swivelling spout 200 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 chrome

product product description surface article number KLUDI SPECIAL bath-and shower mixer DN 15 chrome 251110515 handle Terralux ABS (15) wall fastening flow class BA swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 3/4 KLUDI SPECIAL bath-and shower mixer DN 15 handle Terralux ABS (15) 251130515 chrome wall fastening flow class BA swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow Tele-hand shower DN 15 chrome-plated Universal hose, chrome plated 1250 mm Tele-wall holder transparent KLUDI SPECIAL chrome 251210515 bath-and shower mixer DN 15 handle Terralux ABS (15) wall fastening flow class BA now class BA swivelling spout 300 mm aerator M 22 x 1 autom. diverter shower/bathtub shower outlet G 3/4 KLUDI SPECIAL bath-and shower mixer DN 15 251230515 chrome handle Terralux ABS (15) wall fastening flow class BA swivelling spout 300 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow Tele-hand shower DN 15 chrome-plated Universal hose, chrome plated 1250 mm Tele-wall holder transparent KLUDI SPECIAL bath-and shower mixer DN 15 handle Terralux ABS (15) 254110515 chrome wall fastening distance from center to center 45 mm flow class BA swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 1/2

P-IX 4087/IIBA


KLUDI STANDARD product product description surface article number KLUDI SPECIAL bath-and shower mixer DN 15 chrome 254130515 handle Terralux ABS (15) wall fastening distance from center to center 45 mm flow class BA swivelling spout 250 mm aerator M 22 x 1 autom. diverter shower/bathtub protected against back flow Tele-hand shower DN 15 chrome-plated Universal hose, chrome plated 1250 mm Tele-wall holder transparent s-connections G 1/2 x G 1/2 P-IX 4087/IIBA KLUDI STANDARD bath filler DN 20 1350205 chrome with wall flange (escutcheon) aerator M 28 x 1 projection 150 mm noise level I



KLUDI STANDARD shower mixer DN 15 wall fastening flow class B s-connections shower outlet G 3/4 protected against back flow P-IX 8563/IB handle 08 = handle Terralux metal handle 15 = handle Terralux plastic

262020508 262020515 chrome chrome







KLUDI STANDARD shower mixer DN 10 wall fastening distance from center to center 120 mm flow class B s-connections shower outlet G 1/2 protected against back flow handle 08 = handle Terralux metal handle 15 = handle Terralux plastic


261010508 261010515 chrome chrome

KLUDI STANDARD				
product		product description	surface	article number
95	95	KLUDI STANDARD concealed valve, trim set set 2 – trim set existing of: handle, sleeve, flange adjustable extension, marking: blue/red handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	143030508 143030515
	101	required accessories: concealed valve DN 15 set 1– pre-installation		29209
		concealed valve DN 20 set 1– pre-installation		29211
		concealed valve DN 25 set 1– pre-installation		29213
		concealed valve DN 32 set 1– pre-installation		29215
		concealed valve DN 12 set 1– pre-installation		29509
		concealed valve DN 20 set 1– pre-installation		29511
		concealed valve DN 25 set 1– pre-installation		29513
		concealed valve DN 32 set 1– pre-installation		29515
		concealed valve DN 15 set 1– pre-installation		29527









KLUDI STANDARD outlet bend DN 15 with compression joint

chrome

KLUDI STANDARD				
product		product description	surface	article number
SPARE PARTS		KLUDI STANDARD-handle 08 handle Terralux metal, marked: blue	chrome	7542105-00
	45			
	45	KLUDI STANDARD-handle 08 handle Terralux metal, marked: red	chrome	7542205-00
	45	KLUDI STANDARD-handle 15 handle Terralux ABS, marked: blue	chrome	7636005-00
	45 45	KLUDI STANDARD-handle 15 handle Terralux ABS, marked: red	chrome	7636105-00

KLUDI PUSH

				KLUDI PUSH
product		product description	surface	article number
SHOWER	-80	KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	386010538 NEW 88011
	0150	KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	386030538 NEW 88011
	D150	KLUDI PUSH concealed mixer with push-button on/off control for two outlets ceramic cartridge with hot water limitation rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	386110538 NEW 88011
	0150	KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	388010538 GERMAN DESIGN AWARD SPECIAL 2016 88011
	D150	KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	388030538 NEW 88011
	0150	KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20	chrome	388110538 GERMAN DESIGN AVVARD SPELIAL 2016 88011


product product description surface article number **KLUDI PUSH** chrome 386020538 concealed mixer with push-button on/off control NEW for one outlet ceramic cartridge with hot water limitation rotating handle round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 **KLUDI PUSH** 386040538 chrome concealed mixer with push-button on/off control NEW for one outlet ceramic cartridge with hot water limitation rotating handle round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI PUSH chrome 386120538 concealed mixer with push-button on/off control NEW for two outlets ceramic cartridge with hot water limitation rotating handle round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 **KLUDI PUSH** 388020538 chrome concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon 2016 required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI PUSH chrome 388040538 concealed thermostatic shower mixer concealed valve with functional unit NEW with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 388120538 KLUDI PUSH chrome concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 $^{\circ}\text{C}$ round escutcheon required accessories:

KLUDI FLEXX.BOXX

concealed unit DN 20

surface article number product product description





installation set DN 15 for concealed two hole wall mounted basin

for concealed installation flow class $\ensuremath{\mathsf{S}}$ ceramic cartridge with hot water limitation pre-installation plug G 1/2 mounting-depth-compensation 30 mm connection G 1/2 without trim set noise level I


88011

38243









KLUDI FLEXX.BOXX concealed unit DN 20


pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere-coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/ICB

concealed extension set for trim set suitable to KLUDI FLEXX.BOXX 88011

neutral


7300600-00





dezincification resistant brass DIN 50930-6






adaptor for wrong installed function part for KLUDI FLEXX.BOXX single lever variants (reserved cold and hot water supply)

dezincification resistant brass for KLUDI FLEXX.BOXX 88011

neutral

7458000-00





adaptor for wrong installed function part for KLUDI FLEXX.BOXX THM variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI FLEXX.BOXX 88011

neutral

7400100-00






KLUDI FLEXX.BOXX concealed unit DN 20

for freestanding bath- and shower mixer for floor mounting with one-piece elastomere-coating dezincification resistant brass with protection cap for skeleton with self-sealing sleeve with flushing set without stand fitting

product product description surface article number concealed mixer DN 15 pre installation set 33434 without trim set in-wall installation flow class BB ceramic cartridge with hot water limitation incl. adhesive bonding for concealed dry-installation P-IX 9734/IBB extension for concealed body 33434 30 mm length 7423305-00 chrome concealed assembly set for pre-wall installation for concealed body 33434, 35424, 33424 7642400-00 neutral concealed mixer DN 15 pre installation set without trim set 38625 in-wall installation flow class BB ceramic cartridge with hot water limitation noise level I PA-IX 8281/IBB extension for concealed bath and shower mixer 38624/38625 7598005-00 chrome 30 mm length <u>₹~~</u> 7598105-00 extension chrome for concealed shower mixer 38826, 38625, 38243 30 mm length

product product description surface article number






Thermostat concealed thermostatic mixer DN 15 pre installation set

without trim set in-wall installation flow class B with therm E-cartridge with shut-off valve dirt catcher sieves PA-IX 8409/IB

35156






extension for concealed thermostatic mixer with shut-off valve 35156 30 mm length

chrome **7573105-00** gold plated 23 carat **7573145-00**






Thermostat concealed thermostatic mixer DN 15

pre installation set without trim set in-wall installation flow class B with therm E-cartridge without shut-off valve dirt catcher sieves

35158






extension for concealed thermostatic mixer without shut-off valve 35158

chrome **7573005-00** gold plated 23 carat **7573045-00**






Thermostat concealed thermostatic mixer DN 20 pre installation set

without trim set in-wall installation flow class D without shut-off valve dirt catcher sieves P-IX 8574/II

35093





for concealed thermostatic mixer without shut-off valve 35093 30 mm length

chrome

7572705-00

product product description surface article number KLUDI three-way diverter DN 15 29757 set 1– pre-installation in-wall installation diverter 1 connection G 3/4 3 spouts G 1/2 29747 KLUDI two way diverter DN 15 set 1– pre-installation in-wall installation diverter 1 connection G 3/4 2 spouts G 1/2 two way diverter DN 15 set 1- pre-installation in-wall installation 2975100 neutral diverter 2 connections G 1/2 shower outlet G 1/2 tub spout G 3/4 concealed valve DN 15 set 1– pre-installation sleeve 29209 connection G 1/2 PA-IX 9923/I concealed valve DN 20 set 1– pre-installation 29211 sleeve connection G 3/4 PA-IX 2427/I concealed valve DN 25 set 1- pre-installation sleeve 29213 connection G 1 PA-IX 2483/I

surface product product description article number concealed valve DN 32 set 1- pre-installation sleeve 29215 connection G 1 1/4 concealed valve DN 15 connection G 1/2 29809 set 1– pre-installation ceramic headpart noise level I concealed valve DN 20 29811 connection G 3/4 set 1– pre-installation ceramic headpart noise level I KLUDI 53811 concealed valve DN 20 set 1- pre-installation connection G 3/4 ceramic headpart 90° sleeve concealed valve DN 12 set 1– pre-installation 29509 sleeve soldered connection 15 mm PA-IX 9923/I A B C Ø 15 mm 55-100 mm 70 mm concealed valve DN 15 set 1– pre-installation sleeve 29527 soldered connection 18 mm PA-IX 2427/I

A B C Ø 18 mm 105 mm 77 mm

Pre-installation sets for all fitting ranges					
product		product description	surface	article number	
	A 8 C 22 mm 65-110 mm 99 mm	concealed valve DN 20 set 1- pre-installation sleeve soldered connection 22 mm PA-IX 2427/I		29511	
	3 28 mm 80-125 mm 110 mm	concealed valve DN 25 set 1- pre-installation sleeve soldered connection 28 mm PA-IX 2483/I		29513	
	8 35 mm 85-130 mm 133 mm	concealed valve DN 32 set 1— pre-installation sleeve soldered connection 35 mm		29515	
	Ø 15 mm 60-105 mm 71 mm	concealed valve DN 12 soldered connection 15 mm set 1– pre-installation ceramic headpart 90° sleeve		29909	
	A 8 C C 0 18 mm 60-105 mm 75 mm	concealed valve DN 15 soldered connection 18 mm set 1— pre-installation ceramic headpart 90° sleeve		29927	
	8 C C C C C C C C C C C C C C C C C C C	concealed valve DN 20 soldered connection 22 mm set 1— pre-installation ceramic headpart 90° sleeve		29911	


product product description surface article number



extension for concealed valve G 1/2 - G 11/4 40 mm length

chrome


7507905-00



bath rim assembly kit KLUDI ROTEXA MULTI pre-installation set for four hole mixer to be covered by tiles
or with visible mounting plate
with 2 pressure hoses G 1/2 x G 1/2 x 400 mm
for angle valve connection
with leak water container
incl. back flow preventer
with compacting hoses incl. hose clarges with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156..-00

neutral

7479400-00




bath rim assembly kit pre-installation set for four hole mixer to be covered by tiles
or with visible mounting plate
with 2 pressure hoses G 1/2 x G 1/2 x 400 mm
for angle valve connection
with leak water container
incl. back flow preventer

with connecting hose incl. hose clamps pop-up and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156..-00


neutral

7466200-00

product description surface article number bath rim assembly kit KLUDI ROTEXA MULTI neutral 7580200-00




pre-installation set for three hole mixer or with visible mounting plate
with 2 pressure hoses G 1/2 x G 1/2 x 400 mm
for angle valve connection
with leak water container incl. back flow preventer with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156..-00



bath rim assembly kit pre-installation set for three hole mixer to be covered by tiles or with visible mounting plate
with 2 pressure hoses G 1/2 x G 1/2 x 400 mm
for angle valve connection
with leak water container
incl. back flow preventer
with connecting hose incl. hose clamps with connecting hose incl. hose clamps pop-up and overflow set G 1 1/2 with dripping water adapter without screw-kit 76156..-00

7480200-00 neutral



mounting plate pre-installation set for four hole mixer with frame anchor to be covered by tiles with 2 pressure hoses G 1/2 x G 1/2 x 600 mm for angle valve connection without screw-kit 76156..-00

7614846-00




visible mounting plate for combination with mounting plate 76148 and assembly package 74662, 74794

1602105 chrome gold plated 23 carat 1602145

surface article number product product description





mounting plate
pre-installation set for three hole mixer
with frame anchor
to be covered by tiles
with 2 pressure hoses
G 1/2 x G 1/2 x 600 mm
for angle valve connection
without screw-kit 76156..-00

7614946-00



visible mounting plate for combination with mounting plate 76149 and assembly package 74802, 75802

chrome

1602405





screw set trim set for mounting plate 76148, 76149 and assembly package 74662, 74802, 75802, chrome **7615605-00** gold plated 23 carat **7615645-00**







Thermostat







KLUDI PUSH 1123



THERMOSTAT CONCEALED

product product description surface article number

THERMOSTAT SURFACE-MOUNTED


KLUDI AMBA thermostatic bath- and shower mixer DN 15 wall fastening, flow class BB

Chrome 534010538



wall fastening, flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow according to DIN EN 1717 temperature insulated body dirt catcher sieves shower outlet G 1/2





KLUDI AMBA
thermostatic shower mixer DN 15
wall fastening, flow class B
temperature control handle
with hot water safety device 38° C
with shut-off valve
50 % water consumption regulation
protected against back flow
according to DIN EN 1717
temperature insulated body
dirt catcher sieves


shower outlet G 1/2



chrome

534000538






KLUDI BALANCE
thermostatic shower mixer DN 15
wall fastening, flow class B
temperature control handle
with hot water safety device 38° C
ceramic shut-off valve 180°
50 % water consumption regulation
shower outlet G 1/2
protected against back flow
pre-installed dirt cleaner sieve
s-connections
noise level I



chrome

352500575





KLUDI Q-BEO thermostatic shower mixer DN 15 cubic-handles wall fastening flow class B

cubic-nanoles wall fastening, flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation dirt catcher sieves protected against back flow covered eccentric-wall connections connection G 1/2 PA-IX 18515/IB




chrome

504000565

NEW





KLUDI MX THERM

noise test applied


thermostatic bath- and shower mixer DN 15 wall fastening, flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves, shower outlet G 1/2 s-connections



chrome

354310538






KLUDI MX THERM

thermostatic shower mixer DN 15 wall fastening, flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow temperature insulated body dirt catcher sieves shower outlet G 1/2 s-connections



chrome

product description surface article number product



KLUDI BOZZ thermostatic shower mixer DN 15


wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve s-connections protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB



chrome

352030538





KLUDI OBJEKTA


thermostatic bath- and shower mixer DN 15 wall fastening flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow dirt catcher sieves autom. diverter shower/bathtub



chrome

352600538





KLUDI OBJEKTA

shower outlet G 1/2


thermostatic bath- and shower mixer DN 15 wall fastening flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2



chrome

352010538

NEW



KLUDI ZENTA


thermostatic bath- and shower mixer DN 15 wall fastening flow class BB aerator M 24 x 1/B

temperature control handle with hot water safety device 38° C ceramic headpart 90° protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2 s-connections



chrome black/chrome white/chrome 351010538 351018638 351019138






KLUDI ZENTA thermostatic shower mixer DN 15 wall fastening

flow class B temperature control handle with hot water safety device 38° C with shut-off valve protected against back flow dirt catcher sieves shower outlet G 1/2 s-connections PA-IX 18064/IB



chrome black/chrome white/chrome 351000538 351008638 351009138





KLUDI OBJEKTA

thermostatic shower mixer DN 15


wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB DIN-DVGW-BM-0037



chrome

					THERMOSTAT
product		product description		surface	article number
KLUDI PUSH	0150	KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		chrome	386010538 NEW 88011
	0150	KLUDI PUSH concealed mixer with push-button on/off control for one outlet ceramic cartridge with hot water limitation rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		chrome	386030538 NEW 88011
	2150 -80	KLUDI PUSH concealed mixer with push-button on/off control for two outlets ceramic cartridge with hot water limitation rotating handle soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		chrome	386110538 NEW 88011
	3132	KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		chrome	388010538 388010538 SERMAN MARD ECIAL 0016 88011
	D150	KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon required accessories: KLUDI FLEXX.BOXX concealed unit DN 20		chrome	388030538 NEW 88011
		KLUDI PUSH concealed thermostatic shower mixer concealed valve with functional unit	38°C	chrome	388110538





concealed thermostatic shower in concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C soft-edge escutcheon

required accessories: KLUDI FLEXX.BOXX concealed unit DN 20



product product description surface article number **KLUDI PUSH** chrome 386020538 concealed mixer with push-button on/off control NEW for one outlet ceramic cartridge with hot water limitation rotating handle round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 **KLUDI PUSH** 386040538 chrome concealed mixer with push-button on/off control NEW for one outlet ceramic cartridge with hot water limitation rotating handle round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI PUSH chrome 386120538 concealed mixer with push-button on/off control NEW for two outlets ceramic cartridge with hot water limitation rotating handle round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 **KLUDI PUSH** 388020538 chrome concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 $^{\circ}\text{C}$ round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI PUSH chrome 388040538 concealed thermostatic shower mixer concealed valve with functional unit NEW with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI PUSH 388120538 chrome concealed thermostatic shower mixer concealed valve with functional unit with push-button on/off control for two outlets

hot water safety device 38 $^{\circ}\text{C}$ round escutcheon required accessories: KLUDI FLEXX.BOXX

concealed unit DN 20

THERMOSTAT article number product product description surface THERMOSTAT CONCEALED **KLUDI ADLON** 517190520 chrome concealed thermostatic mixer gold plated 23 carat 517194520 concealed trim-set hot water safety device 40 °C without shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 15 35158 KLUDI ADLON 517200520 chrome gold plated 23 carat concealed thermostatic mixer 517204520 concealed trim-set hot water safety device 40 °C with shut-off valve required accessories: 35156 Thermostat concealed thermostatic mixer DN 15 J00P! chrome 558300505 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 J00P! 558350505 chrome concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 J00P! 557190505 chrome concealed thermostatic mixer concealed trim-set cylindrical handle hot water safety device 38 °C without shut-off valve required accessories: Thermostat concealed thermostatic mixer DN 20 35093 Thermostat concealed thermostatic mixer DN 15 35158 538300575 **KLUDI AMBA** chrome concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C required accessories:

KLUDI FLEXX.BOXX

concealed unit DN 20

product product description surface article number **KLUDI AMBA** 538350575 chrome concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI AMBA 537290575 chrome concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 30 I/min at 3 bar required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 **KLUDI E2** chrome 498300575 concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI E2 498350575 chrome concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI E2 chrome 497290575 concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 30 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 **KLUDI BALANCE** 528300575 chrome concealed thermostatic bath- and 528309175 white/chrome shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20

THERMOSTAT article number product product description surface **KLUDI BALANCE** 528350575 chrome concealed thermostatic shower mixer 528359175 white/chrome concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 **KLUDI BALANCE** 527290575 chrome concealed thermostatic mixer DN 20 concealed valve with functional unit NEW without shut-off valve hot water safety device 38 °C flow rate 30 l/min at 3 bar required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI Q-BEO chrome 508300565 concealed thermostatic bath- and D170 shower mixer NEW concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI Q-BEO 508350565 chrome concealed thermostatic shower mixer concealed valve with functional unit NEW with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI MX/KLUDI OBJEKTA concealed thermostatic bath- and chrome 358300538 shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC required accessories: KLUDI FLEXX.BOXX 88011 concealed unit DN 20 KLUDI MX/KLUDI OBJEKTA 358350538 chrome concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC required accessories: 88011 KLŪDI FLEXX.BOXX concealed unit DN 20

THERMOSTAT

product		product description		surface	article number
	-75 (A)	KLUDI O-CEAN/KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC	1 1 38°C	chrome	388300545
		required accessories: KLUDI FLEXX.BOXX concealed unit DN 20			88011
	1-15	KLUDI O-CEAN/KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC	1 38°C	chrome	388350545
lin.	9110-	required accessories: KLUDI FLEXX.BOXX concealed unit DN 20			88011

Bathroom accessories







KLUDI AMBA



KLUDI E2



KLUDI A-XES

				JUUP!
product		product description	surface	article number
BASIN	29.77	JOOP! glass holder crystal glass with mounting material	chrome	5597505H7
	977 28 272 123	JOOP! liquid soap dispenser bowl crystal glass with mounting material	chrome	5597605H7
	58 32 140	JOOP! soap holder bowl of crystal glass with mounting material	chrome	5598505H7
	58 32 210 320	JOOP! shelf deposit plate of crystal glass with mounting material	chrome	5597305H7
	58 58 58 58	JOOP! shelf deposit plate of crystal glass with mounting material	chrome	5598305H7
	558 49	JOOP! hook big with mounting material	chrome	5598205

J00P! product product description surface article number JOOP! hook chrome 5598405 small with mounting material JOOP! towel-ring with mounting material 5597805 chrome J00P! towel holder with mounting material 5597705 chrome J00P! bath towel holder 800 mm with mounting material BATH 5597905 chrome J00P! bath towel holder 600 mm with mounting material 5598005 chrome J00P! bath handle L = 300 mm with mounting material chrome 5598105

KLIIDI AMBA

KLUDI AMBA				
product		product description	surface	article number
BASIN	06 110 114	KLUDI AMBA glass holder wall fastening porcelain glass with mounting material	chrome	5397505
	06 110 100 100 100 100 100 100 100 100 1	KLUDI AMBA liquid soap dispenser wall fastening porcelain container with mounting material	chrome	5397605
	06 110 100 100 100 100 100 100 100 100 1	KLUDI AMBA soap dish wall fastening porcelain dish with mounting material	chrome	5398505
	65	KLUDI AMBA hook wall fastening with mounting material	chrome	5398405
	00 and 100 and	KLUDI AMBA towel holder two-armed, fixed wall fastening with mounting material	chrome	5397705
ВАТН	793	KLUDI AMBA bath towel holder L = 850 mm wall fastening with mounting material	chrome	5397905

KLUDI AMBA product product description surface article number KLUDI AMBA bath towel holder L = 650 mm 5398005 chrome wall fastening with mounting material KLUDI AMBA bath handle L = 350 mm 5398105 chrome wall fastening with mounting material KLUDI AMBA toilet brush holder wall fastening porcelain container with mounting material WC 5397405 chrome KLUDI AMBA paper-holder wall fastening with mounting material 5397105 chrome KLUDI AMBA spare toilet paper holder wall fastening with mounting material 5397205 chrome

product product description surface article number KLUDI E2 glass holder wall fastening mouth-blown opal glass, white, matte with mounting material BASIN 4997505 chrome KLUDI E2 universal glass holder wall fastening 4998205 chrome with multifunctional frame, removable mouth-blown opal glass, white, matte with mounting material KLUDI E2 liquid soap dispenser wall fastening mouth-blown opal glass, white, matte with mounting material 4997605 chrome KLUDI E2 soap dish wall fastening opal glass, white, matte with mounting material 4998505 chrome KLUDI E2 shelf wall fastening opal glass, white, matte with mounting material 4998705 chrome KLUDI E2 tealight holder wall fastening opal glass, white, matte 4998305 chrome with tealight
with mounting material

KLUDI E2 product product description surface article number KLUDI E2 hook 4998405 chrome wall fastening with mounting material KLUDI E2 double towel holder 4997705 chrome 455 mm wall fastening two-armed, fixed with mounting material KLUDI E2 double towel holder XS L = 300 mm 4999005 chrome wall fastening two-armed, fixed with mounting material KLUDI E2 bath towel holder L = 850 mm BATH 4997905 chrome wall fastening with mounting material KLUDI E2 bath towel holder L = 650 mm 4998005 chrome wall fastening with mounting material KLUDI E2 bath handle L = 350 mm 4998105 chrome wall fastening with mounting material

KLUDI E2

Product product description surface article number KLUDI E2 paper-holder wall fastening with mounting material


KLUDI E2 spare tollet paper holder wall fastening with mounting material

KLUDI E2 spare tollet paper holder wall fastening with mounting material


KLUDI E2 tollet brush holder wall fastening mouth-blown opal glass, white, matte with mounting material

				KLUDI A-XES
product BASIN	937	KLUDI A-XES glass holder wall fastening satin finish glass with mounting material wall holder mountable right-or left-sided	surface chrome	article number 4897505
	25 0 37 110 110 110 115	KLUDI A-XES liquid soap dispenser wall fastening satin finish bowl with mounting material wall holder mountable right-or left-sided	chrome	4897605
	9194	KLUDI A-XES soap dish wall fastening satin finish bowl with mounting material wall holder mountable right-or left-sided	chrome	4898505
	96 27 56 40 40 40 40 40 40 40 40 40 40 40 40 40	KLUDI A-XES hook wall fastening with mounting material	chrome	4898405
	08 0 78 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KLUDI A-XES towel holder two-armed, fixed wall fastening with mounting material wall holder mountable right-or left-sided	chrome	4897705
SHOWER	all	KLUDI A-XES sponge basket wall fastening with mounting material	chrome	4898605

KLUDI A-XES product product description surface article number KLUDI A-XES corner sponge basket 4898705 chrome wall fastening with mounting material KLUDI A-XES towel rack L = 600 mm BATH chrome 4898905 wall fastening with mounting material KLUDI A-XES double towel rail 4898805 chrome L = 550 mmwall fastening with mounting material KLUDI A-XES bath towel holder L = 650 mm 4898005 chrome




wall fastening with mounting material
wall holder mountable right-or left-sided



KLUDI A-XES bath handle L = 350 mm wall fastening with mounting material
wall holder mountable right-or left-sided

4898105 chrome





KLUDI A-XES toilet brush holder wall fastening satin finish bowl with mounting material wall holder mountable right-or left-sided

4897405 chrome

product product description surface article number KLUDI A-XES paper-holder wall fastening with mounting material wall holder mountable right-or left-sided 4897105 chrome KLUDI A-XES spare toilet paper holder wall fastening with mounting material 4897205 chrome for one roll wall holder mountable right-or left-sided KLUDI A-XES glass spare part satin finish glass **SPARE PARTS** 48990L3 KLUDI A-XES soap dispenser spare part satin finish glass 48991L3 KLUDI A-XES proportioning pump spare part chrome 4899705 KLUDI A-XES soap dish spare part 48992L3 satin finish glass

KLUDI A-XES

Product product description surface article number

KLUDI A-XES
glass for a toilet brush
spare part
satin finish glass

KLUDI A-XES
head of toilet brush
spare part

KLUDI A-XES
toilet brush
spare part

KLUDI A-XES
head of toilet brush
spare part

KLUDI A-XES
head of toilet brush
spare part

KLUDI A-XES
toilet brush
spare part

Furniture and ceramic



KLUDI PLUS

product description surface article number product **KLUDI PLUS** 49W0543 **BASIN** white Basin of crystal porcelain for wall-mounting centre tap hole pre-drilled size 142 x 500 x 500 mm fastening with hanger bolts without fixing material KLUDI PLUS countertop wash basin of crystal porcelain 49W0343 white for surface-mounting without tap hole, without overflow size: 90 x 325 x 325 mm with mounting material required accessories: KLUDI chrome 1042805-00 shank valve with waste cap G 1 1/4" KLUDI PLUS counter modul 49CM143 white size: 80 x 405 x 312 mm for wall-mounting
with pre-drilled hole for washbasin and tap **KLUDI PLUS** white 49CM243 counter modul size: 80 x 405 x 312 mm for wall-mounting
with pre-drilled hole for washbasin KLUDI PLUS counter modul unit 49CMU43 white for concealed wall mounting size: 300 x 405 x 312 mm doors hinged on right (variable) with 1 adjustable shelf insert with tip-on technology with mounting material

KLUDI PLUS product product description article number surface KLUDI PLUS lighted mirror white 49SP243 size: 800 x 500 mm with warm neon tubes can be connected to house electrical system 230 V with mounting material KLUDI PLUS crystal mirror white 49SP343 800 x 405 mm without lighting with mounting material **BIDET KLUDI PLUS** white 49BIW43 Bidet of crystal porcelain
wall-hung
incl. concealed wall-mounting with cover caps
centre tap hole, open
with overflow
size: 370 x 560 x 400 mm
fastening: threaded bolt M 12 x 150 mm required accessories: chrome 1032305-00 bidet bottle trap G 1 1/4 KLUDI PLUS washdown WC of crystal porcelain WC 49WCW43 white wall-hung wall-hung
as wash-down toilet
incl. concealed wall-mounting with cover caps
horizontal outlet
for wall-hung cisterns
for wall-hung flush-valve toilets
size: 370 x 560 x 400 mm
fastening: threaded bolt M 12 x 150 mm required accessories: KLUDI PLUS toilet seat 49WCS43 white

4999905

4998905

product product description surface article number






KLUDI PLUS decor strip for washbasin can be combined with: KLUDI PLUS 49W0543 washbasin with mounting material

chrome


chrome





KLUDI PLUS decor strip for WC/bidet can be combined with: KLUDI PLUS 49WCW43 toilet and KLUDI PLUS bidet 49BIW43 with mounting material





KLUDI PLUS toilet seat with lid removable, locked with grub screws steel hinges with soft-close

white


49WCS43

Showers



article number product product description surface **SHOWER SETS**






KLUDI ADLON shower set consisting of: wall rail 600 mm hand shower KLUDI ADLON sliding joint shower hose G 1/2 x G 1/2 x 1600 mm chrome **2710305** gold plated 23 carat **2710345**








KLUDI ADLON shower set DN 15 wall fastening consisting of: hand shower KLUDI ADLON cradle wall holder shower hose G 1/2 x G 1/2 x 1600 mm connection angle DN 15 chrome **2710505** gold plated 23 carat **2710545**





KLUDI ADLON shower set stand assembly consisting of: hand shower KLUDI ADLON shaft for shower hose shower hose 2000 mm chrome **2705105** gold plated 23 carat **2705145**

product product description surface article number

SHOWER SYSTEMS

JOOP!
shower column DN 15

chrome
chrome/glass green 557690505
55769H705

R SYSTEMS

1410 665

73

406

85-145


200

288

9-64

shower column DN 15
cylindrical handle
concealed wall fastening
flow class BB
ceramic headpart 90°
pre-installation set and trim set
shower outlet G 1/2
with hand shower G 1/2
with fixed head shower
automatic diverter: hand shower/head shower
protected against back flow

HEAD SHOWERS



JOOP! head shower DN 15 wall fastening flow class B quick and easy cleaning system shower spray connection G 1/2

chrome **5577905-00**

SHOWER SETS






J00P!
shower set
L = 900 mm
wall rail with glider
hand shower DN 15
quick and easy cleaning system
shower hose G 1/2 x G 1/2 x 1600 mm
with conical nuts

chrome **5513005-00**


ACCESSORIES





JOOP! shower hook for hoses with conical nut with screws and dowels

chrome **5555105-00**



JOOP! wall supply DN 15 protected against back flow chrome

WALL RAILS

KLUDI Q-BEO wall rail L = 900 mm swivel wall-mounted rail with horizontally slider over wall rail and vertical above pass adjustable shower hose G 1/2 x G 1/2 x 1600 mm without hand shower quick and easy cleaning system with shower-spray swivelling shower head low-aerosol connection G 1/2 P-IX 18516/IB

product product description surface article number

SHOWER SYSTEMS



KLUDI FIZZ Thermostat Dual Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube
flow class BB
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
hand shower rotary valve
head shower rotary valve
protected against back flow
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX SILVER-hose 6107205-00
with KLUDI FIZZ head shower 6757805-00
with KLUDI FIZZ 3S handshower DN 15
6770005-00

chrome

6709605-00



KLUDI FIZZ

with mounting material


Thermostat Dual Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube
flow class BB
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90°
shower outlet G 1/2
hand shower rotary valve
shower outlet
Head shower rotary valve
dirt catcher sieves
protected against back flow
KLUDI SUPARAFLEX SILVER-hose 6107205-00
with KLUDI FIZZ head shower 6757805-00
with KLUDI FIZZ 1S handshower 6760005-00
with mounting material



chrome

6709505-00



KLUDI FIZZ Dual-Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube
flow class AA
two-way ceramic diverter
water supply with
flexible hose G 1/2 x G 1/2 x 800 mm
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX SILVER-hose 6107205-00
with KLUDI FIZZ head shower 6757805-00
with KLUDI FIZZ 3S handshower DN 15
6770005-00
with mounting material
without shower mixer



chrome


product

KLUDI FIZZ Dual-Shower-System DN 15 wall fastening
with horizontally and vertically adjustable tube flow class BB two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757505-00 with KLUDI FIZZ 3S handshower DN 15 6770005-00 with mounting material without shower mixer

product description

HEAD AND SIDE SHOWERS





KLUDI FIZZ head shower DN 15 diameter 290 mm with three shower cartidge headshower with normal spray (volume) flow class B quick and easy cleaning system with ball joint connection G 1/2

without shower arm

chrome

chrome

6757505-00

6757805-00



head shower DN 15 diameter 340 mm with 2 shower cartridges headshower with normal spray (volume) flow class B quick and easy cleaning system with ball joint connection G 1/2 without shower arm



KLUDI FIZZ



KLUDI FIZZ head shower DN 15 wall fastening adjustable to three spray patterns: booster, smooth, volume flow class B with adjustable ball joint inclination angle of 36 $^\circ$ connection G 1/2



chrome

6758005-00






KLUDI FIZZ head shower DN 15 wall fastening with spray mode: volume flow class B with adjustable ball joint inclination angle of 36 $^{\circ}$ connection G 1/2

chrome

product product description surface article number





KLUDI FIZZ swiveling head shower holder DN 15 with adjustable ball joint inclination angle of 36 $^{\circ}$ chrome

6756005-00





KLUDI FIZZ side shower DN 15 swivelling normal spray with ball joint and escutcheon suitable for water heater with a flow capacity for a minimum of 13 l/min noise level I

chrome

6708305-00







KLUDI FIZZ shower set 3S L = 900 mm wall rail Norizontal and vertical adjustable slider KLUDI FIZZ 3S hand shower DN 15 KLUDI SUPARAFLEX SILVER/WHITE-hose

G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts

chrome white/chrome 6774005-00 6774091-00

NEW



KLUDI FIZZ shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ 1S hand shower DN 15 KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts

chrome white/chrome 6764005-00 6764091-00

NEW

WALL RAILS





KLUDI FIZZ wall rail


L = 900 mmhorizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER-hose 6107205-00 G 1/2 x G 1/2 x 1600 mm plastic-coated with metal-effect with conical nuts

chrome

6762005-00

HANDSHOWER





KLUDI FIZZ hand shower DN 15 flow class B

quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume connection G 1/2



chrome white

6770005-00 6770043-00








product product description surface article number





KLUDI FIZZ hand shower DN 15 with spray mode: volume quick and easy cleaning system flow class S (0,32 l/s, at 3 bars) connection G 1/2 PA-IX 7506/IS chrome white 6760005-00 6760043-00

BATH SETS





KLUDI FIZZ bath-shower set
KLUDI FIZZ 3S hand shower DN 15
quick and easy cleaning system
flow class B
adjustable to three spray patterns:
booster, smooth, volume
connection G 1/2
fixed wall shower hook
with screws and dowels
KLUDI SUPARAFLEX SILVER/WHITE-hose
G 1/2 x G 1/2 x 1250 mm
plastic-coated
with conical nuts
with mounting material



chrome white/chrome

6775005-00 6775091-00

NEW






KLUDI FIZZ bath-shower set
KLUDI FIZZ 1S hand shower DN 15
quick and easy cleaning system
flow class B
with spray mode: volume
connection G 1/2
fixed wall shower hook
with screws and dowels
KLUDI SUPARAFLEX SILVER/WHITE-hose
G 1/2 x G 1/2 x 1250 mm
plastic-coated
with conical nuts
with mounting material
PA-IX 7506/IS

chrome white/chrome

6765005-00 6765091-00

NEW





KLUDI FIZZ bath shower set 1S
KLUDI FIZZ 1S hand shower DN 15
with spray mode: volume
quick and easy cleaning system
KLUDI SUPARAFLEX SILVER/WHITE-hose
G 1/2 x G 1/2 x 1250 mm
with conical nuts
wall supply with shower holder DN 15
protected against back flow in compliance
with DIN EN 1717
with screws and dowels
shower outlet G 1/2

chrome white/chrome 6767005-00 6767091-00

NEW

KLUDI FIZZ

product product description surface article number chrome 6705105






KLUDI FIZZ shower set stand assembly consisting of: hand shower DN 15 with spray mode: volume quick and easy cleaning system shaft for shower hose shower hose 1500 mm high pressure supply hose 500 mm

product description surface article number product

SHOWER SYSTEMS



KLUDI FRESHLINE Thermostat Dual Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube
temperature control handle with hot water
safety device 38° C
with ceramic shut-off valve
as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet Head shower rotary valve protected against back flow horizontal and vertical adjustable slider with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm with KLUDI FRESHLINE head shower 6751105-00 with KLUDI FRESHLINE 3S handshower DN 15 6790005-00 with mounting material



chrome

6709205-00

NEW







chrome

6709005-00

NEW



HEAD SHOWERS





KLUDI FRESHLINE head shower DN 15 Ø 250 mm with one spray mode with ball joint connection G 1/2

without shower arm

chrome

6751105-00

NEW

SHOWER SETS





KLUDI FRESHLINE shower set 3S

L = 900 mmhorizontal and vertical adjustable slider KLUDI FRESHLINE 3S handshower DN 15 can be changed to three different spray patterns: volume, booster, smooth quick and easy cleaning system with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with mounting material



chrome

6794005-00

NEW

KLUDI FRESHLINE product product description surface article number KLUDI FRESHLINE 6793005-00 chrome shower set 3S L = 600 mmNEW horizontal and vertical adjustable slider KLUDI FRESHLINE 3S handshower DN 15 can be changed to three different spray patterns: volume, booster, smooth quick and easy cleaning system with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with mounting material





KLUDI FRESHLINE shower set 1S L = 900 mm


L = 900 Him horizontal and vertical adjustable slider KLUDI FRESHLINE 1S handshower DN 15 with one spray mode quick and easy cleaning system

plastic-coated with conical nuts with mounting material chrome

6784005-00

NEW





KLUDI FRESHLINE shower set 1S

L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 1S handshower DN 15 with one spray mode quick and easy cleaning system


plastic-coated with conical nuts with mounting material chrome

6783005-00

NEW







KLUDI FRESHLINE hand shower DN 15

with spray mode (volume) quick and easy cleaning system connection G 1/2 chrome

6780005-00

NEW





KLUDI FRESHLINE hand shower DN 15

can be changed to three different spray patterns: volume, booster, smooth quick and easy cleaning system connection G 1/2


chrome

6790005-00

NEW

BATH SETS





KLUDI FRESHLINE bath-shower set 3S

wall fastening
KLUDI FRESHLINE 3S handshower DN 15
can be changed to three different spray patterns:
volume, booster, smooth
quick and easy cleaning system
KLUDI SUPARAFLEX SILVER
G 1/2 x G 1/2 x 1250 mm
plastic-coated
with metal-effect
with conical nuts



chrome

6795005-00


NEW

product product description surface article number KLUDI FRESHLINE
bath shower set 1S
wall fastening
KLUDI FRESHLINE 1S handshower DN 15
with spray mode (volume)
quick and easy cleaning system
KLUDI SUPARAFLEX SILVER
G 1/2 x G 1/2 x 1250 mm
plastic-coated
with metal-effect
with conical nuts 6785005-00 chrome NEW KLUDI FRESHLINE bath shower set 1S KLUDI FRESHLINE 1S handshower DN 15 6787005-00 chrome NEW KLUDI FRESHLINE 1S handshower DN 15
with spray mode (volume)
KLUDI SUPARAFLEX SILVER
G 1/2 x G 1/2 x 1250 mm
with conical nuts
wall supply with shower holder DN 15
protected against back flow in compliance
with DIN EN 1717
with screws and dowels
shower outlet G 1/2
noise level I

noise level I

product product description surface article number

SHOWER SYSTEMS




KLUDI A-QA Thermostat Dual Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube flow class BB temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 KLUDI A-QA handshower rotate the handle to the rear shower outlet G 3/4
KLUDI A-QA head shower rotary valve
dirt catcher sieves dirt catcher sieves protected against back flow KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower G 1/2 x 140 x 245 mm with KLUDI A-QA hand shower with KLUDI A-QA hand shower

chrome

4909505-00



KLUDI A-QA

with one spray mode with mounting material

Dual-Shower-System DN 15

wall fastening with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVÉR G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower G 1/2 x 140 x 245 mm with KLUDI A-QA hand shower with one spray mode with mounting material

chrome

4919105-00



KLUDI A-QA Thermostat Dual Shower-System DN 15

wall fastening with horizontally and vertically adjustable tube flow class BB temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet Head shower rotary valve dirt catcher sieves protected against back flow head shower Ø 200 mm hand shower KLUDI A-QA s with 3 spray patterns with mounting material




chrome

6619505-00

NEW

article number product product description surface



KLUDI A-QA s Thermostat Dual Shower-System DN 15

with horizontally and vertically adjustable tube wall fastening wear reastering temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 KLUDI A-QA handshower rotate the handle to the rear

shower outlet G 3/4
KLUDI A-QA head shower rotary valve
protected against back flow
with horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15


G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 250 mm,

swiveling
with three spray patterns
with mounting material
with dirt catcher sieves

chrome

chrome

6609105-00



KLUDI A-QA s **Dual Shower-System**

wall fastening with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume with mounting material flow class AA

with mounting material without shower mixer



KLUDI A-QA

Dual-Shower-System DN 15


with horizontally and vertically adjustable tube wall fastening waii rasteiling
two-way ceramic diverter
water supply with flexible hose
G 1/2 x G 1/2 x 800 mm
with horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 250 mm, swiveling KLUDI A-QA s hand shower DN 15 with three spray patterns with mounting material without shower mixer

chrome

6619205-00

NEW

product product description surface article number



KLUDI A-QA Thermostat-Mono-Shower-System DN 15


wall fastening
with horizontally and vertically adjustable tube flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation dirt catcher sieves s-connections head shower Ø 200 mm

with mounting material



chrome

6608105-00



KLUDIA-QA v shower duo thermostatic shower mixer DN 15

wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2
P-IX 8049/IB
DIN-DVGW-BM-0037
flexible wall rail with slider
L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm KLUDI A-QA s hand shower DN 15

adjustable to three spray patterns:




chrome

6209705-00








KLUDI A-QA head shower DN 15 Ø 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm

chrome

6432005-00

NEW





KLUDI A-QA head shower DN 15 Ø 250 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm

chrome

6432505-00

NEW

KLUDI A-QA product description surface article number product KLUDI A-QA head shower DN 15 chrome 6433005-00 Ø 300 mm NEW quick and easy cleaning system with ball joint connection G 1/2 without shower arm 033830 (68)8300 KLUDI A-QA head shower DN 15 6442005-00 chrome 200 x 200 mm NEW quick and easy cleaning system with ball joint connection G 1/2 without shower arm KLUDI A-QA head shower DN 15 chrome 6442505-00 250 x 250 mm quick and easy cleaning system NEW with ball joint connection G 1/2 without shower arm KLUDI A-QA head shower DN 15 6443005-00 chrome 300 x 300 mm NEW quick and easy cleaning system with ball joint connection G 1/2 without shower arm KLUDI A-QA head shower DN 15 200 x 200 mm chrome 6452005-00 NEW Soft-edge quick and easy cleaning system with ball joint connection G 1/2 without shower arm KLUDI A-QA head shower DN 15 300 x 300 mm 6453005-00 chrome NEW Soft-edge quick and easy cleaning system with ball joint connection G 1/2 without shower arm

KLUDI A-QA product product description surface article number KLUDI A-QA head shower DN 15 chrome 6651105-00 Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I COMED) (GANO KLUDI A-QA eco-head shower DN 15 6652105-00 chrome G 1/2. Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm noise level I 6651005-00 chrome





KLUDI A-QA head shower DN 15 Ø 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I

OHIOHIO






KLUDI A-QA eco-head shower DN 15 Ø 200 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm noise level I

eco

chrome **6652005-00**






KLUDI A-QA head shower DN 15 140 x 245 mm flow class B quick and easy cleaning system with ball joint pre-installed dirt cleaner sieve connection G 1/2 without shower arm

chrome

4940205-00






KLUDI A-QA head shower DN 15 250 x 250 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I

chrome

product product description surface article number



KLUDI A-QA head shower DN 15


250 x 250 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm noise level I



chrome

6654105-00






KLUDI A-QA head shower DN 15 200 x 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I

chrome

6653005-00





KLUDI A-QA head shower DN 15 200 x 200 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm


noise level I



chrome

6654005-00






KLUDI A-QA
head shower DN 15
quick and easy cleaning system
shower spray
smooth spray
massage-spray
without shower arm with ball joint
suitable for water heater with a flow capacity
for a minimum of 13 l/min

chrome

6239105-00






KLUDI A-QA head shower DN 15 quick and easy cleaning system shower spray without shower arm with ball joint suitable for water heater with a flow capacity for a minimum of 13 l/min

chrome

6219105-00






KLUDI A-QA drench shower DN 15 heavy casted version with ball joint and escutcheon chrome

KLUDI A-QA product product description surface article number KLUDI A-QA drench shower DN 20 chrome 6051105-00 heavy casted version with ball joint and escutcheon KLUDI A-QA side shower DN 15 6108305-00 chrome swivelling normal spray with ball joint and escutcheon suitable for water heater with a flow capacity for a minimum of 13 l/min KLUDI A-QA shower set L = 900 mm **SHOWER SETS** 3914005-00 chrome (O) to wall rail with glider hand shower DN 15 quick and easy cleaning system shower hose G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI A-QA i shower set 1S L = 900 mm 6614005-00 chrome wall rail right and left swiveling horizontal and vertical adjustable slider KLUDI A-QA i 1S hand shower DN 15 Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I P-IX 19052/IB KLUDI A-QA s shower set 3S L = 900 mm 6574005-00 chrome wall rail KLUDI A-QA s 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI A-QA s shower set 3S L = 600 mm 6573005-00 chrome 365





wall rail KLUDI A-QA s 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts

KLUDI A-QA article number product product description surface KLUDI A-QA v shower set 3S 6209605-00 chrome L = 1100 mm flexible wall rail with slider bracket adjustment to existing drill holes up to 1020 mm
KLUDI A-QA s hand shower DN 15
adjustable to three spray patterns:
booster, smooth, volume
Suparaflex shower hose anti twist <u>. ©23</u> G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI A-QA b shower set 1S L = 900 mm 6564005-00 chrome wall rail wall fall horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I KLUDI A-QA b shower set 1S L = 600 mm 6563005-00 chrome wall rail Wali Tall
horizontal and vertical adjustable slider
KLUDI A-QA b 1S hand shower DN 15
with 50 % Eco function
SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I KLUDI A-QA b shower set 1S L = 955 mm 6564205-00 chrome metal wall rail horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I KLUDI A-QA s wall rail L = 900 mm **WALL RAILS** 6572005-00 chrome horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI A-QA s 6571005-00 chrome wall rail L = 600 mm horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts


KLUDI A-QA product product description surface article number KLUDI A-QA v flexible wall rail chrome 6209505-00 L = 1100 mm (O) bracket adjustment to existing drill holes up to 1020 mm horizontal and vertical adjustable slider Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI A-QA wall rail L = 955 mm 6564105-00 chrome metal wall rail horizontal and vertical adjustable slider **HANDSHOWER** 3910005-00 KLUDI A-QA chrome hand shower DN 15 quick and easy cleaning system KLUDI A-QA i hand shower DN 15 6610005-00 chrome big size shower spray Ø 137 mm incline in 5° - steps adjustable (max. inclination 30°) voluminous shower spray 90 flash nozzels flow rate 18,7 l/min at 3 bar quick and easy cleaning system noise level I P-IX 19052/IB KLUDI A-QA s hand shower DN 15 quick and easy cleaning system 6570005-00 chrome ---- Ø120 ·-adjustable to three spray patterns: booster, smooth, volume noise level I KLUDI A-QA b 6560005-00 chrome hand shower DN 15 with 50 % Eco function quick and easy cleaning system flow class B/Z with shower spray with 60 flash nozzels connection G 1/2 flow rate 18,0 l/min at 3 bar flow rate 9,0 l/min at 3 bar eco eco function not applicable for hydraulic DEH according to DIN EN 1112

noise level I

product product description surface article number

BATH SETS






KLUDI A-QA i bath-shower set KLUDI A-QA i 1S hand shower DN 15 SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels noise level I

chrome

6615005-00





KLUDI A-QA s bath-shower set
KLUDI A-QA s 3S hand shower DN 15
adjustable to three spray patterns:
booster, smooth, volume
SIRENAFLEX-hose
G 1/2 x G 1/2 x 1250 mm
with conical nuts
fixed wall shower hook
with screws and dowels



chrome

6575005-00





KLUDI A-QA b bath-shower set KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function with shower spray with 60 flash nozzels SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels noise level I



chrome

6565005-00






KLUDI A-QA b
bath-shower set
KLUDI A-QA b 1S hand shower DN 15
with 50 % Eco function
with shower spray with 60 flash nozzels
KLUDI SUPARAFLEX SILVER-hose 6107105-00
G 1/2 x G 1/2 x 1250 mm
with conical nuts
wall supply with shower holder DN 15
protected against back flow in compliance
with DIN EN 1717
with screws and dowels
shower outlet G 1/2, noise level I



chrome

6567005-00






KLUDI A-QA shower set stand assembly consisting of: hand shower DN 15 quick and easy cleaning system shaft for shower hose shower hose 1500 mm high pressure supply hose 500 mm

chrome

3905105

ACCESSORIES






KLUDI A-QA wall supply with shower holder DN 15 with wall-compensation ring for hoses with conical nut with screws and dowels shower outlet G 1/2 protected against back flow according to DIN EN 1717 chrome white 6556005-00 6556043-00

NEW

product product description surface article number KLUDI A-QA wall supply with shower holder DN 15 6556105-00 chrome with flow control NEW





will flow control
wall fastening
for hoses with conical nut
shower outlet G 1/2
continuously regulable ceramic flow regulator
from 3 I/min. to 20 I/min. approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable




chrome

6556205-00

NEW





KLUDI A-QA wall supply with shower holder DN 15 with ceramic shut-off valve with teraint state-on valve
wall fastening
for hoses with conical nut
shower outlet G 1/2
protected against back flow in compliance
with DIN EN 1717 with wall-compensation ring with mounting material Not suitable for permanent water shut off




chrome

6554405-00

NEW





KLUDI A-QA wall supply DN 15 with flow control wall fastening shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min. to 20 l/min. approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable




chrome

6554505-00

NEW






KLUDI A-QA wall supply DN 15 with ceramic shut-off valve wall fastening shower outlet G 1/2 protected against back flow with wall-compensation ring with mounting material Not suitable for permanent water shut off








KLUDI A-QA i tile compensation washer for wall rail

chrome

93098905-00





KLUDI A-QA s tile compensation washer for wall rail


chrome

RLUDI A-QA v extension set for wall rail 62095.. for shower sets 62096.. und 62097..

| Chrome | Total content | Total content

product description product surface article number

SHOWER SYSTEMS




KLUDI ZENTA Dual-Shower-System DN 15

without shower mixer

wall fastening
with horizontally and vertically adjustable tube flow class AA flow class AA
two-way ceramic diverter
water supply with
connecting hose
G 1/2 x G 1/2 x 800 mm
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX
G 1/2 x G 1/2 x 1600 mm
head shower Ø 200 mm
hand shower KLUDI ZENTA 2S
with mounting material with mounting material

chrome

6609005-00




KLUDI ZENTA SHOWER DUO

L = 900 mm wall rail with glider wall fall with glider thermostatic shower mixer DN 15 wall fastening, with shut-off valve temperature control handle with hot water safety device 38° C protected against back flow KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray, champagne rain with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm PA-IX 18064/IB

chrome

6057705-00



KLUDI ZENTA SHOWER DUO

L = 600 mm

wall rail with glider
thermostatic shower mixer DN 15
wall fastening, with shut-off valve
temperature control handle
with hot water safety device 38° C
protected against back flow KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray, champagne rain with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm PA-IX 18064/IB

chrome

product product description surface article number KLUDI ZENTA 3S shower set **SHOWER SETS** white/chrome 6085091-00 L = 900 mmNEW KLUDI ZENTA slider rail in white KLUDI ZENTA 3S hand shower DN 15 white/chrome adjustable to three spray patterns: shower spray smooth spray massage-spray
KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI ZENTA shower set 3S 6084005-00 chrome black/chrome 6084086-00 ø),³8 L = 900 mm white/chrome 6084091-00 KLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: shower spray smooth spray massage-spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI ZENTA shower set 3S chrome 6083005-00 L = 600 mmKLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: shower spray smooth spray massage-spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI ZENTA shower set 2S 6074005-00 chrome L = 900 mmKLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray smooth spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI ZENTA 2S shower set 6073005-00 chrome L = 600 mmKLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray smooth spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts **KLUDI ZENTA** 6064005-00 chrome O SE 1S shower set L = 900 mmKLUDI ZENTA wall rail with KLUDI ZENTA 1S hand shower DN 15 with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm Ø23 with conical nuts -500

product product description surface article number KLUDI ZENTA shower set 1S chrome 6063005-00 L = 600 mmKLUDI ZENTA wall rail
with KLUDI ZENTA 1S hand shower DN 15
with KLUDI LOGOFLEX-hose
G 1/2 x G 1/2 x 1600 mm
with conical nuts KLUDI ZENTA wall rail L = 900 mm **WALL RAILS** 6062005-00 chrome (0) ts horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts Ø23 KLUDI ZENTA wall rail 6061005-00 chrome L = 600 mmhorizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts KLUDI ZENTA hand shower DN 15 6080005-00 6080086-00 **HANDSHOWER** chrome quick and easy cleaning system adjustable to three spray patterns: white/chrome 6080091-00 shower spray smooth spray massage-spray KLUDI ZENTA hand shower DN 15 quick and easy cleaning system adjustable to two spray patterns: 6070005-00 chrome shower spray smooth spray 6060005-00 6060086-00 6060091-00 **KLUDI ZENTA** chrome hand shower DN 15 quick and easy cleaning system white/chrome with shower-spray

BATH SETS

KLUDI ZENTA bath shower set 1S KLUDI ZENTA bath shower DN 15 chrome/white KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook

KLUDI ZENTA bath shower DN 15 chrome/white KLUDI SUPARAFLEX WHITE shower hose DN 15 G 1/2 x 1250 mm with conical nuts fixed wall shower hook


with screws and dowels



KLUDI ZENTA
bath-shower set 2S
KLUDI ZENTA 2S hand shower DN 15
adjustable to two spray patterns:
shower spray
smooth spray
with KLUDI LOGOFLEX-hose
G 1/2 x G 1/2 x 1250 mm
with conical nuts
fixed wall shower hook
with screws and dowels

chrome **6075005-00**






KLUDI ZENTA
bath shower set 1S
KLUDI ZENTA 1S hand shower DN 15
with KLUDI LOGOFLEX-hose
G 1/2 x G 1/2 x 1250 mm
with conical nuts
fixed wall shower hook
with screws and dowels

chrome black/chrome white/chrome 6065005-00 6065086-00 6065091-00





KLUDI ZENTA shower set stand assembly consisting of: hand shower KLUDI ZENTA 2S shaft for shower hose shower hose 1500 mm high pressure supply hose G 1/2 x G 1/2 x 500 mm


chrome

2765205

KLUDI LOGO product description product surface article number KLUDI LOGO **HANDSHOWER** 6830005-00 chrome Hand shower 3S DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume connection G 1/2 **KLUDI LOGO** 6810005-00 chrome Hand shower 1S DN 15 quick and easy cleaning system with spray mode: volume connection G 1/2 KLUDI LOGO shower set 3S **SHOWER SETS** chrome 6839005-00 L = 900 mm KLUDI LOGO wall rail KLUDI LOGO 3S hand shower DN 15 quick and easy cleaning system KLUDI LOGOFLEX shower hose plastic-coated with conical nuts with metal-effect G 1/2 x G 1/2 x 1600 mm KLUDI LOGO shower set 3S 6836005-00 chrome L = 600 mmKLUDI LOGO wall rail KLUDI LOGO 3S hand shower DN 15 quick and easy cleaning system KLUDI LOGOFLEX shower hose plastic-coated with conical nuts with metal-effect G 1/2 x G 1/2 x 1600 mm KLUDI LOGO shower set 1S L = 900 mm 6819005-00 chrome KLUDI LOGO wall rail with KLUDI LOGO 1S hand shower DN 15 quick and easy cleaning system KLUDI LOGOFLEX shower hose plastic-coated with conical nuts with metal-effect G 1/2 x G 1/2 x 1600 mm KLUDI LOGO 6816005-00 chrome shower set 1S L = 600 mm KLUDI LOGO wall rail with KLUDI LOGO 1S hand shower DN 15 with KEODI Codd of a find show quick and easy cleaning system KLUDI LOGOFLEX shower hose plastic-coated with conical nuts with metal-effect G 1/2 x G 1/2 x 1600 mm

product description surface article number product KLUDI LOGO wall rail **WALL RAILS** chrome 6809005-00 L = 900 mmwith horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm KLUDI LOGO wall rail L = 600 mm 6806005-00 chrome with horizontal and vertical adjustable slider with KLUDI LOGOFLEX-hose plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm KLUDI LOGO bath-shower set 3S KLUDI LOGO 3S hand shower DN 15 **BATH SETS** 6803005-00 chrome quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume KLUDI LOGOFLEX shower hose plastic-coated with conical nuts G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels KLUDI LOGO bath shower set 1S KLUDI LOGO 1S hand shower DN 15 quick and easy cleaning system KLUDI LOGOFLEX 6801005-00 chrome shower hose plastic-coated with conical nuts G 1/2 x G 1/2 x 1250 mm fixed wall shower hook with screws and dowels

product product description surface article number



KLUDI A-QA Thermostat Dual Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube flow class BB


temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90°

shower outlet G 1/2 KLUDI A-QA handshower rotate the handle to the rear shower outlet G 3/4
KLUDI A-QA head shower rotary valve
dirt catcher sieves

dirt catcher sieves protected against back flow KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower G 1/2 x 140 x 245 mm with KLUDI A-QA hand shower with KLUDI A-QA hand shower with one spray mode with mounting material

chrome

4909505-00



KLUDI A-QA

Thermostat Dual Shower-System DN 15

wall fastening with horizontally and vertically adjustable tube flow class BB temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2

hand shower rotary valve shower outlet
Head shower rotary valve
dirt catcher sieves
protected against back flow head shower Ø 200 mm hand shower KLUDI A-QA s with 3 spray patterns with mounting material



chrome

6609505-00



KLUDI A-QA s

Thermostat Dual Shower-System DN 15

with horizontally and vertically adjustable tube wall fastening wan rasterilly temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90°

shower outlet G 1/2

KLUDI A-QA handshower rotate the handle to the rear shower outlet G 3/4 KLUDI A-QA head shower rotary valve protected against back flow

with horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm

with KLUDI A-QA headshower \emptyset 250 mm, swiveling KLUDI A-QA s hand shower DN 15


with three spray patterns with mounting material with dirt catcher sieves

chrome

6619505-00

NEW

product description surface article number product




KLUDI A-QA Dual-Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube flow class AA flow class AA
two-way ceramic diverter
water supply with flexible hose
G 1/2 x G 1/2 x 800 mm
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX SILVER
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower
G 1/2 x 140 x 245 mm
with KLUDI A-QA hand shower
with one spray mode with one spray mode with mounting material

chrome

4919105-00



KLUDI A-QA s Dual Shower System

wall fastening with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume with mounting material flow class AA with mounting material



chrome

6609105-00



Dual-Shower-System DN 15

with horizontally and vertically adjustable tube


wall fastening waii rasteiling
two-way ceramic diverter
water supply with flexible hose
G 1/2 x G 1/2 x 800 mm
with horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm with KLUDI A-QA headshower Ø 250 mm, swiveling KLUDI A-QA s hand shower DN 15 with three spray patterns with mounting material without shower mixer

chrome

6619205-00

NEW

product product description surface article number




KLUDI A-QA Thermostat-Mono-Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation dirt catcher sieves s-connections head shower Ø 200 mm



chrome

6608105-00



KLUDI FRESHLINE

Thermostat Dual Shower-System DN 15

wall fastening with horizontally and vertically adjustable tube temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet Head shower rotary valve protected against back flow horizontal and vertical adjustable slider with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm with KLUDI FRESHLINE head shower 6751105-00 with KLUDI FRESHLINE 3S handshower DN 15 6790005-00 with mounting material



chrome

6709205-00

NEW



KLUDI FRESHLINE

Dual-Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube with horizontally and vertically adjustable two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm with KLUDI FRESHLINE head shower 6751105-00 with KLUDI FRESHLINE 3S handshower DN 15 6790005-00 with mounting material without shower mixer



chrome

6709005-00

NEW



KLUDI FIZZ Thermostat Dual Shower-System DN 15

product description

wall fastening
with horizontally and vertically adjustable tube flow class BB temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° hand shower rotary valve head shower rotary valve protected against back flow horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 with KLUDI FIZZ 3S handshower DN 15



chrome

surface

6709605-00



KLUDI FIZZ

6770005-00 with mounting material


Thermostat Dual Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube flow class BB temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet Head shower rotary valve dirt catcher sieves protected against back flow KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 with KLUDI FIZZ 1S handshower 6760005-00 with mounting material



chrome

6709505-00



KLUDI FIZZ Dual-Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter
water supply with flexible hose
G 1/2 x G 1/2 x 800 mm
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 with KLUDI FIZZ 3S handshower DN 15 6770005-00 with mounting material without shower mixer



chrome

6709305-00

product product description surface article number



KLUDI FIZZ Dual-Shower-System DN 15

wall fastening
with horizontally and vertically adjustable tube
flow class BB
two-way ceramic diverter
water supply with flexible hose
G 1/2 x G 1/2 x 800 mm
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX SILVER-hose 6107205-00
with KLUDI FIZZ head shower 6757505-00
with KLUDI FIZZ 3S handshower DN 15
6770005-00
with mounting material
without shower mixer



chrome

6709105-00



KLUDI ZENTA Dual-Shower-System DN 15

with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX G 1/2 x 1600 mm head shower Ø 200 mm hand shower KLUDI ZENTA 2S with mounting material without shower mixer

chrome

6609005-00

			Special	showers
product		product description	surface	article number
WALL RAILS	915 4018	KLUDI STANDARD wall rail L = 900 mm incl. concealed wall-mounting with cover caps and wall spacer 5 mm	chrome	6048505-00
	520 218	KLUDI STANDARD wall rail L = 600 mm incl. concealed wall-mounting with cover caps and wall spacer 5 mm	chrome	6048005-00
HANDSHOWER	95 +0.59.5	KLUDI REGULA hand shower DN 15 continuously regulable shower spray	chrome	6001105-00
	76	Tele-hand shower DN 15	chrome	6020805-00
	0.1 LOS2 -	Tele-hand shower DN 15		6020510-00
ACCESSORIES	256	KLUDI SIRENA shower hook for hoses with conical nut with screws and dowels	chrome	6305005-00

Special showers

Special showers				
product		product description	surface	article number
		KLUDI SIRENA shower hook for hoses with conical nut with screws and dowels	chrome	6055105-00
	70-	KLUDI REGULA wall holder for hand shower 60 011 with dowels and chrome-plated screws	transparent	6003521-00
	67	Tele-wall holder for Tele hand shower 60205 and 60208	transparent	83006810-00 83006821-00
	- G 77	universal shower holder G 1/2 for assembling at shower connection for shower hoses with conical nut	chrome	6053905-00
	- 50	shower hook G 1/2 with coupling	chrome	6053105-00
	0.00	connection for shower G 3/4" with clip on-cone	chrome	6053005-00

			Spec	cial showers
product		product description	surface	article number
	35.1	wall-mounted shower holder with pin	chrome	81011005-00
	- C3/4-	connection for shower G 3/4" with cradle hook	chrome	6053705-00
	200	wall supply DN 15 with wall-compensation ring	chrome white	6306005-00 6306043-00 NEW
	200 200 200 200 200 200 200 200 200 200	wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring	chrome white	6306105-00 6306143-00 NEW
	57.5 C C C C C C C C C C C C C C C C C C C	wall supply DN 15 with wall-compensation ring	chrome	6054105-00
	77.5 55 55 55	wall supply DN 15 protected against back flow with wall-compensation ring according to DIN EN 1717	chrome	6056305-00

Special showers product product description surface article number wall supply DN 15 with wall flange (escutcheon) 6054005-00 chrome reducer G 3/4 x G 1/2 G 3/4 female thread G 1/2 male thread 6110505-00 chrome with gasket G 3/4 corner mounting set for wall rail 6211905-00 chrome two corner elements with screws and dowels KLUDI LOGO soap dish for wall rail for tube diameter 18 mm **SPARE PARTS** 6110121-00 transparent **slider for wall rails 62090.., 62110..and 62120** for shower sets 62092.., 62093.., 62094.., 62131.., 62141.., 62231.., 62241.., 62331.., and 62341 6253505-00 chrome 7133705-00 chrome for wall rails 6058205 und 6058305 for shower sets 6146505, 6146705, 6146905, 6147605, 6147505 and 6147905

product product description surface article number

body for wall holder chrome 83031305-00



body for wall holder for wall rails 62110... and 62120 for shower sets 62131.., 62141.., 62231.., 62241.., 62331.. und 62341..

chrome

83012605-00



body for wall holder for wall rails 6058205 und 6058305 for shower sets 6146505, 6146705, 6146905, 6147605, 6147505 and 6147905

Shower hoses

product product description surface article number KLUDI SUPARAFLEX shower hose DN 15 6106105-00 chrome G 1/4 plastic-coated with metal-effect with conical nuts anti twist G 1/2 x G 1/2 x 1250 mm KLUDI SUPARAFLEX shower hose DN 15 6106205-00 chrome G 1/4 plastic-coated with metal-effect with conical nuts anti twist G 1/2 x G 1/2 x 1600 mm eco-shower hose plastic-coated 6107405-00 chrome G 1/4 with metal-effect (Silver) conical nut both sides anti twist G 1/2 x G 1/2 x 1600 mm continuously regulable ceramic flow regulator from 20 to 2 l/min eco-shower hose plastic-coated 6107305-00 chrome with metal-effect (Silver) conical nut both sides anti twist G 1/2 x G 1/2 x 1250 mm continuously regulable ceramic flow regulator from 20 to 2 l/min KLUDI SUPARAFLEX SILVER/WHITE shower hose DN 15 plastic-coated 6107205-00 6107291-00 chrome white/chrome with conical nuts NEW both sides anti twist G 1/2 x G 1/2 x 1600 mm KLUDI SUPARAFLEX SILVER/WHITE shower hose DN 15 plastic-coated 6107105-00 chrome white/chrome 6107191-00 with conical nuts NEW both sides anti twist G 1/2 x G 1/2 x 1250 mm

				Shower hoses
product		product description	surface	article number
	G.W.	KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1250 mm	chrome	6100405-00
	G W	KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm	chrome	6100605-00
	G.W.	KLUDI SIRENAFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 2000 mm	chrome	6100705-00
	G.W.	KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1250 mm	chrome	6105505-00
	G X	KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 1600 mm	chrome	6105605-00
	G.W.	KLUDI LOGOFLEX shower hose DN 15 plastic-coated with metal-effect with conical nuts G 1/2 x G 1/2 x 2000 mm	chrome	6105705-00

product product description surface article number KLUDI A-QA shower arm DN 15 6651405-00 chrome for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm KLUDI A-QA shower arm DN 15 for head shower DN 15 6651305-00 chrome projection 250 mm with push-on rosette diameter 55 mm KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm 6653405-00 chrome with push-on rosette 61 x61 mm KLUDI A-QA shower arm DN 15 6653305-00 chrome for head shower DN 15 projection 250 mm with push-on rosette 61 x61 mm KLUDI A-QA shower arm DN 15 for head shower 1S and 3S 6235405-00 chrome without ball joint projection 230 mm KLUDI A-QA shower arm DN 15 for head shower 1S and 3S without ball joint 6235305-00 chrome projection 130 mm

Accessories for all shower ranges product product description surface article number KLUDI A-QA ceiling arm DN 15 6651505-00 chrome for head shower DN 15 projection 150 mm with push-on rosette diameter 55 mm KLUDI A-QA ceiling arm DN 15 for head shower DN 15 6653505-00 chrome projection 150 mm with push-on rosette 61 x61 mm KLUDI A-QA fixed wall shower hook 6555105-00 chrome for hoses with conical nut with screws and dowels KLUDI A-QA wall supply DN 15 with wall-compensation ring 6554005-00 chrome KLUDI A-QA wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring 6554305-00 chrome SPARE PARTS 7486905-00 chrome for wall rails 6058205 and 6062005 for shower sets 6083005, 6084005, 6073005, 6074005, 6063005, 6064005

Accessories for all shower ranges





KLUDI SIRENA/KLUDI ZENTA soap dish for KLUDI SIRENA/KLUDI ZENTA wall rail with tube-diameter 23 mm

transparent

6210121-00

Wastes



Washbasin and bidet wastes 203



Bath and shower wastes

Washbasin- and bidet wastes product description surface article number product lockable plug for wash basin with overflow **BASIN** chrome 1042105-00 waste flow rate 22 I/min with hair strainer 1042205-00 lockable plug for wash basin without overflow waste flow rate 22 l/min chrome with hair strainer PUSH-OPEN waste lockable plug for wash basin with overflow waste flow rate >32 l/min overflow capacity approx 20 l/min 1042405-00 chrome KLUDI shank valve with waste cap G 1 1/4" 1042805-00 chrome for wash basin without overflow shank valve G 1 1/4 with overflow without ball chain and chainholder 1042705-00 chrome universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated chromium nickel steel 1040235-00 with ball chain and holder

Washbasin- and b	oidet wastes			
product		product description	surface	article number
	G 11/4	universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame plastic white with ball chain and holder	chromium nickel steel	1140235-00
	G 11/4	universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame plastic silver-grey without ball chain and chainholder	chromium nickel steel	1141635-00
	G2	universal plug-valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated	chromium nickel steel	1041135-00
	\$ 5 1/4	Universal-sieve valve G 1 1/4 valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated	chromium nickel steel	1041535-00
	50-140	design-bow lever G 1 1/4 x 32 mm with discharge-tube 330 mm with wall flange (escutcheon) adjustable drain pipe up to 120 mm with locker for cleaning according to DIN EN 274	chrome	1002005-00
	250 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 40-170 4	bottle trap G 1 1/4 G 1 1/4 x 32 mm with discharge-tube 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274	chrome	1010505-00

product product description surface article number P-trap G 11/4 G 1 1/4 x 32 mm, standard model chrome 1025005-00 with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274 P-trap G 11/4 G 1 1/4 x 32 mm adjustable drain pipe up to 120 mm with bent outlet 32 x 220 mm 1026505-00 chrome with wall flange (escutcheon) according to DIN EN 274 bottle trap G 1 1/4 G 1 1/4 x 32 mm 1011105-00 chrome with universal plug-valve brass with discharge-tube 32 x 200 mm with wall flange (escutcheon) place-saving bottle trap G 1 1/4 x 32 mm 1025505-00 chrome ≤260° with wall flange (escutcheon) with bent outlet 32 mm according to DIN EN 274 P-trap G 1 1/4 x 32 mm with adjustable thread 1036105-00 chrome and spout for water drainage G 3/4 with straight inlet with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274 +1 bidet bottle trap G 1 1/4 G 1 1/4 x 32 mm with discharge-tube 32 x 200 mm with wall flange (escutcheon) BIDET 1032105-00 chrome according to DIN EN 274

Washbasin- and bidet wastes

washbasin- and b	iuet wastes			
product		product description	surface	article number
I	60 90 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350 - 350	KLUDI bidet bottle trap G 1 1/4 with discharge-tube 32 x 290 mm with push-on rosette according to DIN EN 274	chrome	1032305-00
	270 20 132 265	bidet P - trap 1 1/4" G 1 1/4 x 32 mm with bent outlet 32 x 200 mm with wall flange (escutcheon) according to DIN EN 274	chrome	1031105-00
ACCESSORIES	- 75	pipe coupling with 2 threads for tubeconnection with 32 mm diameter	chrome	1043205-00
	C11/4	adjustable tube with hose thread G 3/4 for connection of the drain hose from washing machines G 1 1/4 x 200 mm	chrome	1046205-00
	125 -	extension tube with o-ring for extension of adjustable and outlet pipes 32 x 125 mm	chrome	1049905-00
	206	outlet tube straight with flanged rim 32 x 200 mm	chrome	84501605-00

product product description surface article number outlet tube straight with flanged rim 32 x 250 mm 84506605-00 chrome outlet tube straight with flanged rim 84502505-00 chrome 32 x 300 mm outlet tube straight without edged flange 32 x 300 mm 84514605-00 chrome outlet bend 90° with corrugation 32 x 300 mm 84507205-00 chrome brass rosette outside diameter 65 mm height 15 mm 81074605-00 chrome **→** Ø32 **→** brass rosette outside diameter 80 mm height 26 mm 81074705-00 chrome

Washbasin- and b	idet wastes			
product		product description	surface	article number
	20	brass rosette outside diameter 90 mm height 20 mm	chrome	81075405-00
	C221 690	floor tube 90° DN 32 G 1 1/4 x 220 x 680 mm	chrome	84500805-00
	G % 5 5 5 62	tap rosette G 1/2 height 5 mm	chromium nickel steel	82027235-00
	G 1/2 10 10 10 10 10 10 10 1	tap rosette G 1/2 height 10 mm	chrome	82027305-00
	C 22 12 12 12 12 12 12 12 12 12 12 12 12	tap rosette G 1/2 height 15 mm	chrome	82027405-00
		Plug G 3/8 to seal connections not in use involved with rosette	chrome	7034505-00

product

product description

surface

article number





Plug G 1/2 to seal connections not in use involved with rosette chrome

7034605-00

Bath- and shower wastes

Bath- and shower wastes						
product		product description	surface	article number		
BATH		KLUDI ROTEXA MULTI filling, waste and overflow trim set flow class C s-pointer aerator M 24 x 1 filling unit with fastening screws and plug with big valve disc noise level I	chrome	7182605-00		
	2 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1	KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set for water intake connection DN 15 incl. sink-kit with attached bottle trap 2 swivel-joints 50 mm water seal height without trim set noise level I approved acc. to DIN 19545	neutral	2131500-00		
	The state of the s	Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant	neutral	6115000-00		
	The state of the s	Nirosta-pressure hose G 1/2 x G 1/2 x 1000 mm for KLUDI ROTEXA MULTI hot water resistant	neutral	6115100-00		
	- 15 -	cover cap for tube interrupter DN 15 trim set for 1077205-00	chrome	82308505-00		
PO	G % G % G % G % G % G % G % G % G % G %	KLUDI ROTEXA MULTI pipe interrupter DN 15 pre installation set with extension protected against back flow DIN-DVGW certified	neutral	1077200-00		

Bath- and shower wastes product product description surface article number KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 2140605-00 chrome with bowden cable for bath- and deep showertubs with attached bottle trap 2 swivel-joints 50 mm water seal height KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for 2140705-00 chrome bath- and deep showertubs with flexible overflow tube with attached bottle trap 2 swivel-joints 50 mm water seal height KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap 2138510 2140805-00 chrome with bowden cable with flexible overflow tube for fitted dimensions up to 450 mm with valve - head part KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 bowden cable 850 mm long with flexible overflow tube 950 mm 2140905-00 chrome for special tubs with attached bottle trap 2 swivel-joints with valve - head part KLUDI pop-up and overflow set trim set 7106605-00 chrome rosette plate and plug with big valve disc for 2104000-00 pop-up and overflow set 7105505-00 chrome trim set rosette plate and plug with big valve disc for 7480200-00 gold plated 23 carat **7105545-00**


product product description surface article number KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2 neutral 2104000-00 pre installation set with bowden cable for bathtubs and deep showertubs with attached bottle trap 2 swivel-joints 50 mm water seal height according to DIN EN 274 approved according to LGA-Bayern **KLUDI ROTEXA 2000** 2135300-00 neutral pop-up and overflow set G 1 1/2 with bottle trap 2138510 bowden cable 850 mm long with flexible overflow tube 950 mm for special tubs with attached bottle trap 2 swivel-joints KLUDI WAGA 2000 chromium nickel 2123035-00 pop-up and overflow set G 1 1/2 for standard- and stepped bath tubs steel as well as deep showertubs SIMPLEX-head valve out of chromium nickel steel with fixed bottle trap 2 swivel-joints 50 mm water seal height with magnetic-plug according to DIN EN 274 KLUDI WAGA 2000 pop-up and overflow set G 1 1/2 2113035-00 chromium nickel for standard- and stepped bath tubs as well as deep showertubs SIMPLEX-head valve out of chromium nickel steel with fixed bottle trap 2 swivel-joints 50 mm water seal height with acrylic-rosette and simple plug according to DIN EN 274 KLUDI WAGA 2000 pop-up and overflow set G 1 1/2 with valve - head part made of 2113335-00 chromium nickel steel chromium nickel steel with acrylic-rosette and simple plug according to DIN EN 274 **SHOWER KLUDI TASSO 90** 7137005-00 chrome pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern

Bath- and shower wastes product description surface article number product KLUDI TASSO 90 pop-up waste 2109100-00 neutral for flat shower tubs with 90 mm waste hole diameter with removable bottle trap cleanable approved acc. to DIN 19545/274 approved according to LGA-Bayern **KLUDI TASSO 50** 7152005-00 chrome pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern **KLUDI TASSO 50** 2152000-00 neutral pop-up waste for flat shower tubs with 52 mm drain hole diameter with removable bottle trap according to DIN EN 274 approved according to LGA-Bayern KLUDI TASSO PLUS pop-up waste 7162005-00 chrome with removable drain pipe trim set valve disc , drain tube and fastening piece according to DIN EN 274 approved according to LGA-Bayern KLUDI TASSO PLUS pop-up waste pre installation set 2162000-00 neutral 50 mm water seal height self cleaning effect according to DIN EN 274 **KLUDI TASSO** 2111005-00 chrome standing waste
with swiveling bottle trap
50 mm water seal height
universal spout 45°, 40/50 mm

product product description article number surface pop-up waste G 1 1/2 for shower tubs with valve - head part made of chromium nickel steel 2111535-00 chromium nickel steel bottle trap for bath- and shower tubs with swiveling bottle trap 50 mm water seal height 2138410-00 extension set for special tubs for 21315 and 21040 bowden cable 850 mm long **ACCESSORIES** 7095600-00 neutral 2 fixing brackets flexible tube 950 mm eco plug with hair strainer and big valve disk 7060405-00 chrome 7125600-00 conversion set neutral bottle trap G 1 1/2 for bath- and shower tubs 2138310-00 turnable 50 mm water seal height

product product description surface article number





bottle trap G 1 1/2 for bath- and shower tubs flat model 50 mm water seal height and straight spout tube

2138010-00

outlet tube 45° G 1 1/2

2144710-00





Hospital and care






article number product product description surface KLUDI MEDI CARE SINK 349080524 chrome single lever sink mixer DN 8 clinic-lever single hole mounted flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout projection 200 mm rapid installation set copper tubes 10 mm P-İX 9572/IZ **KLUDI MEDI CARE** 349080534 chrome single lever sink mixer DN 8 care-lever single hole mounted flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout projection 200 mm rapid installation set copper tubes 10 mm P-IX 9572/IZ KLUDI MEDI CARE **BASIN** chrome 341150524 single lever basin mixer DN 8 clinic-lever single hole mounted flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ KLUDI MEDI CARE single lever basin mixer DN 8 341120524 chrome clinic-lever single hole mounted flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ KLUDI MEDI CARE 341130524 chrome single lever basin mixer DN 8 clinic-lever single hole mounted flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge
with hot water limitation rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IZ KLUDI MEDI CARE 341150534 chrome single lever basin mixer DN 8 care-lever single hole mounted flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set fixed spout

copper tubes 10 mm P-IX 9571/IZ






KLUDI MEDI CARE single lever basin mixer DN 8 care-lever single hole mounted flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IZ



chrome

341120534






KLUDI MEDI CARE single lever basin mixer DN 8 care-lever single hole mounted flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IZ



chrome

341130534





KLUDI MEDI CARE
wall mounted single-lever-mixer DN 15
clinic-lever
wall fastening
flow rate 8 l/min
care-aerator M 24 x 1
ceramic cartridge
with hot water limitation


care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections projection 180 mm PA-IX 9573/IZ



chrome

349220524





KLUDI MEDI CARE wall mounted single-lever-mixer DN 15


clinic-lever
wall fastening
flow rate 8 l/min
care-aerator M 24 x 1
ceramic cartridge
with hot water limitation
swivelling or lockable spout
projection 245 mm
s-connections
PA-IX 9573/IZ



chrome

349200524





KLUDI MEDI CARE wall mounted single-lever-mixer DN 15


clinic-lever
wall fastening
flow rate 8 I/min
care-aerator M 24 x 1
ceramic cartridge
with hot water limitation
swivelling or lockable spout
projection 335 mm
s-connections
PA-IX 9573/IZ



chrome

349240524






KLUDI MEDI CARE wall mounted single-lever-mixer DN 15

clinic-lever
wall fastening
flow rate 8 l/min
care-aerator M 24 x 1
ceramic cartridge
with hot water limitation
swivelling or lockable spout
projection 185 mm
lockable S-connections
PA-IX 9574/IZ



chrome




KLUDI MEDI CARE wall mounted single-lever-mixer DN 15 clinic-lever wall fastening

wall fastening flow rate 8 l/min care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 250 mm lockable S-connections PA-IX 9574/IZ



chrome

349210524



KLUDI MEDI CARE wall mounted single-lever-mixer DN 15


clinic-lever
wall fastening
flow rate 8 l/min
care-aerator M 24 x 1
ceramic cartridge
with hot water limitation
swivelling or lockable spout
projection 340 mm
lockable S-connections
PA-IX 9574/IZ



chrome

349250524






KLUDI STANDARD CARE wall fitting DN 15

wall fastening
flow rate 8 l/min
casted spout
care-aerator M 24 x 1
s-connections
PA-IX 8668/IZ
handle 08 = handle Terralux metal
handle 15 = handle Terralux plastic

chrome chrome

320040508 320040515





KLUDI MEDI CARE thermostatic hospital mixer DN 15


wall fastening
flow rate 8 l/min
care-aerator M 24 x 1
temperature control handle
with hot water safety device 40°C
clinic lever shut-off valve
dirt catcher sieves
lockable S-connections
PA-IX 9022/IZ

chrome

350850564

SHOWER






thermostatic shower mixer DN 15 wall fastening flow class B

flow class B
temperature control handle
with hot water safety device 38° C
unlocking via Allen key by the lockable button
ceramic shut-off valve 180°
shower outlet G 1/2
protected against back flow
dirt catcher sieves
lockable S-connections
P-IX 8049/IB



chrome




KLUDI SIRENA CARE barrier-free shower bar

L = 900 mm integrated grab handles length of handle: 90° = 250 mm, 45° = 300 mm, left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts

chrome

6150205-00




KLUDI SIRENA CARE

barrier-free shower bar
L = 900 mm
integrated grab handles
(hand hold length 300 mm and 45° angle),
left and right suitable
50 mm projection
fastening set with special dowels
continuously adjustable slider
adjustable by pulling-down the shower hose
vertically and horizontally adjustable
adjustable shower holder
Suparaflex shower hose anti twist
G 1/2 x G 1/2 x 1600 mm
with conical nuts

chrome

6150405-00



KLUDI SIRENA CARE barrier-free shower bar

L = 900 mm integrated grab handles (length of handle 250 mm und 90° angle), left and right suitable 50 mm projection fastening set with special dowels continuously adjustable slider adjustable by pulling-down the shower hose vertically and horizontally adjustable adjustable shower holder Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts

chrome

6150305-00

KLUDI MEDI CARE product description surface article number product KLUDI SIRENA CARE barrier-free bath tub holder chrome 6150505-00 length of handle 250 and 300 mm, horizontal and 45° angle 50 mm projection fastening set with special dowels **KLUDI SIRENA CARE** 6150605-00 chrome barrier-free bath tub holder length of handle 300 mm 50 mm projection fastening set with special dowels **ACCESSORIES KLUDI MEDI CARE** chrome 358450538 angle valve thermostat for assembly on angle valves with 3/8' outlet adjustment of the maximum spout temperature covered under protection cap only possible with tool scald protection if cold water fails possibility of thermal disinfection EDG. G 3/8 . SW 19 KLUDI MEDI CARE tube installation kit 7487905-00 chrome for KLUDI MEDI-CARE angle valve thermostat \square for angle valve with 200 mm centre to centre distance
cold water-joint tube
warm water connection tube with box nut
T-connector with 3 end-load-bearing conical
brass compression joint with length adjustment place-saving bottle trap G 1 1/4 x 32 mm with wall flange (escutcheon) with bent outlet 32 mm 1025505-00 chrome 5260 according to DIN EN 274



KLUDI MEDI CARE chrome clinic-lever

7694305-00

KLUDI MEDI CARE

product		product description	surface	article number
	160	KLUDI MEDI CARE care-lever	chrome	7694205-00
	158	Thermostat clinic-lever	chrome	7563805-00

					KLUDI PROVITA
product		product description		surface	article number
BASIN		KLUDI PROVITA single lever basin mixer DN 8 optional for CLINIC- or PUBLIC lever single hole mounted flow class Z flow rate 7,6 I/min PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout pop-up waste G 1 1/4 copper tubes 10 mm P-IX 19335/IZ	eco	chrome	333300500
		required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
		KLUDI PROVITA public lever		chrome	7493005-00
		KLUDI PROVITA single lever basin mixer DN 8 optional for CLINIC- or PUBLIC lever single hole mounted flow class Z flow rate 7,6 l/min PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 19335/IZ		chrome	333360500
		required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
	- Jan	KLUDI PROVITA public lever		chrome	7493005-00
	97C 3/5	KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow class Z flow rate 7,6 I/min PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections P-IX 19335/IZ		chrome	335300500
	30.00 187725	required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
	GZ/ 95	KLUDI PROVITA public lever		chrome	7493005-00

KI UDI PROVITA

KLUDI PROVITA					
product		product description		surface	article number
	G22 - 190 L17 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 175 - 17	KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow class Z flow rate 7,6 I/min PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections P-IX 19335/IZ	000	chrome	335320500
	150-17-216	required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
	921	KLUDI PROVITA public lever		chrome	7493005-00
	923 317 327 300 317 317 317 317 317 317 317 317 317 317	KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow class Z flow rate 7,6 l/min PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout s-connections P-IX 19335/IZ	eco	chrome	335360500
	250 - 17 - 277-215	required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
	9%.	KLUDI PROVITA public lever		chrome	7493005-00
	922	KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow class Z flow rate 7,6 I/min PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout lockable S-connections P-IX 19335/IZ	000	chrome	335310500
	150.21 (85.37)	required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
		KLUDI PROVITA public lever		chrome	7493005-00

				KLU	DI PROVITA
product		product description		surface	article number
	90 L(1 00)	KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow class Z flow rate 7,6 I/min PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout lockable S-connections P-IX 19335/IZ	<u>eco</u>	chrome	335330500
	250 à 1 200 C	required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
	639.	KLUDI PROVITA public lever		chrome	7493005-00
	90 - 7 820 85 - 286 925 - 286 17	KLUDI PROVITA wall mounted single-lever-mixer DN 15 optional for CLINIC- or PUBLIC lever wall fastening flow class Z flow rate 7,6 l/min PCA Care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout lockable S-connections P-IX 19335/IZ	eco	chrome	335370500
	150 - 1 223	required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
	6% 95 325 95	KLUDI PROVITA public lever		chrome	7493005-00
ватн	9165 Q	KLUDI PROVITA concealed single lever bath and shower mixer concealed valve with functional unit autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC		chrome	336500500
		required accessories: KLUDI PROVITA clinic-lever		chrome	7491005-00
		KLUDI PROVITA public lever		chrome	7493005-00
		KLUDI FLEXX.BOXX concealed unit DN 20			88011

KLUDI PROVITA

KLUDI PROVITA				
product		product description	surface	article number
SHOWER	63, 63,	thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C unlocking via Allen key by the lockable button ceramic shut-off valve 180° shower outlet G 1/2 protected against back flow dirt catcher sieves lockable S-connections P-IX 8049/IB	chrome	353300538
	0.65	KLUDI PROVITA concealed single lever shower mixer concealed valve with functional unit ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC required accessories:	chrome	336550500
		KLUDI PROVITA clinic-lever	chrome	7491005-00
		KLUDI PROVITA public lever	chrome	7493005-00
		KLUDI FLEXX.BOXX concealed unit DN 20		88011
ACCESSORIES		KLUDI PROVITA clinic-lever projection 180 mm for KLUDI PROVITA-fittings 333300500, 333360500, 335300500, 335310500, 335320500, 335330500, 335360500, 335370500, 336600500,	chrome	7491005-00
	180	338600500 KLUDI PROVITA public lever throat 120 mm for KLUDI PROVITA-fittings 333300500, 333360500, 335300500, 335310500, 335320500, 335330500, 335360500, 335370500, 336600500, 338600500	chrome	7493005-00
	120			

Kitchen fittings



KLUDI ADLON



J00P! 234



KLUDI E-GO



KLUDI TANGENTA



KLUDI MX 238



KLUDI L-INE



KLUDI L-INE S 242



KLUDI BINGO STAR 243



KLUDI BOZZ 245



KLUDI ZENTA 246



KLUDI OBJEKTA 247



KLUDI KOMET 249



KLUDI TRENDO 251



KLUDI SCOPE 253



KLUDI LOGO NEO 255



KLUDI TERCIO 256



KLUDI STANDARD 257



Accessories and kitchen accessories 264

product product description surface article number KLUDI ADLON sink mixer DN 8 SINK 516060520 chrome sink mixer DN 8
cross handle
single hole mounted
flow class A
swivelling spout (360°)
cascade aerator M 22 x 1
ceramic headpart 180°
copper tubes 10 mm KLUDI ADLON sink mixer DN 6 cross handles 516000520 chrome cross handles
single hole mounted
flow rate 5 l/min
swivelling spout (360°)
flow regulator M 22 x 1
ceramic headpart 180°
for use with displacement heaters
copper tube 8 mm KLUDI ADLON handle with cowling "COLD" **SPARE PARTS** 7530005-00 chrome KLUDI ADLON handle with cowling "HOT" 7530105-00 chrome

J00P!

SINK

JOOP!
multifunction-fitting DN 10
for sink- and washbasins
solid lever
single hole mounted
flow class A
cascade aerator M 24 x 1
caramic cartridge with hot water limitation
swivelling spout (360°)
shank fastening
flexible hoses G 3/8
noise level I

JOOP!
lever for single lever mixer
55904


T447805-00

article number

surface








KLUDI E-GO electronic controlled single lever sink mixer DN 15 single hole mounted Flow class A
Caché-aerator M 21,5 x 1
ceramic cartridge with hot water limitation
adjustable temperature through lever setting optical object-detection

product description

automatic initial sensor measurement automatic linual sensor measurement electric power supply via 230 V main adapter with magnet-cartridge-valve swivelling spout (360°) backflow preventer with dirt trap sreens rapid installation set flexible hoses G 3/8 noise level I

















chrome







KLUDI E-GO electronic controlled single lever sink mixer DN 15

solid lever single hole mounted flow class Z Caché-aerator M 16,5 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation removable mouthpiece
adjustable temperature through lever setting
optical object-detection
automatic initial sensor measurement electric power supply via 230 V main adapter with magnet-cartridge-valve backflow preventer with dirt trap sreens rapid installation set flexible hoses G 3/8 protected against back flow




chrome









RLUDI E-GO
electronic controlled single lever
sink mixer DN 15
solid lever
single hole mounted
flow class Z
Caché-aerator M 16,5 x 1
water flow regulator 8.0 l/min
ceramic cartridge with hot water limitation
swivelling spout (360°)
removable mouthpiece
adjustable temperature through lever setting
optical object-detection
automatic initial sensor measurement
electronic unit with battery control device
6 V lithium battery CR-P2
with magnet-cartridge-valve
backflow preventer with dirt trap sreens
rapid installation set
flexible hoses G 3/8
protected against back flow



chrome








SPARE PARTS KLUDI E-GO chrome 7489505-00



lever for single lever sink mixer 42200, 42205, 42210, 42215

article number

SINK



KLUDI TANGENTA single lever sink mixer DN 10

product description


solid lever Material: Stainless Steel single hole mounted flow class Z s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) shank fastening flexible hoses G 3/8 noise level I



stainless steel brushed

44904F875





KLUDI TANGENTA single lever sink mixer DN 10 solid lever


Material: Stainless Steel Material: Staffless Steel
single hole mounted
flow class Z
s-pointer aerator M 24 x 1
ceramic cartridge with hot water limitation
swivelling (110°) spout, pull-out hand spray
protected against back flow shank fastening flexible hoses G 3/8 noise level I



stainless steel brushed

44991F875





noise level I

KLUDI TANGENTA single lever sink mixer DN 10 with pull-out hand shower Material: Stainless Steel single hole mounted flow class Z aerator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) automatic diverter: shower/spray protected against back flow shank fastening flexible hoses G 3/8



stainless steel brushed

44941F875






clamping-screw-wrench for KLUDI TANGENTA

neutral

92917000-00

KLUDI MX product product description surface article number KLUDI MX single lever sink mixer DN 15 SINK chrome 399040562 mocca/chrome 399048262 open ring lever white/chrome 399049262 single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 18638/IA KLUDI MX 399050562 chrome single lever sink mixer DN 15 open ring lever single hole mounted flow rate 5 l/min
flow regulator M 24 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°)
rapid installation set







flexible hoses G 3/8

P-IX 18641/I

for use with displacement heaters






chrome mocca/chrome white/chrome

399060562 399068262 399069262






KLUDI MX multi single lever sink mixer DN 15 open ring lever, single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set one connection for washing machine or dishwasher flexible hoses G 3/8 for use with displacement heaters PA-IX 18646/I



chrome

399070562






KLUDI MX single lever sink mixer bayonette DN 15 open ring lever single hole mounted flow class A cascade aerator M 24 x 1A ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 P-IX 18638/IA



chrome

399340562





KLUDI MX single lever sink mixer DN 15 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand shower automatic diverter: shower/spray protected against back flow copper tubes 10 mm P-İX 18643/IA0




chrome mocca/chrome white/chrome





product description article number product surface





KLUDI MX single lever sink mixer DN 15


open ring lever single hole mounted flow rate 5 I/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand shower automatic diverter: shower/spray for use with displacement heaters copper tube 8/10 mm P-IX 18644/I



chrome

399420562





KLUDI MX

multi single lever sink mixer DN 15 open ring lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand shower automatic diverter: shower/spray one connection for washing machine or dishwasher protected against back flow copper tubes 10 mm PA-IX 18642/IAO



chrome mocca/chrome white/chrome

399450562 399458262 399459262



SPARE PARTS



kitchen-showers automatic diverter: shower/spray s-pointer aerator M 24 x 1

flow class A for 33941, 33945, 39941, 39945 chrome mocca white

7403005-00 7403019-00 7403036-00



kitchen-showers automatic diverter: shower/spray with flow aerator M 24 x 1/ND

flow rate 5 I/min for 33942, 33947, 39942

chrome

7811905-00




KLUDI MX lever for single lever sink mixer 39904, 39905, 39906, 39907, 39934, 39941, 39942, 39945 chrome mocca white

7488405-00 7488419-00 7488436-00



SINK




KLUDI L-INE single lever sink mixer DN 10 solid lever, single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I



chrome

428140577






KLUDI L-INE single lever sink mixer DN 10 solid lever, single hole mounted flow rate 5 l/min Caché-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I for use with displacement heaters



chrome

428190577






KLUDI L-INE multi single lever sink mixer DN 10 solid lever, single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8 noise level I



chrome

428160577






KLUDI L-INE single lever sink mixer bayonette DN 10 solid lever, single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm shank fastening flexible hoses G 3/8 noise level I



chrome

428170577





KLUDI L-INE single lever sink mixer DN 10 solid lever, single hole mounted flow class Z caché Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (220°) pull-out telescopic hand spray with horizontal guidance (245 – 315 mm) protected against back flow shank fastening flexible hoses G 3/8 noise level I




chrome

428210577









KLUDI L-INE single lever sink mixer DN 10 solid lever, two hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set noise level I



chrome

Froduct description surface article number

KLUDI L-INE single lever sink mixer DN 10 solid lever two hole mounted flow class A PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 rapid installation set noise level I


KLUDI L-INE lever for single lever sink mixer 42814, 42816, 42817, 42819, 42821, 42853, 42854

KLUDI L-INE S

product product description surface article number







KLUDI L-INE S single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge flow regulator M 18 x 1 flow rate 7,1 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 shank fastening

chrome

408030575





KLUDI L-INE S
single lever sink mixer DN 15
solid lever
single hole mounted
ceramic cartridge
Laminar-flow regulator M 18 x 1
flow rate 8,2 l/min at 3 bar
swivelling spout, pull-out hand spray
protected against back flow
flexible hoses G 3/8
shank fastening shank fastening




chrome chrome/matt black chrome/matt white

surface article number product description product

SINK





KLUDI BINGO STAR single lever sink mixer DN 15

solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 9772/IO



chrome stainless steel look 428030578 428039678






KLUDI BINGO STAR single lever sink mixer DN 15

solid lever single hole mounted flow rate 5 l/min
Caché-flow regulator M 16,5 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°)
rapid installation set flexible hoses G 3/8 for use with displacement heaters



chrome stainless steel look 428090578 428099678






KLUDI BINGO STAR multi single lever sink mixer DN 10

solid lever single hole mounted flow class Z HOW Class 2 PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set



chrome stainless steel look 428360578 428369678





KLUDI BINGO STAR single lever sink mixer bayonette DN 15


flexible hoses G 3/8

solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) flexible hoses G 3/8 for installation beneath windows remaining socket height: 25 mm



chrome stainless steel look 428570578 428579678





KLUDI BINGO STAR single lever sink mixer DN 15 solid lever

single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (230°), pull-out hand spray flexible hoses G 3/8 protected against back flow



chrome stainless steel look 428510578 428519678





KLUDI BINGO STAR single lever sink mixer DN 15 solid lever

single hole mounted flow class Z pull-out hand shower with automatic diverter: shower/spray ceramic cartridge with hot water limitation swivelling spout (230°) shank fastening flexible hoses 6 3/8 protected against back flow



chrome








KLUDI BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA Caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge with hot water limitation swivel (360°) — removable spout protected against back flow rapid installation set flexible hoses G 3/8 noise level I



chrome

428590578





KLUDI BINGO STAR 200
single lever sink mixer DN 15
semi-profi version
solid lever
single hole mounted
flow class A
cascade aerator M 24 x 1
ceramic cartridge with hot water limitation
swivelling spout (220°), pull-out hand spray
flexible hoses G 3/8
protected against back flow



chrome

428550578

SPARE PARTS




KLUDI BINGO STAR lever for single lever sink mixer 42803, 42809, 42836, 42857, 42851, 42852, 42855, 42859 chrome stainless steel look 7303805-00 7303896-00 SINK

KLUDI BOZZ
single lever sink mixer DN 10
solid lever
single hole mounted
flow class A
PCA Caché-laminar-flow-regulator M 21,5 x I
ceramic cartridge with hot water limitation
swivelling spout (360°)
flexible hoses G 3/8
rapigle lever sink mixer DN 10
solid lever
single hole mounted
flow class Z
PCA Caché-Laminar-flow regulator M 16,5 x 1
ceramic cartridge with hot water limitation
swivelling spout (230°), pull-out hand spray
flexible hoses G 3/8
protected against back flow





article number product product description surface KLUDI ZENTA single lever sink mixer DN 10 SINK chrome 389730575 black/chrome 389738675 solid lever white/chrome 389739175 single hole mounted stainless steel look 389739675 flow class A



KLUDI ZENTA
single lever sink mixer DN 10
solid lever
single hole mounted
flow rate 5 l/min
flow regulator M 24 x 1
ceramic cartridge
swivelling spout (360°)
rapid installation set
flexible hoses G 3/8
for use with displacement heaters


aerator M 24 x 1 ceramic cartridge swivelling spout (360°) flexible hoses G 3/8

noise level I

noise level I



chrome **389790575**




KLUDI ZENTA single lever sink mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) with shank fastening flexible hoses G 3/8



chrome

389840575

NEW



KLUDI ZENTA
single lever sink mixer DN 15
with pull-out hand shower
solid lever
single hole mounted
flow class A
aerator M 18 x 1
ceramic cartridge with hot water limitation
swivelling spout (110°)
automatic diverter: shower/spray
protected against back flow
with shank fastening
flexible hoses G 3/8



chrome

389810575

NEW


SPARE PARTS



KLUDI ZENTA lever for single lever sink mixer for 38973, 38979

chrome black/chrome white/chrome stainless steel look 7487205-00 7487286-00 7487291-00 7487296-00






KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38973, 38979

chrome

92069905-00

surface article number product product description






KLUDI OBJEKTA single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8

rapid installation set

chrome

325740575






KLUDI OBJEKTA single lever sink mixer DN 15 for use with displacement heaters solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) flexible hoses G 3/8 rapid installation set



chrome

325750575






KLUDI OBJEKTA multi single lever sink mixer DN 15 solid lever single hole mounted single flote floutified ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8



chrome

325760575





KLUDI OBJEKTA multi single lever sink mixer DN 15 for use with displacement heaters solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) one connection for washing machine or dishwasher

rapid installation set flexible hoses G 3/8




chrome

325770575







KLUDI OBJEKTA single lever sink mixer bayonette DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1


flow rate 13,3 l/min at 3 bar swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm shank fastening flexible hoses G 3/8



chrome

325780575






KLUDI OBJEKTA

multi single lever sink mixer bayonette DN 15 solid lever, single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,1 I/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm shank fastening flexible hoses G 3/8



chrome

product product description article number surface



kLUDI OBJEKTA
single lever sink mixer DN 15
solid lever
single hole mounted
ceramic cartridge with hot water limitation
s-pointer aerator M 24 x 1
flow class Z
swivelling (110°), pull-out hand shower
automatic diverter: shower/spray
protected against back flow
flexible hoses G 3/8
shank fastening




325810575 chrome



328810575 chrome






KLUDI OBJEKTA wall mounted single lever sink mixer DN 15 solid lever wall fastening
flow class B
cascade aerator M 24 x 1
ceramic cartridge with hot water limitation
swivelling or lockable spout
Projection: 115 mm s-connections

chrome





KLUDI OBJEKTA wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class B now class B cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 180 mm s-connections

Kitchen fittings

article number product product description surface






KLUDI KOMET single lever sink mixer DN 10 open ring lever

single hole mounted flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 P-IX 9014/IA

chrome

337940562





KLUDI KOMET single lever sink mixer DN 10


open ring lever single hole mounted flow rate 5 l/min
flow regulator M 24 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°)
rapid installation set flexible hoses G 3/8 for use with displacement heaters P-IX 9015/I



chrome

337950562





KLUDI KOMET


multi single lever sink mixer DN 10 open ring lever flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8



chrome

337960562





KLUDI KOMET

PA-IX 9012/IA

multi single lever sink mixer DN 8 open ring lever, single hole mounted flow rate 5 I/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set copper tube 8/10 mm



chrome

337970562



for use with displacement heaters

PA-IX 9026/I

KLUDI KOMET single lever sink mixer bayonette DN 10 open ring lever, single hole mounted


flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 P-IX 9013/IA



chrome

337980562






KLUDI KOMET

single lever sink mixer bayonette DN 10 open ring lever single hole mounted flow rate 5 I/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 for use with displacement heaters




chrome





KLUDI KOMET product product description surface article number KLUDI KOMET multi single lever sink mixer bayonette DN 10 open ring lever chrome 337990562 open fillow class A
aerator M 24 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°)
one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 PA-IX 9019/IA





KLUDI KOMET single lever sink mixer DN 8 open ring lever single hole mounted flow class A
aerator M 24 x 1
ceramic cartridge with hot water limitation
swivelling (110°) spout, pull-out hand spray
protected against back flow copper tubes 10 mm


P-IX 9030/IA



chrome

337910562





KLUDI KOMET single lever sink mixer DN 8 open ring lever single hole mounted flow rate 5 l/min
flow regulator M 24 x 1
ceramic cartridge with hot water limitation
swivelling (110°) spout, pull-out hand spray
copper tube 8/10 mm for use with displacement heaters P-IX 9029/I



chrome

337920562






KLUDI KOMET lever for single lever sink mixer 33794, 33795, 33796, 33797, 33798, 33793, 33799, 33791, 33792

chrome

7418205-00






KLUDI TRENDO
single lever sink mixer DN 15
single hole mounted
solid lever
ceramic cartridge with hot water limitation
flow regulator M 24 x 1
flow class A
swivelling spout (360°)
flexible hoses G 3/8
rapid installation set G 3/8

chrome stainless steel look 335740575 335749675






KLUDI TRENDO
single lever sink mixer DN 15
for use with displacement heaters
solid lever
ceramic cartridge with hot water limitation
flow regulator M 24 x 1
flow rate 5 l/min
swivelling spout (360°)
rapid installation set
flexible hoses G 3/8



chrome stainless steel look 335750575 335759675






KLUDI TRENDO
multi single lever sink mixer DN 15
single hole mounted
solid lever
ceramic cartridge with hot water limitation
flow regulator M 24 x 1
flow class A
swivelling spout (360°)
one connection for washing machine or
dishwasher
rapid installation set
flexible hoses G 3/8



chrome stainless steel look 335760575 335769675






KLUDI TRENDO
multi single lever sink mixer DN 15
for use with displacement heaters
single hole mounted
solid lever
ceramic cartridge with hot water limit
flow regulator M 24 x 1

ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set

chrome

335770575





KLUDI TRENDO


flexible hoses G 3/8

single lever sink mixer bayonette DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm shank fastening flexible hoses G 3/8



chrome stainless steel look 335780575 335789675





KLUDI TRENDO


multi single lever sink mixer bayonette DN 15 single hole mounted, solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class A swivelling spout (360°) one connection for washing machine or dishwasher for installation beneath windows remaining socket height: 25 mm shank fastening flexible hoses G 3/8



chrome

KLUDI TRENDO

product product description surface article number



KLUDI TRENDO
single lever sink mixer DN 15
single hole mounted
solid lever
ceramic cartridge with hot water limitation
flow regulator M 16,5 x 1
flow class Z
swivelling (110°), pull-out hand shower
automatic diverter: shower/spray
protected against back flow
copper tubes 10 mm
shank fastening



chrome stainless steel look 335810575 335819675

SPARE PARTS

KLUDI TRENDO pull-out hand shower

chrome stainless steel look


7451805-00 7451896-00



KLUDI TRENDO lever for single lever sink mixer 33574, 33575, 33576, 33577, 33578, 33579, 33581 chrome stainless steel look 7301805-00 7301896-00







KLUDI SCOPE single lever sink mixer DN 10


solid lever single hole mounted flow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I P-IX 19449/I0

chrome stainless steel look

surface

339339675






KLUDI SCOPE

single lever sink mixer DN 10 solid lever single hole mounted flow rate 5 l/min
Caché-flow regulator M 16,5 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°)
rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I P-IX 19451/I



chrome stainless steel look 339390575 339399675






KLUDI SCOPE XL single lever sink mixer DN 10

solid lever single hole mounted flow class A llow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I P-IX 19449/IO

chrome stainless steel look 339300575 339309675





KLUDI SCOPE

single lever sink mixer bayonette DN 10


solid lever single hole mounted flow class A Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 noise level I P-IX 19449/IO



chrome stainless steel look

339380575 339389675





KLUDI SCOPE


single lever sink mixer DN 8 solid lever

single hole mounted flow class A aerator M 22 x 1
ceramic cartridge with hot water limitation
swivelling (110°) spout, pull-out hand spray
protected against back flow shank fastening copper tubes 10 mm noise level I



chrome stainless steel look 339310575 339319675





KLUDI SCOPE

single lever sink mixer DN 8 solid lever single hole mounted flow rate 5 I/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) spout, pull-out hand spray shank fastening copper tube 8 mm for use with displacement heaters



chrome

339320575



Kitchen fittings

KLUDI SCOPE

product	product description	surface article number
SPARE PARTS	KLUDI SCOPE	chrome 7501005-00 stainless steel look 7501096-00




KLUDI SCOPE lever for single lever sink mixer 33933, 33939, 33930, 33938 chrome **7842105-00** stainless steel look **7842196-00**




surface article number product product description KLUDI LOGO NEO single lever sink mixer DN 10 SINK chrome 379130575 solid lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 noise level I PA-IX 7526/IA KLUDI LOGO NEO single lever sink mixer DN 10 379190575 chrome solid lever single hole mounted flow rate 5 l/min
flow regulator M 24 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°)
rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I PA-IX 7527/I **KLUDI LOGO NEO** chrome 379240575 wall mounted single lever sink mixer DN 15 solid lever wall fastening Wall lastering
flow class A
aerator M 22 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°) G 3/4 x 200 mm
s-connections noise level I KLUDI LOGO NEO wall mounted single lever sink mixer DN 15 379140575 chrome solid lever wall fastening distance from center to center 45 mm distance from earlier to center 43 min flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) 200 mm s-connections G 1/2 x G 1/2 noise level I **ACCESSORIES** extension for single lever sink mixer 7676005-00 chrome 389130575/389190575 379130575/379190575 389630575/389590575 **SPARE PARTS** KLUDI LOGO NEO 7495005-00 chrome lever for single lever mixer 37281, 37282, 37276, 37280, 37283, 37275, 37531, 37533, 37681, 37592, 37591, 37719, 37841, 37920, 37913, 37914, 37919, 37924, 37285, 37290

KLUDI TERCIO product description product surface article number KLUDI TERCIO single lever sink mixer DN 15 solid lever SINK chrome 389430575 single hole mounted flow class A flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8 KLUDI TERCIO single lever sink mixer DN 15 solid lever 389490575 chrome single hole mounted flow rate 5 l/min
flow regulator M 24 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°)
rapid installation set flexible hoses G 3/8 for use with displacement heaters 389400575 chrome





KLUDI TERCIO single lever sink mixer XL DN 15 solid lever single hole mounted flow class A flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set flexible hoses G 3/8



KLUDI TERCIO
wall mounted single lever sink mixer DN 15
solid lever
wall fastening
flow class A
flow regulator M 22 x 1
ceramic cartridge with hot water limitation
swivelling spout (360°) G 3/4 x 200 mm
s-connections

chrome **389640575**

William Land Citation

			KLUDI	STANDARD
product		product description	surface	article number
SINK	3300 0233	KLUDI STANDARD sink mixer DN 8 single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 copper tubes 10 mm PA-IX 3105/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	316230508 316230515
	500	KLUDI STANDARD sink mixer DN 6 single hole mounted flow rate 5 l/min swivelling casted spout (360°) flow regulator M 24 x 1 copper tube 8 mm for use with displacement heaters P-IX 3606/l handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	319110508 319110515
	948 1045 200 200 200 200 200	KLUDI STANDARD multi sink mixer DN 8 handle Terralux ABS single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 one connection for washing machine or dishwasher copper tubes 10 mm PA-IX 3102/IA	chrome	317100515
	200 225 200 225 200 225	KLUDI STANDARD multi sink mixer DN 8 handle Terralux ABS single hole mounted flow rate 5 l/min swivelling casted spout (360°) flow regulator M 24 x 1 one connection for washing machine or dishwasher for use with displacement heaters copper tube 8/10 mm PA-IX 7727/I	chrome	317300515
	24-2 250 203 250 206 270	KLUDI STANDARD multi sink mixer DN 8 handle Terralux ABS single hole mounted flow class A swivelling casted spout (360°) aerator M 24 x 1 two connections for washing machine and dishwasher copper tubes 10 mm PA-IX 3664/IA DIN-DVGW-AT-2177	chrome	317110515
	359 028 329 139	KLUDI STANDARD sink mixer DN 8 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 copper tubes 10 mm P-IX 3515/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	316580508 316580515


KLUDI STANDARD product product description surface article number **KLUDI STANDARD** chrome 319210508 sink mixer DN 6 319210515 chrome single hole mounted flow rate 5 I/min swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters handle 08 = handle Terralux metal handle 15 = handle Terralux plastic **KLUDI STANDARD** 316560508 chrome



KLUDI STANDARD sink mixer DN 8 single hole mounted flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 chainholder copper tubes 10 mm P-IX 3515/IA DIN-DVGW-AT-2177

DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic chrome 316560515






KLUDI STANDARD
multi sink mixer DN 8
handle Terralux ABS
single hole mounted
flow class A
swivelling spout (360°)
aerator M 22 x 1
one connection for washing machine or
dishwasher
copper tubes 10 mm
PA-IX 3102/IA
DIN-DVGW-AT-2177

chrome **317030515**





KLUDI STANDARD
multi sink mixer DN 8
handle Terralux ABS
single hole mounted
flow rate 5 l/min
swivelling spout (360°)
flow regulator M 22 x 1
one connection for washing machine or
dishwasher
copper tube 8/10 mm
for use with displacement heaters


PA-IX 7727/I



chrome **317230515**








KLUDI STANDARD
multi sink mixer DN 8
handle Terralux ABS
single hole mounted
flow class A
swivelling spout (360°)
aerator M 22 x 1
two connections for washing machine and
dishwasher
copper tubes 10 mm
PA-IX 3664/IA



chrome

317010515






KLUDI STANDARD
sink mixer DN 6
handle Terralux plastic
single hole mounted
flow rate 5 l/min
swivelling tube spout (360°)
flow regulator M 22 x 1
spout fitting G 3/4
copper tube 8 mm
for use with displacement heaters



chrome

319200515





KLUDI STANDARD temperature regulating mixer for basin and sink DN 6


handle Terralux plastic single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters P-IX 8101/I



chrome

surface





KLUDI STANDARD temperature regulating mixer for basin and sink DN 6


handle Terralux plastic single hole mounted flow rate 5 l/min swivelling tube spout (360°) flow regulator M 22 x 1 spout fitting G 3/4 copper tube 8 mm for use with displacement heaters P-IX 8101/I



chrome

319190515






KLUDI STANDARD

wall mounted sink mixer DN 15

wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic chrome chrome 310520508 310520515






KLUDI STANDARD wall mounted sink mixer DN 15

wall fastening flow class A now class A
swivelling tube spout (360°)
aerator M 22 x 1
spout fitting G 3/4
s-connections P-IX 1936/IA DIN-DVGW-AT-2177

handle 08 = handle Terralux metal handle 15 = handle Terralux plastic chrome chrome 310530508 310530515






KLUDI STANDARD wall mounted sink mixer DN 15

wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 s-connections P-IX 1936/IA DIN-DVGW-AT-2177 handle 08 = handle Terralux metal handle 15 = handle Terralux plastic chrome chrome

310550508 310550515





special wall mounted sink mixer DN 15

handle Terralux plastic wall fastening swivelling tube spout (360°) distance from center to center 45 mm flow class A aerator M 22 x 1 P-IX 4085/IIA

chrome

314530515

Kitchen fittings

KLUDI STANDARD

VEODI STANDARD				
product		product description	surface	article number
	G /4 P85, 350 A00 200 A00 A00 A00 A00 A00 A00 A00 A0	KLUDI STANDARD sink swivelling valve DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue/red PA-IX 2524/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	304050508 304050515
	6 %	KLUDI STANDARD sink swivelling valve DN 15 wall fastening flow class A swivelling tube spout (360°) aerator M 22 x 1 spout fitting G 3/4 marking: blue PA-IX 2524/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	304090508 304090515
	G 1/2	KLUDI STANDARD bibcock DN 15 flow class A aerator M 22 x 1 marking: blue/red P-IX 2585/IA handle 08 = handle Terralux metal handle 15 = handle Terralux plastic	chrome chrome	300150508 300150515
	G 1/2	KLUDI STANDARD bibcock DN 15 handle Terralux ABS wall fastening hose thread M 22 x 1 marking: blue/red	chrome	300230515
	G 1/2	KLUDI STANDARD bibcock DN 15 wall fastening spout fitting G 3/4 marking: blue/red	chrome	300250508
SPARE PARTS	45	KLUDI STANDARD-handle 08 handle Terralux metal, marked: blue	chrome	7542105-00

	c	P,
	ζ	
	2	
B	ē	
ě	Ė	
١	۰	
	2	
	٩	Ľ
B	2	
	ì	
1	Į	7
ľ	i	ì

			KLUD	1 9 IAMDAND
product		product description	surface	article number
	45	KLUDI STANDARD-handle 08 handle Terralux metal, marked: red	chrome	7542205-00
	45	KLUDI STANDARD-handle 15 handle Terralux ABS, marked: blue	chrome	7636005-00
	45	KLUDI STANDARD-handle 15 handle Terralux ABS, marked: red	chrome	7636105-00
		KLUDI STANDARD-handle 01 handle Trias, marked: blue	chrome	7558505-00
	31	KLUDI STANDARD-handle 01 handle Trias, marked: red	chrome	7558605-00
		swivelling casted spout with grub screw fixing projection 200 mm with aerator M 24 x 1/IA for Standard Multi mixer	chrome	7540705-00


KLUDI STANDARD

product	product description	surface	article number
	swivelling casted spout with grub screw fixing projection 200 mm with flow aerator M 24 x 1/ND for Standard Multi mixer for low pressure mixer	chrome	7540805-00
	swivelling casted spout with grub screw fixing projection 200 mm with aerator M 24 x 1/IA for mixer 31623	chrome	7540905-00
	swivelling casted spout with grub screw fixing projection 200 mm with flow aerator M 24 x 1/ND for mixer 31911	chrome	7541005-00
	HU-spout 200 mm for Standard-kitchen mixers with grub screw fixing with aerator M 22 x 1/A	chrome	7540405-00
	HU-spout 200 mm for Standard-kitchen mixers with grub screw fixing with flow aerator M 22 x 1/ND for low pressure mixer	chrome	7540605-00
	HU tube spout 200 mm turnable with aerator M 22 x 1/IA with swivel nut G 3/4 for 31656, 31657, 31658	chrome	7541305-00

KLUDI STANDARD

product	product description	surface	article number
	HU tube spout 200 mm turnable with flow aerator M 22 x 1/ND with swivel nut G 3/4 for low pressure mixer 31901, 31919, 31921	chrome	7541805-00
	s-spout G 3/4 x 150 mm	chrome	7556705-00

Accessories





Cartridge Navigator 268 Gasket kit Navigator 270



Spare parts and accessories

Cartridge Navigator

Are you looking for the right cartridge for a fitting? The Cartridge Navigator will give you the answer. A dot indicates the standard cartridge for the relevant range. Products with other cartridges are listed in the table with their article number.

Bath- room	HIGH PR	ESSURE									LOW PRE	ESSURE
Article number	7486800-00	7661900-00	7560500-00	7494700-00	7560700-00	7565400-00	7685600-00	7459800-00	7520100-00	7436600-00	7480500-00	7412900-00
Catridge size	K25	K28	K35	KJ35	K36	K36C	K41	K41	K46	KK46	K35	K41
								b	•			
KLUDI AMBA		•					534450575 535900575 534470575 534480575 537100575					
KLUDI AMPHORA			•				544430575 547140575					
KLUDI BALANCE			•				524470575 524480575 525900575					
KLUDI BINGO STAR			•									
KLUDI BOZZ			•								•	
KLUDI E2		•					494450575 497140575 494470575 495900575 490260575					
Für KLUDI FLEXX.BOXX 88077/88075 und Feinbausets zu KLUDI FLEXX.BOXX 88011							•					
JOOP!			•				554430575					
KLUDI KIDÓ							•					
KLUDI LOGO MIX			•								•	
KLUDI LOGO NEO	370230575		•		372840575 372870575	372890575					•	
KLUDI MEDI CARE										•		
KLUDI MEDI MIX									•			
KLUDI MX							•					•
KLUDI OBJEKTA MIX NEW							•		336850575 334910575 334890575N 335430575 335710575N			332340575
KLUDI OBJEKTA	320230575 320240575		•				326530575 327640575 324890575 326510575 326850575 324910575				•	
KLUDI O-CEAN			•	383450510	420250573		387700575 389700575					
KLUDI PROVITA								•				
KLUDI Q-BEO			•				504430565 507140565					
KLUDI TERCIO	380230575 380240575		•				•					
KLUDI ZENTA			•		420250575 420260575	382530575	384460575 384470575				•	

Kitchen	HIGH PRES	SURE					LOW PRESS	SURE	
Article number	7486800-00	7560500-00	7560700-00	7685600-00	7475000-00	7520100-00	7302600-00	7480500-00	7412900-00
Catridge size	K25	K35	K36	K41	K40	K46	K25	K35	K41
KLUDI AMPHORA		•							
KLUDI BINGO STAR		•						•	
KLUDI BOZZ		•							
KLUDI E-GO					•				
J00P!		•							
KLUDI KOMET		•						•	
KLUDI L-INE		•						•	
KLUDI L-INE S	•								
KLUDI LOGO MIX		•						•	
KLUDI LOGO NEO		•						•	
KLUDI MIX						•			
KLUDI MX				•					•
KLUDI OBJEKTA MIX NEW		•		338810575 338820575				•	
KLUDI OBJEKTA		•		328810575 328820575				•	
KLUDI SCOPE		•						•	
KLUDI STEEL		•							
KLUDI TANGENTA		•							
KLUDI TERCIO		•						•	
KLUDI TRENDO		•						•	
KLUDI TRENDO STAR		•						•	
KLUDI ZENTA	•		389840575 389810575				•		
KLUDI ZIP		•							

Gasket kit Navigator

Are you looking for the right gasket kit for a KLUDI kitchen fitting? The Gasket kit Navigator will give you the answer. And this is how it works: choose the article number for the relevant kitchen mixer in the vertical column. The mixer tap marked with a dot indicates the matching gasket kit.

		GASKET KIT				
Article number		7425300-00	7301900-00	7316700-00	7317800-00	7431800-00
KLUDI ADLON	516060520	7420300-00	7301900-00	7310700-00	7317000-00	7431000-00
NEODI ADEON	516000520					
KLUDI AMPHORA	549040575					•
	549410575					
KLUDI BINGO STAR	428030578		•			
	428090578		•			
	428360578		•			
I/I LIDI I/OMET	428570578		•			
KLUDI KOMET	337940562 337950562					
	337960562					
	337970562					
	337980562					
	337930562					
	337990562					
	337910562					
	337920562					
KLUDI LOGO MIX	389130575					
I/I LIDI I OOO NEO	389190575					
KLUDI LOGO NEO	379130575 379190575					
KLUDI MEDI CARE	349080524					
REODI WEDI OARE	341130524					
	349220524					
	349250524					
	349080534					
	349200524					
	349240524					
	349230524					
1/11/21 11/2/	349210524					
KLUDI MIX	339040562					
	339050562 339060562					
	339000502					
	339340562					
	339350562					
	339360562					
	339370562					
KLUDI MX	399040562					
	399050562					
	399060562					
	399070562					
	399340562 399410562					
	399420562					
	399450562					
KLUDI OBJEKTA MIX NEW	338830575					
	338890575					
	337610575					
KLUDI SCOPE	339330575					
	339390575					
	339300575					
	339380575					
	339310575					
KLUDI STEEL	339320575 38850F660	•				
KLODI STLLL	38857F660	•				
KLUDI TANGENTA	44904F875			•		
	44991F875				•	
	44941F875				•	
KLUDI TRENDO	335740575					
	335750575					
	335760575					
	335770575					
	335780575					
	335790575 335810575					
KLUDI TRENDO STAR	339740575					
REODI INENDO STAIL	339750575					
	339760575					
	339770575					
	339810575					
	339780575					
	339790575					
KLUDI ZENTA	389730575					
	389790575					

7432900-00	7445000-00	7461100-00	7548400-00	7599700-00	7608500-00	7683700-00	7693800-00	7694500-00	7812200-00
		71.13 00			•	32.23 00			
					•				
	•								
•									
•									
			•						
			•						
			•						
			•						
			•						
			•	•					
				•					
				•					
				•				_	
								•	
							•		
							•		
								•	
							•		
							•		
							•		
						•			
						•			
						•			
						•			
						•			
						•			
									•
									•
									•
									•
									•
									•
•									•
•									
			•						
				•					
				•					
				•					
			•						
			•						
•									
•									
•									
•									
•									
•			•						
•									
•									
•									
•			•						
•									
•									
		•							
	<u> </u>	•	<u> </u>	<u> </u>	<u> </u>	<u> </u>			271
									211

Spare parts and accessories			
product	product description	surface	article number
SPARE PARTS	gasket kit kitchen mixers series KLUDI MIX/KLUDI OBJEKTA till 12/2002	neutral	7531200-00
00	gasket kit kitchen mixers series KLUDI TRENDO STAR/KLUDI KLUDI OBJEKTA MIX NEW	neutral	7432900-00
00	gasket kit kitchen mixers series KLUDI MIX from 01/2003	neutral	7683700-00
00	gasket kit kitchen mixers series KLUDI KOMET/KLUDI TRENDO	neutral	7548400-00
	gasket kit kitchen mixers series KLUDI LOGO	neutral	7599700-00
00	gasket kit kitchen mixers series KLUDI MX	neutral	7812200-00

		υραιτ	ραιτο απα	accessories
product	product description		surface	article number
	classical lift-cone headpart G 3/8 with handle Terralux, ABS marking: blue according to DIN EN 200		chrome	110010515
	classical lift-cone headpart G 3/8 with handle Terralux, ABS marking red according to DIN EN 200		chrome	110020515
	classical lift-cone headpart G 1/2 with handle Terralux, ABS marking: blue/red according to DIN EN 200		chrome	111030515
	classical lift-cone headpart G 3/8 with handle Terralux, metal marking: blue according to DIN EN 200		chrome	110010501
	classical lift-cone headpart G 3/8 with handle Terralux, metal marking red according to DIN EN 200		chrome	110020501
	classical lift-cone headpart G 1/2 with handle Terralux, metal marking: blue according to DIN EN 200		chrome	110030501

Spare parts and accessories product	product description	surface	article number
	classical lift-cone headpart G 1/2 with handle Terralux, metal marking red according to DIN EN 200	chrome	110040501
	classical lift-cone headpart G 1/2 with handle Terralux, metal marking: blue according to DIN EN 200	chrome	110030508
	classical lift-cone headpart G 1/2 with handle Terralux, metal marking red according to DIN EN 200	chrome	110040508
	classical lift-cone headpart G 1/2 according to DIN EN 200	neutral	7521800-00
	ceramic headpart G 1/2 with ceramic discs 90° right-locking according to DIN EN 200	neutral	7505400-00
	ceramic headpart G 1/2 with ceramic discs 90° left-locking according to DIN EN 200	neutral	7505500-00

		Spare parts and	
product	product description	surface	article number
	ceramic headpart G 3/8 90° right-locking	neutral	7444000-00
	ceramic headpart G 3/8 90° left-locking	neutral	7444100-00
	ceramic-headpart G 1/2 x 180°	neutral	7502500-00
	classical lift-cone headpart G 1/2 for concealed valves DN 15 according to DIN EN 200	neutral	7557000-00
	classical lift-cone headpart G 3/4 for concealed valves DN 20 according to DIN EN 200	neutral	7557100-00
	head part G 3/8 according to DIN EN 200	neutral	7552600-00

Spare parts and accessories product product description surface article number cartridge 46 mm with ceramic discs 7520100-00 neutral for compression- and depressurized fittings according to DIN EN 817 cartridge 46 mm ECO with ceramic discs with pre-adjustable hot water limitation flow rate and hot-water notch according to DIN EN 817 7640000-00 neutral cartridge 41 mm with ceramic discs according to DIN EN 817 7685600-00 neutral cartridge 41 mm with ceramic discs for low pressure mixer according to DIN EN 817 7412900-00 neutral cartridge 41 mm for Clinic fittings with ceramic discs according to DIN EN 817 7459800-00 neutral cartridge 35 mm with ceramic discs for compression fittings according to DIN EN 817 7560500-00 neutral

			Spare parts and	accessories
product		product description	surface	article number
ZK	95 V 5 V 5 V 5 V 5 V 5 V 5 V 5 V 5 V 5 V	control unit K 35 mm with ceramic discs for low pressure mixers according to DIN EN 817	neutral	7480500-00
	23 225 -	cartridge 25 mm with ceramic discs according to DIN EN 817	neutral	7486800-00
	20 60	KLUDI E-GO cartridge 40 mm	neutral	7475000-00
	\$16 20 20 20 20 20 20 20 20 20 20 20 20 20	cartridge for single lever mixer KLUDI MEDI CARE with coupling	neutral	7436600-00
	63 277 277 277 2735	KLUDI O-CEAN joystick ceramic cartridge with ceramic discs according to DIN EN 817	neutral	7494700-00
	28	cartridge 28 mm with ceramic discs according to DIN EN 817	neutral	7661900-00

Spare parts and accessories					
product		product description	surface	article number	
	922	temperature control unit for wall mounted thermostat 35200, 35205, 35260, 35400, 35401, 57420, according to DIN EN 1111	neutral	7672900-00	
	250 49 90	temperature control unit for concealed thermostatic mixer (spare part for 7587000-00) 35156, 35158, KLUDI FLEXX.BOXX 88066, according to DIN EN 1111	neutral	7480900-00	
	035	temperature control unit for concealed thermostat G 3/4 according to DIN EN 1111	neutral	7492700-00	
	97 023	temperature control unit for wall mounted thermostat 35100, 35101 according to DIN EN 1111	neutral	7447000-00	
		kitchen-showers automatic diverter: shower/spray with Cascade-aerator M 24 x 1 flow class A 33901, 33955, 31834, 31738	chrome	7506805-00	
		kitchen-showers automatic diverter: shower/spray with flow aerator M 24 x 1/ND flow rate 5 l/min 33902, 33957, 31923, 31745	chrome	7566705-00	

			Spare	parts and	accessories
product		product description		surface	article number
	128 250 250	KLUDI FIZZ hand shower DN 15 with spray mode: volume quick and easy cleaning system flow class S (0,32 l/s, at 3 bars) connection G 1/2 PA-IX 7506/IS		white	6760043-00
ACCESSORIES s-pain er o KLUDIO		s-pointer aerator male thread M 24 x 1A swivelling spray insert flow 13 l/min, at 3 bar		chrome	7437005-00
s-paner o K L J D I o		s-pointer eco-aerator male thread M 24 x 1Z swivelling spray insert flow 7,5 - 9,0 l/min, at 3 bars		chrome	7483905-00
OKLUDIO		flow regulator male thread M 24 x 1 ND for low pressure mixer		chrome	7520505-00
o KLUDIO		cascade aerator male thread M 24 x 1A flow 13 l/min, at 3 bar		chrome	7641605-00
NP PA		ball joint for bidet mixer without aerator M 24 x 1A outside screw thread		chrome	7537505-00

Spare parts and accessories			
product	product description	surface	article number
	pop-up waste G 1 1/4 for basin-/bidet mixers complete chrome plated	chrome	7526005-00
	s-connection G 1/2 x G 3/4 with shut-off and push-on rosette	chrome	7589505-00
	s-connections G 1/2 x G 3/4		7655204-00
O s aug	installation wrench for cartridge 7520100-00 from 09/2005	neutral	92907300-00
O and a second	clamping-screw-wrench for cartridge thermostatic series KLUDI EVITA	neutral	92907600-00
Nico Nico	clamping-screw-wrench for cartridge 7560500-00	neutral	92907700-00

product	product description	surface	article number
C No 1	clamping-screw-wrench for cartridge 7520100-00 till 08/2005	neutral	92903200-00
	clamping-screw-wrench for KLUDI NEW WAVES WT/Bidet EHM	chromium nickel steel	92910035-00
	clamping-screw-wrench for cartridge 7685600-00	neutral	92912800-00
	clamping-screw-wrench for KLUDI AMPHORA single lever bath- and shower mixer	neutral	92910900-00
	clamping-screw-wrench for KLUDI AMPHORA WT/Bidet EHM	neutral	92910800-00
	lock shield for micro-cartridge for KLUDI AMPHORA 54421, 54423, for KLUDI KIDÓ 39421	chromium nickel steel	92911035-00

Spare parts and accessories			
product	product description	surface	article number
	installation wrench KLUDI WAGA + KLUDI ROTEXA pop-up wastes for pre-installation	neutral	83027400-00
	installation wrench KLUDI TASSO 90 (21095), KLUDI TASSO 50, KLUDI TASSO PLUS for pre-installation	neutral	83028800-00
	Universal fitting wrench for aerator M 18 x 1, M 22 x 1, M 24 x 1, M 28 x 1, M 16,5 x 1 Caché® TT, Caché® TJ, Caché® TF, Caché® JR, Caché® STD	neutral	7488300-00
	Caché-aerator male thread M 16,5 x 1Z flow rate 8,4 l/min, at 3 bars	neutral	7426600-00

General Terms and Conditions of Sale of Kludi GmbH & Co. KG

Article 1 General - Scope

- (1) These General Terms and Conditions of Sale shall apply to all deliveries and services of Kludi GmbH & Co. KG (referred to in the following as: Kludi); conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale (and/or supplementary conditions) shall not apply, except where Kludi has explicitly approved their application.
 - These General Terms and Conditions of Sale shall also apply where Kludi is aware of conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale, and performs the delivery to the ordering party without reservation
 - If the ordering party accepts services/deliveries from Kludi without reservation, this shall also constitute acceptance of these General Terms and Conditions of Sale.
- (2) All agreements that are made between Kludi and the ordering party regarding the performance of a contract shall be recorded in writing in the respective contract. The respective contract document shall be presumed to be complete and accurate. Where there exist between Kludi and the ordering party other unilateral or multilateral contractual agreements, and where individual clauses of those contracts conflict with clauses of these General Terms and Conditions of Sale, the clauses of those other agreements shall only replace the corresponding clauses of these General Terms and Conditions of Sale where this has been explicitly agreed.
- (3) These General Terms and Conditions of Sale shall only apply vis-à-vis companies in the meaning of Article 310 of the German Civil Code (BGB).
- (4) These General Terms and Conditions of Sale shall also apply to all future transactions with the ordering party, without Kludi being obliged to make specific reference to them in individual cases.

Article 2 Information, advisory services

Information and advisory services regarding the products of Kludi shall be provided on the basis of the prior experience of Kludi. The values specified in that connection shall be calculated average values. Information and advisory services shall not render unnecessary suitability testing of the goods supplied and compliance with processing instructions, in particular by the ordering party.

Verbal information shall not be binding, unless an explicit agreement has been made to the contrary.

Article 3 Quotation, quotation documents

- (1) If an order is subject to qualification as a quotation under Article 145 of the German Civil Code (BGB), Kludi shall be entitled to accept it within 3 weeks. A supply contract or other contract shall only then be considered to exist when Kludi has explicitly confirmed the order or other assignment, or when the goods have been delivered.
- (2) Samples and specimens shall be considered non-binding samples for inspection purposes. In the case of purchases based on samples and/or specimens, deviations are reserved where these are customary for the industry or lie within the scope of normal manufacturing and technical improvement. The delivery of samples or specimens shall not constitute a guarantee of quality or shelf life, or a quality agreement, and it shall not be associated with the definition of a standard quality, unless this is explicitly indicated in the order confirmation.
- (3) Samples and specimens shall be returned to Kludi in faultless condition and at the expense of the ordering party within 4 weeks. If they are not returned within this period, Kludi shall be entitled to charge the purchase price in accordance with the price list. Price lists can be requested from Kludi at any time.
- (4) Where not explicitly otherwise agreed, the specifications published by Kludi in catalogues, brochures and other publications in text or image format (e.g. descriptions, photographs or drawings) shall constitute approximate specifications, and shall not constitute quality specifications or possible uses of the goods supplied by Kludi. Specifications from Kludi shall not constitute guarantees of shelf life or quality, or quality specifications, and shall correspond to the current state of knowledge at Kludi. Kludi shall not be liable for the success of the intended use.
- (5) Kludi retains all property rights and copyrights, and rights of reproduction, to images, drawings, calculations, cost estimates, and other documents; it shall not be permissible for images, drawings, calculations, cost estimates and other documents to be disclosed to third parties. These documents shall be returned to Kludi if the order is not placed. The aforementioned provisions of this Para. 5 shall in particular apply to written documents marked "confidential"; the ordering party shall require the explicit approval of Kludi before the disclosure of these to third parties.

Article 4 Prices, payment conditions

(1) Unless otherwise agreed in the order confirmation, the prices of Kludi on the date of delivery apply "ex works" and exclusive of packaging and transportation; the latter will be invoiced separately.

- (2) The statutory value-added tax is not included in the prices; it will be separately stated in the invoice at the statutory rate on the date of invoicing.
- (3) Deliveries to destinations in EU countries and in states party to the Agreement on the European Economic Area shall be subject to an agreed carriage-paid limit of Euro 750.00 per individual order, and a small-quantity surcharge of Euro 6.00 for individual orders with a value under Euro 50.00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.
 - For deliveries to destinations on the continents of Asia (in particular China and Russia), Australia (including New Zealand), Africa, Antarctica, South America and North America, a carriage-paid limit of EURO 500,00 shall apply per individual order, and a small-quantity surcharge of EURO 500,00 for individual orders with a value under EURO 500,00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.
- 4) Where not otherwise specified in the order confirmation, the purchase price shall be due for payment net (without deduction) within 30 days after the invoice date. The statutory provisions regarding the consequences of default in payment shall apply. If the ordering party pays the purchase price within 10 days after the invoice date, an early payment discount of 3% of the invoice total shall apply, provided that all older purchase price debts have been paid in full. Any further early payment discount shall be subject to special explicit agreement. Payments shall be made in euros, and shall be payable free of postage and charges to paying agents specified by Kludi. Bills of exchange and cheques shall only constitute payment when they have been redeemed, and shall be accepted without obligation for timely presentation and protesting.
- (5) In the event of default, Kludi shall be entitled to claim default interest at the statutory rate (Article 288 Para. 1, Para. 2 of the German Civil Code (BGB)). If Kludi demonstrates that the default in payment has incurred higher loss of interest, this can be claimed. The right to assert further claims is explicitly reserved.
 - In the case of bilateral commercial transactions, Kludi shall be entitled to charge maturity interest at a rate of 4%, starting from the date of the payment claim.
- (6) In the event of justified doubt in the solvency of the ordering party, in particular in the event of payment arrears, Kludi shall be entitled to demand advance payments or collateral from the ordering party for further deliveries, without prejudice to any further claims, and shall be entitled to revoke individually agreed payment periods.
- (7) The ordering party shall only be entitled to rights of offsetting and retention where the counterclaims have the force of law and are recognised by Kludi. Furthermore, the ordering party shall only be entitled to a right of retention where the counterclaim derives from the same contractual relationship.
 - Kludi shall be entitled, despite any provisions of the ordering party to the contrary, to first offset payments against any older liabilities of the ordering party. If costs and interests have already been incurred, Kludi shall be entitled first to offset the payment against the cost, then against the interest, and finally against the principal demand.
- (8) All customs duties, taxes, levies etc. incurred outside the Federal Republic of Germany shall be paid by the ordering party.

Article 5 Delivery time

- (1) Delivery schedules shall only be binding where this has been explicitly agreed. The delivery time specified by Kludi shall only begin after all technical questions have been clarified and Kludi has given an additional explicit delivery time confirmation. Delivery schedules shall be considered to have been complied with where the delivered product has left the facility of Kludi, or notification of dispatch readiness has been sent.
- (2) Compliance with delivery obligations on the part of Kludi shall furthermore be dependent on the timely and proper fulfilment of the obligations of the ordering party; this shall in particular relate to the timely receipt of all documents to be supplied by the ordering party, and required permits and approvals, in particular for plans, and compliance with the agreed payment conditions (e.g. advance payments). The right of objection on grounds of non-fulfilment of contract shall be reserved.
- (3) Where non-compliance with the agreed schedules is attributable to force majeure, e.g. mobilisation, war, rioting or similar events, e.g. strike, lockout etc., the agreed schedules shall be extended appropriately. The same shall apply in the event that Kludi itself has not received deliveries in a timely or proper manner (the agreed delivery schedules shall correspondingly be subject to proper and timely deliveries by subsuppliers).
- 4) Kludi shall be entitled to make partial deliveries, where these are reasonable for the ordering party.
 - It shall be permitted for partial deliveries to be invoiced separately.

- (5) If the ordering party defaults on acceptance or culpably violates other duties of cooperation, Kludi shall be entitled to request compensation of any losses incurred by Kludi as a result, including remuneration of any excess expenditure. Further claims shall be reserved.
- (6) Where the requirements of Para. (5) apply, the risk of accidental loss or accidental deterioration of the purchased product shall be transferred to the ordering party from the date at which the latter defaults on acceptance or payment.
- (7) Kludi shall be liable in accordance with the statutory provisions where the underlying purchase contract constitutes a fixed date transaction in the meaning of Article 286 Para. 2 of the German Civil Code (BGB) or Article 376 of the German Commercial Code (HGB). Kludi shall also be liable in accordance with the statutory provisions where a delay in delivery for which Kludi is responsible entitles the ordering party to assert that he has no further interest in the continued performance of the contract. Subject to proper and timely deliveries by subsuppliers.
- (8) Kludi shall furthermore be liable in accordance with the statutory provisions where the delay in delivery arises from intentional or grossly negligent violation of contract for which Kludi is responsible; Kludi shall be liable for violations committed by representatives or vicarious agents of Kludi. Where the delay in delivery does not arise from an intentional violation of contract for which Kludi is responsible, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (9) Kludi shall also be liable in accordance with the statutory provisions where the delay in delivery for which Kludi is responsible arises from a culpable violation of a major contractual obligation; in this case, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (10) Kludi shall otherwise be liable in the event of delay in delivery to pay lump-sum default compensation in the sum of 3% of the value of the delivery for each full week of delay, limited, however, to a maximum of 9% of the value of the delivery.
- (11) The limitations/exclusions of liability described in Para. 7-10 of this Article shall not apply in the event of death, injury or damage to health.

Article 6 Transfer of risk

- (1) Unless otherwise provided for in the order confirmation, the delivery shall be agreed as "ex works". The risk shall correspondingly be transferred to the ordering party at the latest when the delivered products are dispatched, even where partial deliveries are made, or where Kludi still has to perform other services, e.g. where Kludi has accepted the dispatch costs or the transport and/or installation costs. The provisions of Article 5 Para. 6 shall also apply.
- (2) The return of transport packaging and all other packaging shall not be accepted; this applies with the exception of pallets. The ordering party shall be obliged to dispose of the packaging at its own expense.
- (3) Where the ordering party wishes, Kludi shall arrange for the delivery to be covered by a separate transport insurance policy; the costs incurred shall be paid by the ordering party.
- (4) The statutory obligations regarding inspection and notification of defects (Article 377 of the German Commercial Code (HGB)) shall continue to apply without restriction. If the ordering party fails to perform the immediate inspection of the goods required by Article 377 of the German Commercial Code (HGB), or fails immediately to give notification of defects, the goods shall be considered approved, and the ordering party shall no longer be entitled to assert claims relating to defects or incomplete delivery. Where Kludi negotiates with the ordering party regarding a complaint raised by the latter, this shall not constitute a tacit waiver of the objection of late inspection of the goods or notification of defects without explicit notice thereof. The same shall apply to any statement from Kludi that it may be prepared to remedy the defect (or where such remediation actually takes place). Notification of defects shall require the written form.

Article 7 Liability for defects

Kludi shall be liable for any defects in delivery, excluding further claims, as follows:

- (1) Claims for defects shall not exist in cases of only minor deviation from the agreed quality or in the absence of an agreement from the customary quality, where the impairment of function is only insignificant, in cases of natural wear or damage that occurred after the transfer of risk as a result of incorrect or negligent treatment and handling (particularly by untrained personnel), improper or inappropriate use, excessive loading, inappropriate equipment, defective construction work, inappropriate building ground, incorrect installation, incorrect use, or which occur as a result of specific external factors that have not been taken into consideration by the contract, or in case of non-reproducible software errors. If the ordering party or third parties perform unprofessional modifications or maintenance work, claims for defects cannot be asserted for these or the resulting consequences.
 - Incorrect use, in relation to which no claims for compensation of defects shall be possible, shall in particular include the installation of the object of purchase or parts

- thereof in other products, or the installation of third-party components into the object of purchase, or in the event of modification of the object of purchase by the ordering party, unless an alternative has explicitly been agreed.
- 2) All parts supplied that contain defects shall be either repaired or replaced free of charge at the discretion of Kludi, where and inasmuch as the cause was already present at the time of the transfer of risk (supplementary performance).
- (3) In the event of a justified notification of defects, the ordering party shall give Kludi the opportunity of supplementary performance within a reasonable period.
- 4) If the supplementary performance has failed or is unreasonable for the ordering party (Article 440 of the German Civil Code (BGB)), or is dispensable because
 - a) the supplementary performance is conclusively rejected by Kludi,
 - b) the supplementary performance has not been effected by a contractually determined deadline or within a specified period, and the ordering party has contractually bound the continuation of its interest in performance to the punctuality of the performance, or
 - c) special circumstances exist that, under consideration of the interests of both parties, justify immediate withdrawal (Article 323 Para. 2 of the German Civil Code (BGB)), the ordering party shall immediately be entitled to reduce the purchase price or withdraw from the contract at its discretion, and (or also additionally) in accordance with Para. 10 in conjunction with Article 11 to demand compensation of damages in lieu of the performance, or reimbursement of frustrated expenditure.
- (5) The expenditures required for the purpose of supplementary performance, and in particular transportation, travel, personnel and material costs, shall be paid by Kludi. This shall not apply where the expenditures increase because the object of delivery has been removed to another location than the place of fulfilment (Article 12 Para. 3) of the delivery, except where this corresponds to the intended use of the object of delivery.
- (6) If the ordering party accepts a defective delivery despite being aware of the defect, he shall only be entitled to the claims and rights arising from the defect if he reserves these within the framework of the acceptance process.
- (7) The statements made in brochures, advertising materials, descriptions etc. regarding dimensions, weights, performance capabilities etc. shall constitute approximate statements, and not quality specifications. They shall not constitute a guarantee of quality or shelf life. Kludi reserves the right to deviations. This shall also apply to design changes.
- (8) Claims for supplementary performance shall be subject to statutory limitation in one year after the beginning of the statutory limitation period; the same shall apply for withdrawal and reduction. This period shall not apply where the law under Article 438 Para. 1 No. 2 (buildings and products for buildings), Article 479 Para. 1 (right of recourse) and Article 634a Para. 1 No. 2 (construction defects) of the German Civil Code (BGB) prescribes mandatory longer periods, and shall also not apply in cases of intent, malicious non-disclosure of the defect, or non-compliance with a quality guarantee, or violation of major contractual obligations (cardinal obligations). In such cases the statutory limitation periods shall apply.
 - The statutory regulations regarding suspension of expiry, suspension, and recommencement of the limitation period, shall remain unaffected; in the event of supplementary performance by means of delivery of a defect-free product, the warranty period shall however end at the time when it would have ended for the defective product.
- (9) Any rights of recourse of the ordering party against Kludi under Article 478 of the German Civil Code (BGB) (recourse of the principal) shall only apply where the ordering party has made no agreement with his customer that exceed the statutory claims for defect. The scope of the right of recourse against Kludi shall be governed by Article 478 Para. 2 of the German Civil Code (BGB), and Article 7 Para. 1-7, 10 and Article 11 shall apply correspondingly.
- (10) Any claims by the ordering party for compensation of damages in relation to a material defect shall be determined on the basis of Article 11.

Article 8 Returns

- (1) Returns of the purchased product shall be excluded, except in cases under Article 7.
- (2) Purchased products returned without the approval of Kludi shall be rejected by Kludi, or sent back to the ordering party freight forward.
- 3) If in individual cases and after prior explicit agreement Kludi exceptionally agrees to the return delivery, Kludi shall be entitled to invoice processing costs in the sum of at least 30% of the net value of the goods, depending on the usability of the goods.
- (4) The ordering party shall bear the transportation risk and transport costs.

Article 9 Retention of title

- (1) Kludi shall retain the title to all delivered products (referred to in the following as: ROT goods) until the payment of all receivables, for whatever legal reason, including receivables arising in future conditional receivables from concurrent or subsequently concluded contracts. This shall also apply where payments are made on specifically designated receivables. If there are indicators justifying the assumption of insolvency on the part of the ordering party, or the threat of such, Kludi shall be entitled to withdraw from the contract without notice, and to demand the surrender of the ROT goods.
- (2) Processing of the ROT goods shall take place on behalf of Kludi as the manufacturer in the meaning of Article 950 of the German Civil Code (BGB), without obligation for Kludi. The processed goods shall constitute ROT goods in the meaning of Para. 1. Where the ROT goods are processed, aggregated or mixed with other goods by the ordering party, Kludi shall have joint title to the new product in the ratio of the invoice value of the ROT goods to the invoice value of the other goods used. If the title of Kludi lapses upon aggregation or mixing, the ordering party hereby already transfers his ownership rights to the new stock or product in the scope of the invoice value of the ROT goods, and holds it in safekeeping for Kludi free of charge. The joint ownership rights thus arising shall constitute ROT goods in the meaning of Para. 1.
- (3) If the ROT goods are aggregated with real property by the ordering party as an entrepreneur in the meaning of Article 946 of the German Civil Code (BGB), the ordering party shall also assign to Kludi at the time of aggregation the receivables to which he is entitled as remuneration for this aggregation, together with all auxiliary rights, and without the need for any further separate statement, as security in the sum of the ratio of the ROT goods aggregated to the other goods aggregated, or to the value of his total performance.
- (4) The ordering party shall be entitled to resell, process, aggregate with other goods, or otherwise install the ROT goods only within the framework of ordinary business operations, and provided that he is not in default of payment of the purchase price. Any other utilisation of the ROT goods shall not be permitted. Distraint or other seizure of the ROT goods by third parties shall be reported to Kludi immediately. All intervention costs shall be paid by the ordering party, where they cannot be collected by the third party, and where the third-party action against execution has legitimately been taken. If the ordering party defers payment of the purchase price for his customer, he shall be obliged to retain the title to the ROT goods under the same conditions as Kludi has retained the title to the delivery of the ROT goods. The ordering party shall however not be obliged to also retain the title in relation to the receivables to which he will be entitled from his customer in future. Resale by the ordering party shall otherwise not be authorised.
- (5) The receivables of the ordering party from the resale of the ROT goods are hereby already assigned to Kludi. These shall serve as security in the same manner as the ROT goods. Resale by the ordering party shall only be entitled and authorised where it is ensured that the receivables to which he is entitled as a result are transferred to Kludi.
- (6) If the ROT goods are sold by the ordering party at an overall price together with other goods not supplied by Kludi, the receivables from the sale shall be assigned in the value of the invoice value of the respective ROT goods sold.
- (7) If the receivables are recorded in an ongoing account, the ordering party hereby already assigns to Kludi a proportion of the balance, including the closing balance of the current account, corresponding to these receivables.
- (8) The ordering party shall be authorised to collect the assigned receivables until such authorisation is revoked by Kludi. Kludi shall be entitled to revoke this authorisation if the ordering party fails to fulfil his payment obligations arising from the business relationship in a proper manner, or if circumstances become known that have the potential to significantly reduce the credit rating of the ordering party. Where the conditions are fulfilled for this right of revocation to be exercised, upon request from Kludi the ordering party shall immediately disclose the assigned receivables and the respective debtors, provide all information required for the collection of the receivables, provide Kludi with the associated documents, and notify the debtor of the assignment. Kludi themselves shall also be entitled to notify the debtor of the assignment. The ordering party shall not otherwise be entitled to assign the receivables, and in particular not as a result of the authorisation to collect thus granted.
- (9) If the nominal value (invoice total of the goods or nominal total of the receivables entitlement) exceeds the securities held by Kludi for the secured receivables by a total of more than 10%, upon request from the ordering party Kludi shall be entitled to release securities of its choice.
- (10) If Kludi asserts a retention of title, this shall only constitute withdrawal from the contract where this is explicitly stated by Kludi. The right of the ordering party to own the ROT goods shall lapse if he fails to fulfil his obligations arising from this or another contract.

Article 10 Use of image data, text, videos, and/or other print and digital media

- (1) The use of images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, shall require the explicit prior approval of Kludi.
- (2) In the event that explicit approval is granted under Para. 1, the following points shall be binding for any use of the images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, and also during the presentation of products from Kludi on internet pages of the user:
 - a) The brand name "Kludi" must not be used in the domain name (URL) of the user. The same shall apply correspondingly to other brands in the Kludi Group, and variations thereon.
 - b) In internet presentations and other media, only such photographs of Kludi products shall be used as are typical for the brand. Photos and silhouettes of the products used in internet presentations or other media shall be of at least the same standard as the official Kludi homepage or the print media used by Kludi. In this respect, Kludi reserves the right to make further specifications.
 - c) The Kludi image brand / logo shall only be used in internet presentations and other media with the explicit approval of Kludi. Articles 23 and 24 of the German Trade Marks Act (MarkenG) remain unaffected.
 - d) In the event of such approval being granted and the Kludi image brand / logo being used in internet presentations, it shall be linked to the website www.kludi.com.
 - e) In the event of such approval being granted and the Kludi image brand / logo being used, only the original logo shall be used. It shall not be permitted for the user to modify the Kludi image brand / logo. The typefaces used on the Kludi homepage or in the print media used by Kludi shall also be used in the internet presentations of the user or in other media of the user, unless Kludi has explicitly approved another design.
 - f) The user must be clearly identifiable as the copyright holder of his internet presentation or other media. It must be beyond doubt that the internet presentation or other media is the responsibility of the user and not of Kludi. The Kludi image brand / logo shall therefore be a maximum of 50% of the height of the logo of the user.
 - g) Any further private or commercial use, or distribution of image data/files to third parties, shall only be permitted with the explicit prior approval of Kludi.
- (3) The use of the data provided by Kludi shall exclusively be permitted with reference to Kludi using the following format: © KLUDI GmbH & Co. KG, Menden, Germany
- (4) Any editing, modification, manipulation or distortion of the images and texts provided, e.g. rephotographing, graphic falsification, photocomposing, or alteration using electronic means, that exceed the scope of true-to-scale enlargement or reduction shall exclusively be permitted with the explicit approval of Kludi.
- (5) In the event of a violation of the conditions of use described in this Article 10, Kludi retains the right to exclude the user from further use of the image data, and to revoke any approval already granted. All further statutory rights shall be retained.

Article 11 Compensation of damages / exclusion of liability

- (1) Any claims by the ordering party for compensation of damage for whatever legal reason shall be excluded, subject to alternative provisions of these General Terms and Conditions of Supply. This shall not apply in the event of malicious non-disclosure of defects, in the event of non-compliance with a quality guarantee, in the event of death, injury or damage to health, and/or in the event of intentional or grossly negligent violation of obligations by Kludi, or in the event of a violation of obligations whose fulfilment is essential for the proper performance of the contract, and with which the ordering party is entitled to expect compliance (major contractual obligations / cardinal obligations). Claims under the German Product Liability Act shall also be unaffected by this limitation of liability. This limitation of liability shall apply equally to violations of obligations by the bodies and vicarious agents of Kludi.
- (2) Vis-à-vis entrepreneurs, the claim for compensation of damages arising from violation of major contractual obligations shall, however, be limited to the foreseeable damage typical for the type of contract, in the absence of either intent or gross negligence, and in the absence of liability for death, injury or damage to health.
- (3) The aforementioned limitation of liability shall apply equally to claims for the reimbursement of frustrated expenditure (Article 284 of the German Civil Code (BGB)). The above provision shall not constitute a change of the burden of proof to the disadvantage of the ordering party.

Article 12 Applicable law, jurisdiction, place of fulfilment

- (1) Where the ordering party is a businessperson, the registered office of Kludi shall be the exclusive jurisdiction. Kludi shall however also be entitled to file claims against the ordering party at another statutory jurisdiction.
- (2) The law of the Federal Republic of Germany shall apply, excluding the UN Convention on Contracts for the International Sale of Goods and the standard rules for conflicts of international private law, and in particular the Rome I Regulation.
- (3) Where not otherwise agreed in the order confirmation, the place of fulfilment shall be the registered office of Kludi.
- (4) If individual clauses of these General Terms and Conditions of Sale are or become ineffective, wholly or in part, this shall not affect the effectiveness of the remaining clauses and the remaining parts of such clauses.

Kludi GmbH & Co. KG, As of: January 2015

Copyright 2016 Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Reprinting, duplication and translation are permitted only with our express, written consent.

Kludi GmbH & Co. KG continuously endeavours to develop and improve all its products. They are subject to technical modifications that may result at any time from changes and ongoing development. Consequently no legal claims can be made on the basis of the details, illustrations, descriptions and dimensions given in this catalogue.

No liability for misprints and errors.

Printed in Germany.

Pictograms



Low pressure

Fitting suitable for under-counter water heaters.



Multi-connector

Fitting with connection for washing machine or dishwasher. Multi-connector makes turning water supply on or off very convenient.



Bayonet connection

Fitting suitable for installation very close to a window. The bayonet connection allows the fitting to be retracted and tilted sideways.



Sensor

Fitting with non-contact operation.



Battery operation

Electronic fitting with battery operation.



Mains operated

Electronic fitting for 230 V AC connection.



Pull-out spout

Fitting with pull-out spout for extended working radius.



Hand spray

Fitting with pull-out hand spray, can be switched over from normal flow to spray mode.



HotStop

Fitting with anti-scald limiter at 38 °C.



Eco

Saves at least 40 % water.



s-pointer

Angle of water flow can be adjusted to fit different shaped basins.



Showering hygiene

Quick and easy to drain remaining water from the hand spray. No dripping.



Push-fit connector

It just takes one click to fit the end of the hose to the adapter on the mixer body with the push-fit connector.

Flow rate classes

Z ≤ 9,0 l/min

max. flow rate at flow pressure of 3 bar

Certifications



DIN EN ISO 9001:2008







WaterMark





kiwa

DVGW



WRAS





SABS



Australian Standard

Pictograms

You will find a detailed explanation of our pictograms on the back of this flap.

See overleaf



• KLUDI •

Kludi GmbH & Co. KG P.O. Box 25 60 · 58685 Menden Am Vogelsang 31–33 · 58706 Menden Germany

Tel.: +49 2373 904-193 Fax:+49 2373 904-540 international-sales@kludi.com www.kludi.com

